

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
25 March 2004 (25.03.2004)

PCT

(10) International Publication Number
WO 2004/024161 A1

(51) International Patent Classification⁷: **A61K 31/517**,
C07D 403/04, A61P 3/06

(74) Agent: **SCHUCK, Alexander**; Isenbruck-Bösl-
Hörschler-Wichmann-Huhn, Patentanwälte, Theodor-
Heuss-Anlage 12, 68165 Mannheim (DE).

(21) International Application Number:
PCT/EP2003/010036

(22) International Filing Date:
10 September 2003 (10.09.2003)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
02 020 255.2 10 September 2002 (10.09.2002) EP

(71) Applicant (for all designated States except US): **PHENEX
PHARMACEUTICALS AG** [DE/DE]; Im Neuenheimer
Feld 515, 69120 Heidelberg (DE).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **DEUSCHLE,
Ulrich** [DE/DE]; Wundtstrasse 9/20, 69123 Heidelberg
(DE). **KÖGL, Manfred** [AT/DE]; Hauptstrasse 131/4,
69214 Eppelheim (DE). **BLUME, Beatrix** [DE/DE];
Heinrich-Heine-Strasse 20, 69221 Dossenheim (DE). **AL-
BERS, Michael** [DE/DE]; Obere Schulstrasse 3, 69221
Dossenheim (DE). **KOBER, Ingo** [DE/DE]; Am Grossen
Wald 30, 69251 Gaiberg (DE).

(81) Designated States (national): AE, AG, AL, AM, AT, AU,
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU,
CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,
GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,
LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW,
MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC,
SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA,
UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM,
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW),
Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),
European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE,
ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO,
SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM,
GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).


Published:

- with international search report
- before the expiration of the time limit for amending the
claims and to be republished in the event of receipt of
amendments

For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.

WO 2004/024161 A1

(54) Title: **NOVEL 2-AMINO-4-OXOQUINAZOLONES AS LXR NUCLEAR RECEPTOR BINDING COMPOUNDS WITH
PARTIAL AGONISTIC PROPERTIES**



(57) Abstract: The present invention relates to compounds according to the general formula (I) which bind to the Liver X receptors (LXR) receptors, LXRalpha/NR1H3 and LXRbeta/NR1H2) and act as selec-
tive agonists of the LXR receptors. The invention further relates to the
treatment of diseases and/or conditions through binding of said nuclear
receptors and selective agonistic effects by said compounds and the pro-
duction of medicaments using said compounds. In particular the com-
pounds are useful in the treatment of hypercholesterolemia, obesity or
other diseases associated with elevated lipoprotein (LDL) levels.

NOVEL 2-AMINO-4-OXOQUINAZOLONES AS LXR NUCLEAR RECEPTOR BINDING COMPOUNDS
WITH PARTIAL AGONISTIC PROPERTIES

Liver X Receptor (LXR) is a prototypical type 2 nuclear receptor which activates
10 genes upon binding to promoter region of target genes in a prototypical heterodimeric
fashion with Retinoid X Receptor (hereinafter RXR, Forman et al., Cell, 81, 687-93,
1995). The term LXR includes all subtypes of this receptor. Specifically LXR includes
LXR α (also known as LXR α , RLD-1 and NR1H3) and LXR β (also known as
LXR β , NER, NER1, UR, OR-1, R1P15 and NH1H2) and ligands of LXR should be
15 understood to include ligands of LXR α or LXR β . The relevant physiological ligands
of LXR seem to be oxidized derivatives of cholesterol, including 22-
hydroxycholesterol and 24,25(S)-epoxycholesterol (Lehmann, et al., Biol. Chem.
272(6), 3137-40, 1997). The oxysterol ligands bound to LXR were found to regulate
the expression of several genes that participate in cholesterol metabolism (Janowski,
20 et al., Nature, 383, 728-31, 1996).

LXR is proposed to be a hepatic oxysterol sensor. Upon activation (e.g. binding of
oxysterols) it influences the conversion of dietary cholesterol into bile acids by
upregulating the transcription of key genes which are involved in bile acid synthesis
25 such as CYP7A1. Hence, activation of LXR in the liver could result in an increased
synthesis of bile acids from cholesterol which could lead to decreased levels of
hepatic cholesterol. This proposed LXR function in hepatic cholesterol metabolism
was experimentally confirmed using knockout mice. Mice lacking the receptor LXR α
lost their ability to respond normally to an increase in dietary cholesterol and did not
30 induce transcription of the gene encoding CYP7A1. This resulted in accumulation of
large quantities of cholesterol in the livers and impaired hepatic function (Peet, et al.,
Cell, 93, 693-704, 1998).

Besides its important function in liver, LXR plays an important role in the regulation of
35 cholesterol homeostasis in macrophages and intestinal mucosa cells where it
upregulates cholesterol transporters from the ABC (=ATP binding cassette) family of
membrane proteins (Repa, et al., J Biol Chem. 2002 May 24;277(21):18793-800).

5 These transporters are believed to be crucially involved in the uptake of cholesterol from the diet since mutations in their genes leads to diseases such as sitosterolemia (Berge, et al., Science (2000);290(5497):1771-5.).

Other members of the ABC transporter family seem to be responsible for the efflux of
10 cholesterol from loaded macrophages, a process which is thought to prevent the generation of atherosclerotic lesions. Stimulation of LXR by synthetic ligands might result in an increased cholesterol efflux from macrophages and a decreased building up of cholesterol loaded atherosclerotic plaques (Venkateswaran, et al., PNAS (2000) 24;97(22):12097-102; Sparrow, et al., J Biol Chem (2002) 277(12):10021-7; Joseph, et al., PNAS (2002);99(11):7604-9). Direct evidence that synthetic LXR
15 ligands inhibit the development of atherosclerosis has been provided in two animal models of atherosclerosis: A significant reduction in the formation of atherosclerotic plaques were shown in two studies in animal models using full LXR agonists Joseph et al. PNAS (2002) 99:7604-9 and Terasaka et al. (2003) Terasaka et al. FEBS Lett. (2003) 536:6-11. In addition, two recent reports have highlighted the potential use of LXR agonists in diabetes (Cao et al., (2003) J Biol Chem. 278:1131-6 and inflammatory disorders (Joseph et al., (2003) Nat Med. 9:213-9).

However, in animal studies it was observed that activation of LXR in the liver by full
25 agonists like T0901317 does not only increase bile acid synthesis but also stimulates the de novo synthesis of fatty acids and triglycerids through the upregulation of key enzymes such as Fatty Acid Synthase (FAS) or Stearyl-CoA Desaturase (SCD-1) (Schultz, et al., Genes Dev (2000) 14(22):2831-8). Elevation of serum triglyceride levels is an independent risk factor for atherosclerosis (for review see Miller (1999) Hosp Pract (Off Ed) 34: 67-73.).
30

Thus, LXR activity needs to be selectively modulated for therapeutic benefit. In particular, compounds need to be found that stimulate reverse cholesterol transport, but do not significantly increase triglyceride levels. This might be particular relevant
35 for the usage of such compounds in diabetic patients since a even more severe lipogenic effect was reported for the full agonist T0901317 in db/db mice which serve as an animal model for diabetes (Chisholm et al. (2003) J.Lipid Res (epub August 16)).

5

Therefore, an ideal synthetic LXR binding compound should have properties that retain the agonistic activity on hepatic bile acid formation and ABC-transporter - mediated decrease in cholesterol uptake from the diet and increased cholesterol efflux from macrophages. In parallel such a compound should lack the hyperlipidemic potential which is exerted through increased fatty acid and tricycleride synthesis.

To date only few compounds have been described which bind the LXR receptor and thus show utility for treating diseases or conditions which are due to or influenced by said nuclear receptor (Collins, et al., J Med Chem. (2002) 45(10):1963-6; Schultz, et al., Genes Dev (2000) 14(22):2831-8; Sparrow, et al., J Biol Chem (2002) 277(12):10021-7). No non-steroidal compounds have so far been described which show selectivity regarding the induction of ABC transporter genes without simultaneous induction of lipogenic genes like FAS and SREBP-1c (Kaneko et al. (2003) J Biol Chem (epub July 7).

20

It is thus an object of the invention to provide for compounds which by means of binding the LXR receptor act as partial agonists of said receptor with a selective property regarding the upregulation of genes like the ABC transporters in macrophages and/or other cell types and a strongly reduced liability to increase the expression of genes involved in triglyceride synthetic pathways (like FAS and SREBP-1c). These compounds should show utility for treating diseases or conditions which are due to or influenced by said nuclear receptor.

30

It is further an object of the invention to provide for compounds that may be used for the manufacture of a medicament for the treatment of cholesterol associated conditions or diseases. It is still a further object of the invention to provide for compounds that lower serum cholesterol and/or increase High Density Lipoproteins (HDL) and/or decrease Low Density Lipoproteins (LDL). It is also an object of the invention to provide for compounds that may be used for the treatment of lipid disorders including hypercholesterolemia, atherosclerosis, Alzheimer's disease, skin disorders, inflammation, obesity and diabetes.


35

5 The present invention provides, *inter alia*, novel LXR nuclear receptor protein binding compounds according to the general formula (I) shown below. Said compounds are also binders of mammalian homologues of said receptor. Further the object of the invention was solved by providing for amongst the LXR nuclear receptor protein binding compounds according to the general formula (I) such compounds which act
10 as partial agonists or mixed agonists / antagonists of the human LXR receptor or a mammalian homologue thereof. Further the object of the invention was solved by providing for amongst the LXR receptor protein binding compounds according to the general formula (I) such compounds which act as partial agonists of the human LXR receptor resulting therefore in the induction of ABC transporter proteins such as
15 ABCA1 or ABCG1 in cell types such as macrophages but lacking a strong potential to induce genes involved in triglyceride synthetic pathways such as fatty acid synthase (FAS) or SREBP1c.

The invention provides for LXR agonists that may be used for the manufacture of a medicament for the treatment of cholesterol associated conditions or diseases. In a preferred embodiment compounds are provided that lower serum cholesterol and/or increase High Density lipoproteins (HDL) and/or decrease Low Density Lipoproteins (LDL). Also compounds are provided that may be used for the treatment of lipid disorders including hypercholesterolemia, atherosclerosis, Alzheimer's disease, skin disorders, inflammation, obesity and diabetes.

The invention provides for a compound of the formula (I), or pharmaceutical acceptable salts or solvates thereof, hereinafter also referred to as the "compounds according to the invention" including particular and preferred embodiments thereof.

30



5

(I)

The compounds of the invention can also exist as solvates and hydrates. Thus, these compounds may crystallize with, for example, waters of hydration, or one, a number
10 of, or any fraction thereof of molecules of the mother liquor solvent. The solvates and hydrates of such compounds are included within the scope of this invention.

In one embodiment of the invention in formula (I) above, R₁, R₂, R₃, R₄, -
independent from each other - H, halogen, hydroxy, protected hydroxy, cyano, nitro,
15 C₁ to C₆ alkyl, C₁ to C₆ substituted alkyl, C₁ to C₇ alkoxy, C₁ to C₇ substituted alkoxy, C₁ to C₇ acyl, C₁ to C₇ substituted acyl, C₁ to C₇ acyloxy, carboxy, protected carboxy, carboxymethyl, protected carboxymethyl, hydroxymethyl, protected hydroxymethyl, amino, protected amino, (monosubstituted)amino, protected (monosubstituted)amino, (disubstituted)amino, carboxamide, protected carboxamide, N-(C₁ to C₆
20 alkyl)carboxamide, protected N-(C₁ to C₆ alkyl)carboxamide, N, N-di(C₁ to C₆ alkyl)carboxamide, trifluoromethyl, N-((C₁ to C₆ alkyl)sulfonyl)amino, N-(phenylsulfonyl)amino or phenyl,

and R₅ is H, C₁ to C₈ alkyl, C₁ to C₈ substituted alkyl, C₇ to C₁₂ alkylphenyl or C₇ to
25 C₁₂ substituted phenylalkyl.

In an other embodiment of the invention in formula (I) above R₁, R₃ and R₄ are H, R₂
is halogen, hydroxy, protected hydroxy, cyano, nitro, C₁ to C₆ alkyl, C₁ to C₆
substituted alkyl, C₁ to C₇ alkoxy, C₁ to C₇ substituted alkoxy, C₁ to C₇ acyl, C₁ to C₇
30 substituted acyl, C₁ to C₇ acyloxy, carboxy, protected carboxy, carboxymethyl, protected carboxymethyl, hydroxymethyl, protected hydroxymethyl, amino, protected amino, (monosubstituted)amino, protected (monosubstituted)amino, (disubstituted)amino, carboxamide, protected carboxamide, N-(C₁ to C₆
alkyl)carboxamide, protected N-(C₁ to C₆ alkyl)carboxamide, N, N-di(C₁ to C₆
35 alkyl)carboxamide, trifluoromethyl, N-((C₁ to C₆ alkyl)sulfonyl)amino, N-(phenylsulfonyl)amino or phenyl,

and R₅ is H, C₁ to C₈ alkyl, C₁ to C₈ substituted alkyl.

5

The symbol "H" denotes a hydrogen atom.

10

The term "C₁ to C₇ acyl" encompasses groups such as formyl, acetyl, propionyl, butyryl, pentanoyl, pivaloyl, hexanoyl, heptanoyl, benzoyl and the like. Preferred acyl groups are acetyl and benzoyl.

15

20

The term "C₁ to C₇ substituted acyl" denotes the acyl group substituted by one or more, and preferably one or two, halogen, hydroxy, protected hydroxy, oxo, protected oxo, cyclohexyl, naphthyl, amino, protected amino, (monosubstituted)amino, protected (monosubstituted)amino, (disubstituted)amino, guanidino, heterocyclic ring, substituted heterocyclic ring, imidazolyl, indolyl, pyrrolidinyl, C₁ to C₇ alkoxy, C₁ to C₇ acyl, C₁ to C₇ acyloxy, nitro, C₁ to C₆ alkyl ester, carboxy, protected carboxy, carbamoyl, carboxamide, protected carboxamide, N-(C₁ to C₆ alkyl)carboxamide, protected N-(C₁ to C₆ alkyl)carboxamide, N,N-di(C₁ to C₆ alkyl)carboxamide, cyano, methylsulfonylamino, thiol, C₁ to C₄ alkylthio or C₁ to C₄ alkylsulfonyl groups. The substituted acyl groups may be substituted once or more, and preferably once or twice, with the same or with different substituents.

25

30

35

The term "substituted phenyl" specifies a phenyl group substituted with one or more, and preferably one or two, moieties chosen from the groups consisting of halogen, hydroxy, protected hydroxy, cyano, nitro, C₁ to C₆ alkyl, C₁ to C₆ substituted alkyl, C₁ to C₇ alkoxy, C₁ to C₇ substituted alkoxy, C₁ to C₇ acyl, C₁ to C₇ substituted acyl, C₁ to C₇ acyloxy, carboxy, protected carboxy, carboxymethyl, protected carboxymethyl, hydroxymethyl, protected hydroxymethyl, amino, protected amino, (monosubstituted)amino, protected (monosubstituted)amino, (disubstituted)amino, carboxamide, protected carboxamide, N-(C₁ to C₆ alkyl)carboxamide, protected N-(C₁ to C₆ alkyl)carboxamide, N, N-di(C₁ to C₆ alkyl)carboxamide, trifluoromethyl, N-((C₁ to C₆ alkyl)sulfonyl)amino, N-(phenylsulfonyl)amino or phenyl, wherein the phenyl is substituted or unsubstituted, such that, for example, a biphenyl results.

Examples of the term "substituted phenyl" includes a mono- or di(halo)phenyl group such as 2, 3 or 4-chlorophenyl, 2,6-dichlorophenyl, 2,5-dichlorophenyl, 3,4-dichlorophenyl, 2, 3 or 4-bromophenyl, 3,4-dibromophenyl, 3-chloro-4-fluorophenyl,

5 2, 3 or 4-fluorophenyl and the like; a mono or di(hydroxy)phenyl group such as 2, 3 or 4-hydroxyphenyl, 2,4-dihydroxyphenyl, the protected-hydroxy derivatives thereof and the like; a nitrophenyl group such as 2, 3 or 4-nitrophenyl; a cyanophenyl group, for example, 2, 3 or 4-cyanophenyl; a mono- or di(alkyl)phenyl group such as 2, 3 or 4-methylphenyl, 2,4-dimethylphenyl, 2, 3 or 4-(iso-propyl)phenyl, 2, 3 or 4-ethylphenyl,
10 2, 3 or 4-(n-propyl)phenyl and the like; a mono or di(alkoxy)phenyl group, for example, 2,6-dimethoxyphenyl, 2, 3 or 4-methoxyphenyl, 2, 3 or 4-ethoxyphenyl, 2, 3 or 4-(isopropoxy)phenyl, 2, 3 or 4-(t-butoxy)phenyl, 3-ethoxy-4-methoxyphenyl and the like; 2, 3 or 4-trifluoromethylphenyl; a mono- or dicarboxyphenyl or (protected carboxy)phenyl group such as 2, 3 or 4-carboxyphenyl or 2,4-di(protected
15 carboxy)phenyl; a mono-or di(hydroxymethyl)phenyl or (protected hydroxymethyl)phenyl such as 2, 3, or 4-(protected hydroxymethyl)phenyl or 3,4-di(hydroxymethyl)phenyl; a mono- or di(aminomethyl)phenyl or (protected aminomethyl)phenyl such as 2, 3 or 4-(aminomethyl)phenyl or 2,4-(protected aminomethyl)phenyl; or a mono- or di(N-(methylsulfonylamino))phenyl such as 2, 3
20 or 4-(N-(methylsulfonylamino))phenyl. Also, the term "substituted phenyl" represents disubstituted phenyl groups wherein the substituents are different, for example, 3-methyl-4-hydroxyphenyl, 3-chloro-4-hydroxyphenyl, 2-methoxy-4-bromophenyl, 4-ethyl-2-hydroxyphenyl, 3-hydroxy-4-nitrophenyl, 2-hydroxy 4-chlorophenyl and the like.

25

The term "heteroaryl" means a heterocyclic aromatic derivative which is a five-membered or six-membered ring system having from 1 to 4 heteroatoms, such as oxygen, sulfur and/or nitrogen, in particular nitrogen, either alone or in conjunction with sulfur or oxygen ring atoms. Examples of heteroaryls include pyridinyl,
30 pyrimidinyl, and pyrazinyl, pyridazinyl, pyrrolo, furano, thiopheno, oxazolo, isoxazolo, phthalimido, thiazolo and the like.

The term "substituted heteroaryl" means the above-described heteroaryl is substituted with, for example, one or more, and preferably one or two, substituents
35 which are the same or different which substituents can be halogen, hydroxy, protected hydroxy, cyano, nitro, C₁ to C₆ alkyl, C₁ to C₇ alkoxy, C₁ to C₇ substituted alkoxy, C₁ to C₇ acyl, C₁ to C₇ substituted acyl, C₁ to C₇ acyloxy, carboxy, protected carboxy, carboxymethyl, protected carboxymethyl, hydroxymethyl, protected

5 hydroxymethyl, amino, protected amino, (monosubstituted)amino, protected (monosubstituted)amino, (disubstituted)amino, carboxamide, protected carboxamide, N-(C₁ to C₆ alkyl)carboxamide, protected N-(C₁ to C₆ alkyl)carboxamide, N, N-di(C₁ to C₆ alkyl)carboxamide, trifluoromethyl, N-((C₁ to C₆ alkyl)sulfonyl)amino or N-(phenylsulfonyl)amino groups.

10

The term "substituted naphthyl" specifies a naphthyl group substituted with one or more, and preferably one or two, moieties either on the same ring or on different rings chosen from the groups consisting of halogen, hydroxy, protected hydroxy, cyano, nitro, C₁ to C₆ alkyl, C₁ to C₇ alkoxy, C₁ to C₇ acyl, C₁ to C₇ acyloxy, carboxy, 15 protected carboxy, carboxymethyl, protected carboxymethyl, hydroxymethyl, protected hydroxymethyl, amino, protected amino, (monosubstituted)amino, protected (monosubstituted)amino, (disubstituted)amino, carboxamide, protected carboxamide, N-(C₁ to C₆ alkyl)carboxamide, protected N-(C₁ to C₆ alkyl)carboxamide, N, N-di(C₁ to C₆ alkyl)carboxamide, trifluoromethyl, N-((C₁ to C₆ 20 alkyl)sulfonyl)amino or N-(phenylsulfonyl)amino.

Examples of the term "substituted naphthyl" includes a mono or di(halo)naphthyl group such as 1, 2, 3, 4, 5, 6, 7 or 8-chloronaphthyl, 2, 6-dichloronaphthyl, 2, 5-dichloronaphthyl, 3, 4-dichloronaphthyl, 1, 2, 3, 4, 5, 6, 7 or 8-bromonaphthyl, 3, 4-dibromonaphthyl, 3-chloro-4-fluoronaphthyl, 1, 2, 3, 4, 5, 6, 7 or 8-fluoronaphthyl and 25 the like; a mono or di(hydroxy)naphthyl group such as 1, 2, 3, 4, 5, 6, 7 or 8-hydroxynaphthyl, 2, 4-dihydroxynaphthyl, the protected-hydroxy derivatives thereof and the like; a nitronaphthyl group such as 3- or 4-nitronaphthyl; a cyanonaphthyl group, for example, 1, 2, 3, 4, 5, 6, 7 or 8-cyanonaphthyl; a mono- or 30 di(alkyl)naphthyl group such as 2, 3, 4, 5, 6, 7 or 8-methylnaphthyl, 1, 2, 4-dimethylnaphthyl, 1, 2, 3, 4, 5, 6, 7 or 8-(isopropyl)naphthyl, 1, 2, 3, 4, 5, 6, 7 or 8-ethylnaphthyl, 1, 2, 3, 4, 5, 6, 7 or 8-(n-propyl)naphthyl and the like; a mono or di(alkoxy)naphthyl group, for example, 2, 6-dimethoxynaphthyl, 1, 2, 3, 4, 5, 6, 7 or 8-methoxynaphthyl, 1, 2, 3, 4, 5, 6, 7 or 8-ethoxynaphthyl, 1, 2, 3, 4, 5, 6, 7 or 8-(isopropoxy)naphthyl, 1, 2, 3, 4, 5, 6, 7 or 8-(t-butoxy)naphthyl, 3-ethoxy-4-methoxynaphthyl and the like; 1, 2, 3, 4, 5, 6, 7 or 8-trifluoromethylnaphthyl; a mono- or dicarboxynaphthyl or (protected carboxy)naphthyl group such as 1, 2, 3, 4, 5, 6, 7 or 8-carboxynaphthyl or 2, 4-di(-protected carboxy)naphthyl; a mono-or

- 5 di(hydroxymethyl)naphthyl or (protected hydroxymethyl)naphthyl such as 1, 2, 3, 4, 5, 6, 7 or 8-(protected hydroxymethyl)naphthyl or 3, 4-di(hydroxymethyl)naphthyl; a mono- or di(amino)naphthyl or (protected amino)naphthyl such as 1, 2, 3, 4, 5, 6, 7 or 8-(amino)naphthyl or 2, 4-(protected amino)-naphthyl, a mono- or di(aminomethyl)naphthyl or (protected aminomethyl)naphthyl such as 2, 3, or
- 10 4-(aminomethyl)naphthyl or 2, 4-(protected aminomethyl)-naphthyl; or a mono- or di-(N-methylsulfonylamino) naphthyl such as 1, 2, 3, 4, 5, 6, 7 or 8-(N-methylsulfonylamino)naphthyl. Also, the term "substituted naphthyl" represents disubstituted naphthyl groups wherein the substituents are different, for example, 3-methyl-4-hydroxynaphth-1-yl, 3-chloro-4-hydroxynaphth-2-yl, 2-methoxy-4-bromonaphth-1-yl, 4-ethyl-2-hydroxynaphth-1-yl, 3-hydroxy-4-nitronaphth-2-yl, 2-hydroxy-4-chloronaphth-1-yl, 2-methoxy-7-bromonaphth-1-yl, 4-ethyl-5-hydroxynaphth-2-yl, 3-hydroxy-8-nitronaphth-2-yl, 2-hydroxy-5-chloronaphth-1-yl and the like.
- 20 The term "C₁ to C₈ alkyl" denotes such radicals as methyl, ethyl, n-propyl, isopropyl, n-butyl, iso-butyl, sec-butyl, tert-butyl, amyl, tert-amyl, hexyl, n-heptyl, 2-heptyl, 3-heptyl, 4-heptyl, 2-methyl-1-hexyl, 2-methyl-2-hexyl, 2-methyl-3-hexyl, n-octyl and the like.
- 25 The term "C₂ to C₆ alkenyl" denotes such radicals as propenyl or butenyl.

Examples of the above substituted alkyl groups include the 2-oxo-prop-1-yl, 3-oxo-but-1-yl, cyanomethyl, nitromethyl, chloromethyl, hydroxymethyl, tetrahydropyranyloxymethyl, trityloxymethyl, propionyloxymethyl, amino, methylamino, aminomethyl, dimethylamino, carboxymethyl, allyloxycarbonylmethyl, allyloxycarbonylaminomethyl, methoxymethyl, ethoxymethyl, t-butoxymethyl, acetoxymethyl, chloromethyl, bromomethyl, iodomethyl, trifluoromethyl, 6-hydroxyhexyl, 2,4-dichloro(n-butyl), 2-aminopropyl, 1-chloroethyl, 2-chloroethyl, 1-bromoethyl, 2-chloroethyl, 1-fluoroethyl, 2-fluoroethyl, 1-iodoethyl, 2-iodoethyl, 1-chloropropyl, 2-chloropropyl, 3-chloropropyl, 1-bromopropyl, 2-bromopropyl, 3-bromopropyl, 1-fluoropropyl, 2-fluoropropyl, 3-fluoropropyl, 1-iodopropyl, 2-iodopropyl, 3-iodopropyl, 2-aminoethyl, 1-aminoethyl, N-benzoyl-2-aminoethyl, N-acetyl-2-aminoethyl, N-benzoyl-1-aminoethyl, N-acetyl-1-aminoethyl and the like.

5

The term "C₁ to C₈ substituted alkyl" denotes that the above C₁ to C₈ alkyl groups are substituted by one or more, and preferably one or two, halogen, hydroxy, protected hydroxy, oxo, protected oxo, C₃ to C₇ cycloalkyl, naphthyl, amino, protected amino, (monosubstituted)amino, protected (monosubstituted)amino, (disubstituted)amino, 10 guanidino, protected guanidino, heterocyclic ring, substituted heterocyclic ring, imidazolyl, indolyl, pyrrolidinyl, C₁ to C₇ alkoxy, C₁ to C₇ acyl, C₁ to C₇ acyloxy, nitro, carboxy, protected carboxy, carbamoyl, carboxamide, protected carboxamide, N-(C₁ to C₆ alkyl)carboxamide, protected N-(C₁ to C₆ alkyl)carboxamide, N,N-di(C₁ to C₆ alkyl)carboxamide, cyano, methylsulfonylamino, thiol, C₁ to C₄ alkylthio or C₁ to C₄ 15 alkylsulfonyl groups. The substituted alkyl groups may be substituted once or more, and preferably once or twice, with the same or with different substituents.

The term "C₇ to C₁₂ phenylalkyl" denotes a C₁ to C₆ alkyl group substituted at any position by a phenyl, substituted phenyl, heteroaryl or substituted heteroaryl.

20 Examples of such a group include benzyl, 2-phenylethyl, 3-phenyl(n-propyl), 4-phenylhexyl, 3-phenyl(n-amyl), 3-phenyl(sec-butyl) and the like. Preferred C₇ to C₁₂ phenylalkyl groups are the benzyl and the phenylethyl groups.

The term "C₇ to C₁₂ substituted phenylalkyl" denotes a C₇ to C₁₂ phenylalkyl group substituted on the C₁ to C₆ alkyl portion with one or more, and preferably one or two, 25 groups chosen from halogen, hydroxy, protected hydroxy, oxo, protected oxo, amino, protected amino, (monosubstituted)amino, protected (monosubstituted)amino, (disubstituted)amino, guanidino, protected guanidino, heterocyclic ring, substituted heterocyclic ring, C₁ to C₆ alkyl, C₁ to C₆ substituted alkyl, C₁ to C₇ alkoxy, C₁ to C₇ substituted alkoxy, C₁ to C₇ acyl, C₁ to C₇ substituted acyl, C₁ to C₇ acyloxy, nitro, 30 carboxy, protected carboxy, carbamoyl, carboxamide, protected carboxamide, N-(C₁ to C₆ alkyl)carboxamide, protected N-(C₁ to C₆ alkyl)carboxamide, N, N-(C₁ to C₆ dialkyl)carboxamide, cyano, N-(C₁ to C₆ alkylsulfonyl)amino, thiol, C₁ to C₄ alkylthio, C₁ to C₄ alkylsulfonyl groups; and/or the phenyl group may be substituted with one or more, and preferably one or two, substituents chosen from halogen, hydroxy, 35 protected hydroxy, cyano, nitro, C₁ to C₆ alkyl, C₁ to C₆ substituted alkyl, C₁ to C₇ alkoxy, C₁ to C₇ substituted alkoxy, C₁ to C₇ acyl, C₁ to C₇ substituted acyl, C₁ to C₇ acyloxy, carboxy, protected carboxy, carboxymethyl, protected carboxymethyl, hydroxymethyl, protected hydroxymethyl, amino, protected amino,

5 (monosubstituted)amino, protected (monosubstituted)amino, (disubstituted)amino, carboxamide, protected carboxamide, N-(C₁ to C₆ alkyl) carboxamide, protected N-(C₁ to C₆ alkyl) carboxamide, N, N-di(C₁ to C₆ alkyl)carboxamide, trifluoromethyl, N-((C₁ to C₆ alkyl)sulfonyl)amino, N-(phenylsulfonyl)amino, cyclic C₂ to C₇ alkylene or a phenyl group, substituted or unsubstituted, for a resulting biphenyl group. The
10 substituted alkyl or phenyl groups may be substituted with one or more, and preferably one or two, substituents which can be the same or different.

Examples of the term "C₇ to C₁₂ substituted phenylalkyl" include groups such as 2-phenyl-1-chloroethyl, 2-(4-methoxyphenyl)ethyl, 4-(2,6-dihydroxy phenyl)n-hexyl, 2-
15 (5-cyano-3-methoxyphenyl)n-pentyl, 3-(2,6-dimethylphenyl)n-propyl, 4-chloro-3-aminobenzyl, 6-(4-methoxyphenyl)-3-carboxy(n-hexyl), 5-(4-aminomethylphenyl)- 3-(aminomethyl)n-pentyl, 5-phenyl-3-oxo-n-pent-1-yl and the like.

20

The term "heterocycle" or "heterocyclic ring" denotes optionally substituted five-membered to eight-membered rings that have 1 to 4 heteroatoms, such as oxygen, sulfur and/or nitrogen, in particular nitrogen, either alone or in conjunction with sulfur
25 or oxygen ring atoms. These five-membered to eight-membered rings may be saturated, fully unsaturated or partially unsaturated, with fully saturated rings being preferred. Preferred heterocyclic rings include morpholino, piperidiny, piperaziny, 2-amino-imidazo, tetrahydrofurano, pyrrolo, tetrahydrothiophen-yl, hexylmethyleimine and heptylmethyleimine.

30

The term "substituted heterocycle" or "substituted heterocyclic ring" means the above-described heterocyclic ring is substituted with, for example, one or more, and preferably one or two, substituents which are the same or different which substituents can be halogen, hydroxy, protected hydroxy, cyano, nitro, C₁ to C₁₂ alkyl, C₁ to C₁₂
35 alkoxy, C₁ to C₁₂ substituted alkoxy, C₁ to C₁₂ acyl, C₁ to C₁₂ acyloxy, carboxy, protected carboxy, carboxymethyl, protected carboxymethyl, hydroxymethyl, protected hydroxymethyl, amino, protected amino, (monosubstituted)amino, protected (monosubstituted)amino, (disubstituted)amino carboxamide, protected

5 carboxamide, N-(C₁ to C₁₂ alkyl)carboxamide, protected N-(C₁ to C₁₂ alkyl)carboxamide, N, N-di(C₁ to C₁₂ alkyl)carboxamide, trifluoromethyl, N-((C₁ to C₁₂ alkyl)sulfonyl)amino, N-(phenylsulfonyl)amino, heterocycle or substituted heterocycle groups.

10

The term "C₁ to C₈ alkoxy" as used herein denotes groups such as methoxy, ethoxy, n-propoxy, isopropoxy, n-butoxy, t-butoxy and like groups. A preferred alkoxy is methoxy. The term "C₁ to C₈ substituted alkoxy" means the alkyl portion of the alkoxy can be substituted in the same manner as in relation to C₁ to C₈ substituted alkyl.

15

The term "C₁ to C₈ aminoacyl" encompasses groups such as formyl, acetyl, propionyl, butyryl, pentanoyl, pivaloyl, hexanoyl, heptanoyl, octanoyl, benzoyl and the like.

20 The term "C₁ to C₈ substituted aminoacyl" denotes the acyl group substituted by one or more, and preferably one or two, halogen, hydroxy, protected hydroxy, oxo, protected oxo, cyclohexyl, naphthyl, amino, protected amino, (monosubstituted)amino, protected (monosubstituted)amino, (disubstituted)amino, guanidino, heterocyclic ring, substituted heterocyclic ring, imidazolyl, indolyl, 25 pyrrolidinyl, C₁ to C₁₂ alkoxy, C₁ to C₁₂ acyl, C₁ to C₁₂ acyloxy, nitro, C₁ to C₁₂ alkyl ester, carboxy, protected carboxy, carbamoyl, carboxamide, protected carboxamide, N-(C₁ to C₁₂ alkyl)carboxamide, protected N-(C₁ to C₁₂ alkyl)carboxamide, N,N-di(C₁ to C₁₂ alkyl)carboxamide, cyano, methylsulfonylamino, thiol, C₁ to C₁₀ alkylthio or C₁ to C₁₀ alkylsulfonyl groups. The substituted acyl groups may be substituted once or 30 more, and preferably once or twice, with the same or with different substituents.

Examples of C₁ to C₈ substituted acyl groups include 4-phenylbutyroyl, 3-phenylbutyroyl, 3-phenylpropanoyl, 2-cyclohexanoyl, cyclohexanecarbonyl, 2-furanoyl and 3-dimethylaminobenzoyl.

35

This invention also provides a pharmaceutical composition comprising an effective amount of a compound according to the invention. Such pharmaceutical compositions can be administered by various routes, for example oral,

5 subcutaneous, intramuscular, intravenous or intracerebral. The preferred route of administration would be oral at daily doses of the compound for adult human treatment of about 0.01-5000 mg, preferably 1-1500 mg per day. The appropriate dose may be administered in a single dose or as divided doses presented at appropriate intervals for example as two, three four or more subdoses per day.

10

For preparing pharmaceutical compositions containing compounds of the invention, inert, pharmaceutically acceptable carriers are used. The pharmaceutical carrier can be either solid or liquid. Solid form preparations include, for example, powders, tablets, dispersible granules, capsules, cachets, and suppositories.

15

A solid carrier can be one or more substances which can also act as diluents, flavoring agents, solubilizers, lubricants, suspending agents, binders, or tablet disintegrating agents; it can also be an encapsulating material.

20 In powders, the carrier is generally a finely divided solid which is in a mixture with the finely divided active component. In tablets, the active compound is mixed with the carrier having the necessary binding properties in suitable proportions and compacted in the shape and size desired.

25 For preparing pharmaceutical composition in the form of suppositories, a low-melting wax such as a mixture of fatty acid glycerides and cocoa butter is first melted and the active ingredient is dispersed therein by, for example, stirring. The molten homogeneous mixture is then poured into convenient-sized molds and allowed to cool and solidify.

30

Powders and tablets preferably contain between about 5% to about 70% by weight of the active ingredient, preferably comprising (especially consisting of) one or more of the compounds according to this invention. Suitable carriers include, for example, magnesium carbonate, magnesium stearate, talc, lactose, sugar, pectin, dextrin,
35 starch, tragacanth, methyl cellulose, sodium carboxymethyl cellulose, a low-melting wax, cocoa butter and the like.


5 The pharmaceutical compositions can include the formulation of the active compound with encapsulating material as a carrier providing a capsule in which the active component (with or without other carriers) is surrounded by a carrier, which is thus in association with it. In a similar manner, cachets are also included. Tablets, powders, cachets, and capsules can be used as solid dosage forms suitable for oral
10 administration.

Liquid pharmaceutical compositions include, for example, solutions suitable for oral or parenteral administration, or suspensions, and emulsions suitable for oral administration. Sterile water solutions of the active component or sterile solutions of
15 the active component in solvents comprising water, ethanol, or propylene glycol are examples of liquid compositions suitable for parenteral administration.

Sterile solutions can be prepared by dissolving the active component in the desired solvent system, and then passing the resulting solution through a membrane filter to
20 sterilize it or, alternatively, by dissolving the sterile compound in a previously sterilized solvent under sterile conditions.


In a preferred embodiment of the invention in the compounds claimed, or the pharmaceutical acceptable salts or solvates thereof, R_1 , R_3 and R_4 are H, R_2 is
25 halogen and preferably iodine over bromine and chlorine and R_5 is H, C_1 to C_8 alkyl or C_1 to C_8 substituted alkyl.

A particularly preferred compound which may act as a partial agonist of LXR is shown in formula (II) below (MOLNAME TR1040001892). It has been demonstrated
30 that this compound has a low effective concentration at LXR with an EC_{50} of 2 μM in a FRET assay wherein the EC_{50} reflects the half-maximal effective concentration, and which is higher than the EC_{50} of 0.015 μM for the published LXR agonist TO901317 (J. Schultz et al., Genes Dev. 14, 2831-2838, 2000). Compound according to formula (II) does show selective upregulation of ABCA1 and ABCG1 in
35 THP-1 macrophages but does not significantly upregulate FAS and much reduced SREBP-1c in HepG2 cells (see EXAMPLE 5 further down).




(II)

It has also been found that the compound according to formula (III) (Molname TR1040011382) to be active as partial agonist of the LXR human nuclear receptors with a selective upregulation of the target genes ABCA1 and ABCG1 in THP-1 cells compared to FAS and SREBP-1c in HepG2 cells.




(III)

It has also been found that the compounds according to formulas (IV) (Molname TR1040002211) and (V) (Molname TR1040002212) to be active as partial agonist of the LXR human nuclear receptors however with a reduced selectivity regarding the upregulation of the target genes ABCA1 and ABCG1 in THP-1 cells versus FAS and SREBP-1c in HepG2 cells compared to compounds of formula (II) and (III) (see EXAMPLE 5 further down)



(IV)



(V)

In particular the invention relates to a compound as described above wherein said compounds is capable of binding the LXR receptor protein or a portion thereof encoded by a nucleic acid according to SEQ ID NO:1 or NO:2 (Fig. 3) or a mammalian homologue thereof. This compound can bind to the LXR receptor protein or a portion thereof in a mixture comprising 10-200 ng of LXR receptor protein, a fusion protein containing LXR or a portion thereof, preferably the ligand binding domain, fused to a Tag, 5-100 mM Tris/HCl at pH 6,8-8,3; 60-1000 mM KCl; 0-20 mM MgCl₂; 100-1000ng/μl BSA in a total volume of preferably about 25 μl[see also EXAMPLE 1 and Fig.2).

A mammalian receptor protein homologue of the protein encoded by a nucleic acid according to SEQ ID NO:1 or 2, as used herein is a protein that performs substantially the same task as LXR does in humans and shares at least 40% sequence identity at the amino acid level, preferably over 50 % sequence identity at the amino acid level more preferably over 65 % sequence identity at the amino acid

- 5 level, even more preferably over 75 % sequence identity at the amino acid level and most preferably over 85 % sequence identity at the amino acid level.

The invention in particular concerns a method for prevention or treatment of a LXR receptor protein or LXR receptor protein homologue mediated disease or condition in
10 a mammal comprising administration of a therapeutically effective amount of a compound according to the invention wherein the prevention or treatment is directly or indirectly accomplished through the binding of a compound according to the invention to the LXR receptor protein or to the LXR receptor protein homologue.

- 15 The term mediated herein means that the physiological pathway in which the LXR receptor protein acts is either directly or indirectly involved in the disease or condition to be treated or prevented. In the case where it is indirectly involved it could be that, e.g. modulating the activity of LXR by a compound according to the invention influences a parameter which has a beneficial effect on a disease or a condition. One
20 such example is that modulation of LXR activity leads to decreased levels of serum cholesterol or certain lipoproteins which in turn have a beneficial effect on the prevention and treatment of atherosclerosis. Herein a condition is a physiological or phenotypic state which is desirably altered. One such example would be obesity which is not necessarily medically harmful but nonetheless a non desirable
25 phenotypic condition. In a preferred embodiment of the invention the method for prevention or treatment of a LXR receptor protein mediated disease or condition is applied to a human. This may be male or female.

- Pharmaceutical compositions generally are administered in an amount effective for
30 treatment or prophylaxis of a specific condition or conditions. Initial dosing in human is accompanied by clinical monitoring of symptoms, such symptoms for the selected condition. In general, the compositions are administered in an amount of active agent of at least about 100 µg/kg body weight. In most cases they will be administered in one or more doses in an amount not in excess of about 20 mg/kg body weight per
35 day. Preferably, in most cases, doses is from about 100 µg/kg to about 5 mg/kg body weight, daily.

- 5 For administration particularly to mammals, and particularly humans, it is expected that the daily dosage level of active agent will be 0,1 mg/kg to 10 mg/kg and typically around 1 mg/kg.

10 By "therapeutically effective amount" is meant a symptom-alleviating or symptom-reducing amount, a cholesterol-reducing amount, a cholesterol absorption blocking amount, a protein and/or carbohydrate digestion-blocking amount and/or a de novo cholesterol biosynthesis-blocking amount of a compound according to the invention.

- 15 Likewise the invention concerns a method of treating in mammal a disease which is correlated with abnormal cholesterol, triglyceride, or bile acid levels or deposits comprising administering to a mammal in need of such treatment a therapeutically effective amount of a compound according to the invention.

- 20 Accordingly, the compounds according to the invention may also be used in a method of prevention or treatment of mammalian atherosclerosis, gallstone disease, lipid disorders, Alzheimer's disease, skin disorders, inflammation, obesity or cardiovascular disorders such as coronary heart disease or stroke.

- 25 The invention further concerns a method of blocking in a mammal the cholesterol absorption in the intestine in need of such blocking comprising administering to a mammal in need of such treatment a therapeutically effective amount of a compound according to the invention. The invention may also be used to treat obesity in humans.

30

- The Liver X Receptor alpha is a prototypical type 2 nuclear receptor meaning that it activates genes upon binding to the promoter region of target genes in a heterodimeric fashion with Retinoid X Receptor. The relevant physiological ligands of LXR are oxysterols. The compounds have been demonstrated to have a high binding efficacy (binding coefficients measured as EC50 in the range of 1-5 μ M) as well as agonistic and/or partial agonistic properties. Consequently they may be applied to regulate genes that participate in bile acid, cholesterol and fatty acid homeostasis as well as other downstream regulated genes. Examples of such genes are but are not
- 35

5 limited to lipid absorption, cholesterol biosynthesis, cholesterol transport or binding,
bile acid transport or binding, proteolysis, amino acid metabolism, glucose
biosynthesis, protein translation, electron transport, and hepatic fatty acid
metabolism. LXR often functions in vivo as a heterodimer with the Retinoid X
Receptor. Published non-steroidal LXR agonists such as the "Tularik" compound
10 "TO901317" (see figure 5) are known to influence the regulation of various liver
genes. Genes found to be regulated by TO901317 can be found in figure 6. Thus, the
invention also concerns a method of modulating a gene whose expression is
regulated by the LXR receptor in a mammal comprising administration of a
therapeutically effective amount of a compound according to the invention to said
15 mammal.

A number of direct and indirect LXR target genes have been described whose
regulated expression contribute to cholesterol homeostasis and lipogenesis. In this
respect the direct regulation of Cyp7A, which was shown to be a direct target gene of
20 LXR at least in the rodent lineage is an important aspect of cholesterol removal by
increased metabolism of bile acids (Lehmann et al., J Biol.Chem. 272 (6) 3137-3140;
1007). Gupta et al. (Biochem. Biophys Res.Com, 293; 338-343, 2002) showed that
LXR α regulation of Cyp7A is dominant over FXR inhibitory effects on Cyp7A
transcription.

25 A key transcription factor that was also shown to be a direct target gene for the LXR
receptor is SREBP-1C (Repa et al., Genes and Development, 14:2819-2830; 2000;
Yoshikawa et al.; Mol.Cell.Biol.21 (9) 2991-3000, 2001). SREBP-1C itself activates
transcription of genes involved in cholesterol and fatty acid synthesis in liver but also
30 other mammalian tissues. Some of the SREBP1c target genes involved in
lipogenesis like FAS and SCD have shown to be additionally direct targets of the
LXR receptors (Joseph et al.; J Biol Chem. 2002 Mar 29;277(13):11019-25; Liang et
al., J Biol Chem. 2002 Mar 15;277(11):9520-8.).

35 A primary limitation for the applicability of LXR agonists as e.g. anti-atherosclerotic
drugs comes from the observation that compounds with full agonistic activity, e.g.
TO901317, not only elevate HDL cholesterol levels but do also increase plasma
triglyceride levels in mice (Schultz et al., 2000 Genes Dev. 14:2831-8.).
Concomitantly, not only genes that are involved in cholesterol efflux such as the

5 cholesterol transporter ABCA1 (Venkateswaran et al., 2000 PNAS. 97:12097-102.), ABCG1 as well as the lipid binding protein Apolipoprotein E (Laffite et al. 2001 PNAS 98:507-512) are induced by full LXR agonists, but also genes involved in lipogenesis, including the fatty acid synthase FAS (Joseph et al 2002 J Biol Chem. 277:11019-11025), and SREB P-1c (Yoshikawa et al., 2001 Mol Cell Biol. 21:2991-10 3000). Elevation of serum triglyceride levels is an independent risk factor for atherosclerosis (for review see Miller (1999) Hosp Pract (Off Ed) 34: 67-73.). Thus, LXR activity needs to be selectively modulated for therapeutic benefit. In particular, compounds need to be found that stimulate reverse cholesterol transport, but do not significantly increase triglyceride levels.

15 Another gene that has been shown to be directly regulated by LXRs is the LPL gene, that codes for a key enzyme that is responsible for the hydrolysis of triglycerides in circulating lipoprotein, releasing free fatty acids to peripheral tissues. (Zhang et al. J Biol Chem. 2001 Nov 16;276(46):43018-24.) This enzyme is believed to promote 20 uptake of HDL cholesterol in liver, thereby promoting reverse cholesterol transport. A similar functional involvement in HDL clearance is described for the CETP gene product that facilitated the transfer of HDL cholesterol esters from plasma to the liver. LXR response elements were found in the CETP promoter and direct activation of this gene by LXR was demonstrated (Luo and Tall; J Clin Invest. 2000 25 Feb;105(4):513-20.).

The regulated transport of cholesterol through biological membranes is an important mechanism in order to maintain cholesterol homeostasis. A pivotal role in these processes in multiple tissues like e.g. macrophages and intestinal mucosa cells is 30 maintained by the ATP-binding cassette transporter proteins (ABC). ABCA1 and ABCG1 were identified as direct LXR target genes (Costet et al.; J Biol Chem. 2000 Sep 8;275(36):28240-5) that mediate cholesterol efflux and prevent thereby e.g. generation of atherogenic plaques in macrophages (Singaraja et al. J Clin Invest. 2002 Jul;110(1):35-42). Other ABC transporters like ABCG5 and ABCG8, primarily 35 expressed in hepatocytes and enterocytes have also been reported to be directly responsive to LXR agonists (Repa et al., J Biol Chem. 2002 May 24;277(21):18793-800. Kennedy et al., J Biol Chem. 2001 Oct 19;276(42):39438-47) and mediate the secretion of sterols from the liver and efflux of dietary sterols from the gut.

5 Apolipoproteins E, C-I, C-II, and C-IV, that fulfill important roles in lipoprotein/lipid
homeostasis have also been shown to be direct targets of the LXR receptor (Laffitte
et al., Proc Natl Acad Sci U S A. 2001 Jan 16;98(2):507-12; Mak et al.; J Biol Chem.
2002 May 24 [epub ahead of print]). These proteins have been found to be crucial
10 components of chylomicrons, VLDL, IDL, and HDL and are among other things
associated with hypertriglyceridemia and arteriosclerosis.

Recently the LXR α itself was shown to be regulated by both LXR receptors in human
cell types including macrophages suggesting an autoregulatory amplification event in
the response to LXR ligands which could e.g. lead to an enhanced stimulation of LXR
15 target genes like e.g. ABCA1 (Bolten et al.; Mol Endocrinol. 2002 Mar;16(3):506-14.;
Laffitte et al., Mol Cell Biol. 2001 Nov;21(22):7558-68; Whitney et al.; J Biol Chem.
2001 Nov 23;276(47):43509-15).

Besides the important function of LXR receptors in tissues like liver and
20 macrophages it has recently been reported that that stimulation of epidermal
differentiation is mediated by Liver X receptors in murine epidermis. Differentiation
marker genes like involucrin, loricin and profilaggrin have been shown to be
upregulated upon LXR ligand treatment (Kömüves et al.; J Invest Dermatol. 2002
Jan;118(1):25-34.).

25 Another recent report describes the regulation of cholesterol homeostasis (primarily
the regulation of ABCA1, ABCG1 and SREBP-1C) by the LXR receptors in the
central nervous system suggesting that LXRs may prove beneficial in the treatment of
CNS diseases such as Alzheimer's and Niemann-Pick disease that are known to be
30 accompanied by dysregulation of cholesterol balance (Whitney et al.; Mol Endocrinol.
2002 Jun;16(6):1378-85).

Activation of LXR by an agonist improves glucose tolerance in a murine model of
diet-induced obesity and insulin resistance. Gene expression analysis in LXR
35 agonist-treated mice reveals coordinate regulation of genes involved in glucose
metabolism in liver and adipose tissue, e.g. the down-regulation of peroxisome
proliferator-activated receptor gamma coactivator-1 alpha (PGC-1),
phosphoenolpyruvate carboxykinase (PEPCK), and glucose-6-phosphatase

5 expression and induction of glucokinase in liver. In adipose tissue, activation of LXR
led to the transcriptional induction of the insulin-sensitive glucose transporter,
GLUT4. LXR agonist may limit hepatic glucose output and improve peripheral
glucose uptake (Laffitte et al. (2003) PNAS 100:5419-24).

10 Therefore one other important embodiment of the invention concerns methods that
enhances or suppresses amongst other today yet unknown LXR target genes the
above mentioned genes and the associated biological processes and pathways
through LXR compounds that are subject of this invention.

The compounds according to the invention may be used as medicaments, in
15 particular for the manufacture of a medicament for the prevention or treatment of a
LXR receptor protein or LXR receptor protein homologue mediated disease or
condition in a mammal wherein the prevention or treatment is directly or indirectly
accomplished through the binding of the compound according to the invention to the
LXR receptor protein or LXR receptor protein homologue. These pharmaceutical
20 compositions contain 0,1 % to 99,5 % of the compound according to the invention,
more particularly 0,5 % to 90 % of the compound according to the invention in
combination with a pharmaceutically acceptable carrier.

The invention concerns also the use of a compound according to the invention for the
25 manufacture of a medicament for the prevention or treatment of a LXR receptor
protein mediated disease or condition wherein the mammal described above is a
human. The medicament may be used for regulating the cholesterol transport
system, for regulating levels of cholesterol, triglyceride, and/or bile acid in a mammal
preferentially a human by activating the LXR receptor. The medicament may be used
30 for the treatment of atherosclerosis, gallstone disease, lipid disorders, Alzheimer's
disease, skin disorders, obesity or a cardiovascular disorder.

The invention further concerns the use of a compound according to the invention for
the manufacture of a medicament capable for blocking in a mammal, preferentially in
35 a human the cholesterol absorption in the intestine. Further the claimed compound
may be used for the manufacture of a medicament for treating obesity in humans and

- 5 for modulating a gene whose expression is regulated by the LXR receptor (see details above and figures).

EXAMPLES

EXAMPLE 1

In vitro screening for compounds which influence LXR binding to coactivators.

For screening purposes a GST and 6 x His fusion of the LBD (from amino acids 155 of hLXRalpha to 447) of human LXRalpha is constructed by first cloning a Gateway cassette (Invitrogen) in frame into the Sma I site of the pAGGHLT Polylinker (Pharmingen). Then a PCR fragment specifically amplified from human liver cDNA is cloned into the resulting pACGHLT-GW following the manufacturers instructions for Gateway cloning (Invitrogen) to yield pACGHLT-GW-hLXRalphaLBD.

Primers used for Amplification are:

GGGGACAAGTTTGTACAAAAAAGCAGGCTCGCTTCGCAAATGCCGTCAG and
GGGGACCACTTTGTACAAGAAAGCTGGGTCCCCTTCTCAGTCTGTTCCACTT.

100 % sequence integrity of all recombinant products is verified by sequencing.

Recombinant Baculovirus is constructed from pACGHLT-GW-hLXRalphaLBD using the Pharmingen Baculovirus Expression vector system according to instructions of the manufacturer. Monolayer cultures of SF9 cells are infected by the virus as recommended by Pharmingen or 200ml cultures of 1×10^6 cells/ml grown in 2 liter Erlenmeyer flasks on an orbital shaker at 30 rpm are infected by 10ml of same virus stock. In both cases cells are harvested 3 days after infection. All cell growth is performed in Gibco SF900 II with Glutamine (Invitrogen) medium without serum supplementation at 28°C. Since SF9 cells contain significant amounts of endogenous GST, purification is performed via His and not via GST affinity chromatography. To this end instructions of Pharmingen for purification of recombinant His tagged proteins from SF9 cells are followed with the following modifications: All detergents are omitted from the buffers and cells were lysed on ice by 5 subsequent sonication pulses using a sonicator needle at maximum power.

All eluates are dialyzed against 20 mM Tris/HCl pH 6,8, 300 mM KCl; 5 mM MgCl₂; 1 mM DTT; 0,2 mM PMSF; 10% Glycerol. A typical dialyzed eluate fraction contains the fusion protein at a purity of more than 80%. Total protein concentration is 0,1-0,3 mg/ml.

For E. coli expression of a NR coactivator, pDest17-hTif2BD expressing a NR interaction domain from amino acids 548-878 of human Tif2 (Acc. No: XM_011633 RefSeq) tagged by 6 N-terminal His residues is constructed. Therefore, a PCR fragment specifically amplified from human liver cDNA is subcloned into pDest 17 (Invitrogen) following the manufacturers instructions for Gateway cloning (Invitrogen). Primers used for Amplification are:

GGGGACAAGTTTGTACAAAAAAGCAGGCTCGTTAGGGTCATCGTTGGCTTCACC
and

GGGGACCACTTTGTACAAGAAAGCTGGGTCTCAAAGTTGCCCTGGTCGTGGGT
TA

For E. coli expression plasmid DNA is transformed into chemically competent E. coli BL21 (Invitrogen, USA) and cells are grown to an OD600 of 0.4-0.7 before expression was induced by addition of 0,5 mM IPTG according instructions of the manufacturer (Invitrogen). After induction for 8 hours at 30°C cells are harvested by centrifugation for 10 minutes at 5000 x g. Fusion proteins are affinity purified using Ni-NTA Agarose (QIAGEN) according to the instructions of the manufacturer. Recombinant Tif2 construct is dialyzed against 20 mM Tris/HCL pH 7.9; 60 mM KCl; 5 mM MgCl₂; 1 mM DTT, 0,2 mM PMSF; 10% glycerol. A typical dialyzed eluate fraction contains the fusion protein at a purity of more than 80%. Total protein concentration is 0,1-0,3 mg/ml.

The TIF2 fragment is subsequently biotinylated by addition of 5-40 µl/ml Tif2 fraction of a Biotinamidocaproate N-Hydroxysuccinimide-ester (Sigma) solution (20 mg/ml in DMSO). Overhead rotating samples are incubated for 2 hours at room temperature. Unincorporated label is then separated using G25 Gel filtration chromatography (Pharmacia Biotech, Sweden). Protein containing fractions from the column are pooled and tested for activity in the assay as described below.

For screening of compound libraries as provided for by the methods shown below in the examples for substances which influence the LXR/Tif 2 interaction, the Perkin Elmer LANCE technology is applied. This method relies on the binding dependent energy transfer from a donor to an acceptor fluorophore attached to the binding partners of interest. For ease of handling and reduction of background from compound fluorescence LANCE technology makes use of generic fluorophore labels and time resolved detection (for detailed description see Hemmilä I, Blomberg K and

Hurskainen P, Time-resolved resonance energy transfer (TR-FRET) principle in LANCE, Abstract of Papers Presented at the 3rd Annual Conference of the Society for Biomolecular Screening, Sep., California (1997))

For screening, 20-200 ng of biotinylated Tif 2 fragment and 10-200 ng of GST-LXR fragment are combined with 0.5-2 nM LANCE Eu-(W1024) labelled anti-GST antibody (Perkin Elmer) and 0,1-0,5µg of highly fluorescent APC-labelled streptavidin (Perkin Elmer, AD0059) in the presence of 50µM of individual compounds to be screened in a total volume of 25 µl of 20 mM Tris /HCl pH 6,8; 300 mM KCl; 5 mM MgCl₂; 100-1000 ng/µl/ BSA DMSO content of the samples is kept below 4%. Samples are incubated for a minimum of 60 minutes in the dark at room temperature in FIA-Plates black 384well med. binding (Greiner).

The LANCE signal is detected by a Perkin Elmer VICTOR2V™ Multilabel Counter applying the detection parameters listed in Fig. 2. The results are visualized by plotting the ratio between the emitted light at 665 nm and at 615 nm. For every batch of recombinant proteins amount of proteins, including BSA and labeling reagents giving the most sensitive detection of hits is determined individually by analysis of dose response curves for 22R Hydroxycholesterol and TO 901317

EXAMPLE 2

Experimental procedure for the preparation of the compounds according to the invention.

o-AZIDOBENZOIC ACID SYNTHESIS (2)

The anthranilic acid (1, 1 eq., 0.5-1 M) is suspended in 6 M HCl, containing enough AcOH (0-20% dependent upon the anthranilic acid) to facilitate dissolution of the anthranilic acid and/or the intermediate diazonium salt, and cooled to 0 °C. NaNO₂ (1.1 eq., 1.3-2.5 M) dissolved in H₂O is added to the anthranilic acid solution at a rate such that the temperature of the reaction solution remains below 5 °C. The resulting homogeneous solution of the diazonium salt is slowly filtered through a sintered glass funnel into a solution of NaN₃ (1.1 eq., 0.7-1.1 M) and NaOAc (12 eq.) in H₂O. The

reaction mixture is stirred/shaken for 30-60 min following cessation of vigorous N₂ evolution. Following acidification of the reaction mixture to pH 1 with concentrated HCl, the mixture was cooled to 0 °C to encourage complete precipitation of the *o*-azidobenzoic acid. The precipitate is collected by filtration and washed with 6 M HCl (2x) and H₂O (2x). The *o*-azidobenzoic acid product (2) is dried *in vacuo* (500 mtorr, 30 °C).

ACYLATION OF HYDROXYMETHYL RESIN (4)

To hydroxymethyl resin (1.0 eq., 1.3 mmol/g) and the *o*-azidobenzoic acid (1, 2.5 eq.) is added DMF (to give 400 mM *o*-azidobenzoic acid, 1), CsCO₃ (2.0 eq.) and KI (2.0 eq.). Following agitation of the reaction mixture for 36-48 h, the resin-bound *o*-azidobenzoic acid (4) is washed with MeOH (2 cycles), CH₂Cl₂ (3 cycles), MeOH (3 cycles), DMF (3 cycles), MeOH (3 cycles) and CH₂Cl₂ (3 cycles), and dried *in vacuo*.

AZA-WITTIG FORMATION (5)

To the resin-bound *o*-azidobenzoic acid (4, 1.0 eq.) is added a solution of PPh₃ (THF, 500 mM, 5.0 eq.). After 6 h, the resin is washed with 3 cycles of the following: THF (3 cycles), toluene (3 cycles), CH₂Cl₂ (3 cycles) and hexanes (3 cycles). Followed by drying *in vacuo* to afford resin bound iminophosphorane (5)

CARBODIIMIDE FORMATION (6)

To the resin-bound iminophosphorane (5, 1 eq.) is added isocyanate (9, 5 eq., 450 mM) dissolved in ClCH₂CH₂Cl. The compounds are shaken at ambient temperature for 16 h, washed with 3 cycles of the following: THF (3 cycles), toluene (3 cycles), CH₂Cl₂ (3 cycles) and hexanes (3 cycles), and dried *in vacuo* to afford carbodiimide (6).

GUANIDINE FORMATION / CYCLIZATION

To the carbodiimide functionalized resin (6) is added secondary amine (10, 0.6 eq., 500 mM) dissolved in $\text{ClCH}_2\text{CH}_2\text{Cl}$. The reaction mixture is heated to 50 °C in an incubator for 12-72 h to afford 2-aminoquinazoline (8).

All of the final products are analyzed using an Evaporative Light Scattering Detector (ELSD) detection to determine purity.

EXAMPLE 3

This example illustrates that compounds according to the invention (experiments shown were done with MOLSTRUCTURE TR1040001892, TR1040011382, TR1040002211 and TR1040002212 (see formulas (II) to (V) for structural formulas)) activate luciferase reporter gene expression in a dose dependent manner mediated through GAL4-LXR α -LBD or GAL4-LXR β -LBD constructs in HEK293 cells. TR1040001892 and TR1040011382 do activate LXR beta LBD tract mediated luciferase activity much stronger than with LXR alpha construct which is in contrast to the similar activation of both LXR alpha and LXR beta LBD containing constructs by TR1040002211 and TO901317.

HEK293 cells are grown in 96 well plates and co-transfected with pFR-luc (Stratagene) and pCMV-BD-LXR α -LBD or pCMV-BD-LXR β -LBD (each 100 ng of plasmid DNA per well). Transfection is carried using Lipfectamine 2000 (Gibco-BRL) according to the manufacturers protocol. The ligand binding domains (LBD) of LXR α and LXR β are cloned into the pCMV-BD-GW (the Gateway Reading Frame Cassette B is cloned as an EcoRV fragment into SmaI site of pCMV-BD) applying the manufacturer protocols for the GatewayTM system (Invitrogen).

Luciferase reporter activity is measured in triplicates from extracts of cells after incubating cells in culture medium (DMEM [Gibco-BRL] + 10% FCS [PAA laboratories]) for 16 hours (5% CO_2 , 37°C) containing 0,5% DMSO (control) or 0,5% DMSO with increasing concentrations of TR1040001892, TR1040002211 or TO901317 (Sigma T 2320, see figure 5 for structural formula). The type of assay used here is a mammalian one hybrid (M1H) assay that is known to those skilled in the art.

Dose-dependent luciferase activities originating from pFR-luc demonstrate the relative activities of the compounds with the LXRA or LXRb LBDs in this mammalian one hybrid type approach.

EXAMPLE 4

This example shows that described compounds can increase the abundance of mRNA of LXR target genes like ABCA1 and ABCG1 in THP-1 cells which are treated with TPA or FAS and SREBP-1c in HepG2 cells as shown in Fig 8A-D.

THP-1 cells are seeded in 24 well plates at 3×10^5 cells per well in RPMI 1640 medium containing 10 % FCS and 100 nM TPA for 24 h. HepG2 cells are seeded in poly-L-Lysine coated 24well plates at 1×10^6 cells per well in EMEM medium containing 10 % FCS until they are appr. 60% confluent.

Before treatment with LXR compounds, the growth medium is changed to medium containing 10% charcoal/dextran-stripped FCS for 12 h. Treatment is done for 12h (THP-1 cells) and 24h (HepG2 cells), respectively, in medium containing 10% charcoal/dextran-stripped FCS (and 100 nM PMA in the case of THP-1 cells).

LXR compounds are dissolved in DMSO, with the final solvent concentration never exceeding 0.125% . All treatments are done in triplicates and experiments repeated twice. Total RNA is extracted using the Qiagen Rneasy Mini Kit and treated with DNase (DNAfree kit, Ambion). RNA is reverse transcribed with Oligo(dT) primer and real-time reverse transcription PCR (TaqMan) is performed using the ABI Prism 7900HT Sequence Detection System and reagents supplied by Applied Biosystems. mRNA steady state levels are normalised to H3 histone (H3F3A) expression levels.

The sequences of forward primers, reverse primers and TaqMan probes are as follows :

FAS : CTGAGACGGAGGCCATATGCT, GCTGCCACACGCTCCTCTAG, FAM-CAGCAGTTCACGGACATGGAGCACAA-TAMRA
ABCA1 :TCCTGTGGTGTCTTCTGGATGAAC, CTTGACAACACTTAGGGCACAATTC, FAM- ACCACAGGCATGGATCCCAAAGCC-TAMRA

EXAMPLE 5

All compounds T0901317, TR1040002211, TR1040002212, TR1040001892, TR1040011382, LN0000006662 and LN0000006674 cause a marked increase in cholesterol export in differentiated THP-1 macrophages (see Figure 9 A).

Strikingly, the compound T0901317 causes a marked increase in triglyceride mass in HepG2 liver cells, while compounds like TR1040001892 and TR1040011382 do not cause a significant increase in triglyceride mass. Compounds TR1040002211 and TR1040002212 cause a slight increase in triglyceride mass.

This behavior is similar to the selective transcriptional effect of compounds like TR1040001892 and TR1040011382 on the LXR target genes in HepG2 versus THP-1 cells.

Methods: Cultures of the monocyte-macrophage cell line and the hepatocytes HepG2 are obtained from the American Type tissue Culture Collection, Rockville, MD and were grown in RPMI 1640 medium supplemented with 10% fetal bovine serum, 10 mM HEPES, 2 mM Pyruvate, 50 μ M β -Mercaptoethanol (THP-1) and Minimum essential medium (Eagle) with 2 mM L-glutamine and Earle's BSS supplemented with 10% fetal bovine serum, 2 mM glutamine, 0.1 mM non-essential amino acids, 1 mM sodium pyruvate (HepG2), respectively, at 37°C in 5% CO₂.

THP-1 cells are differentiated into macrophages by addition of 100 nM Phorbol 12-Myristate 13-Acetate (PMA; Sigma P8139) and PMA included in the medium of all subsequent experiments to maintain differentiation.

For cholesterol efflux measurements and triglyceride analysis cells are seeded in 6well plates at 1.8×10^6 cells (THP-1) and 1×10^6 cells (HepG2) per well, respectively.

CHOLESTEROL EFFLUX

THP-1 cells are seeded in 6well plates at 1×10^6 cells per well in RPMI 1640 medium containing 10 % FCS and 100 nM TPA for 72 h. After washing with PBS cells are incubated 24 h with fresh in RPMI 1640 medium containing 10 % FCS and 100 nM TPA. Cells are washed twice with PBS and RPMI 1640 medium containing 0.15% BSA and 100 nM TPA is added for further 24 h. Treatment with LXR compounds is done for 24 h in RPMI 1640 medium containing 0.15% BSA, 100 nM TPA and 40

µg/ml ApoA1 (Calbiochem # 178452). Medium is collected, centrifuged to remove cell debris and assayed for cholesterol using a commercial fluorometric kit (Molecular Probes A-12216). The remaining cellular proteins are lysed with 0.3 N NaOH and protein content measured with the Biorad Bradford reagent.

TRIGLYCERIDE ASSAY

HepG2 cells are seeded in poly-L-Lysine coated 6well plates at 1×10^6 cells per well in EMEM medium containing 10 % FCS until they were appr. 60% confluent. Before treatment with LXR compounds growth medium is changed to medium containing 10% charcoal/dextran-stripped FCS for 12 h. Treatment is done for 24h in medium containing 10% charcoal/dextran-stripped FCS. Cells are washed twice with ice-cold PBS/0.2% BSA and twice with cold PBS and all liquid carefully removed. Triglyceride are extracted with 1.5 ml hexane/ isopropanol = 3:2 per well with gentle shaking for 2-3 h at RT according to Pan et al. (2002) JBC 277, 4413-4421 and Goti et al. (1998) Biochem J, 332, 57-65. The extraction solution is collected, dried under vacuum and redissolved in isopropanol/ 1.5% triton. The remaining cellular proteins are lysed with 0.3 N NaOH and protein content measured with the Biorad Bradford reagent.

Triglyceride levels are measured as esterified glycerol using a commercial enzymatic colorimetric kit (Sigma 343-25P). In a preliminary assay it is checked by omitting the lipase enzyme that contribution of free glycerol is negligible.

FIGURE CAPTIONS

FIG. 1

Fig. 1 shows the synthesis of the compounds according to the invention as also described in EXAMPLE 2.

FIG. 2

Fig. 2 shows the measurement parameters employed by the Wallace VICTOR2V™ Multilabel Counter which was used for measuring the EC₅₀ values (see also EXAMPLE 1)

FIG. 3

Shows a table with the accession numbers for the key genes

FIG. 4

Fig. 4 shows the internal molecular name used by the applicant (MOLNAME) as well as the corresponding structures of preferred compounds according to the invention. The figure further shows their respective EC₅₀ values (EC50 AVG) as established according to the Example 1 in multiple experiments (see above), as well as their respective average efficacy (% activity relative to TO901317 control agonist).

FIG. 5

Figure 5 shows various known LXR ligands. The compound TO901317 is used as a reference compound here. It is apparent from their structures that the inventors have identified novel compounds which are structurally not related to these known ligands.

FIG. 6

Figure 6 shows various genes that have been found to be regulated through binding of an LXR agonist to the LXR protein.

FIG. 7

Fig 7A and Fig 7B show dose dependence of indicated compounds with LXR alpha LBD (7A) or LXR beta (7B) LBD containing constructs in mammalian one hybrid (M1H) type assays. The respective μ M concentrations of the compounds TO901317,

TR1040002211, TR1040002212. TR1040001892 and TR1040011382 are given on the x-axis and the relative light units (RLU) are depicted on the y-axis.

Fig. 8

Analysis of mRNA content of the indicated genes (ABCA1, ABCG1, FAS and SREBP-1c) in total RNA isolated from THP-1 cells (8A and 8B) or HepG2 cells (8C and 8D) treated for 12 or 24 hours with indicated concentrations (μM on x-axis) of T0901317, TR1040011382, TR1040001892 and TR1040002211. The relative fold inuction is depicted on the y-axis.


Fig. 9

Analysis of relative fold increase in total cholesterol from supernatants of cultivated THP-1 cells (indicated on the y-axis) incubated with ApoA1 and with or without $10\mu\text{M}$ of the compounds T0901317, TR1040002211, TR1040002212. TR1040001892, TR1040011382, LN0000006662 and LN0000006674 as indicated on the X-axis of Fig 9A.

Analysis of relative levels of total triglyceride (TG) content in HepG2 cells (indicated on the y-axis) treated with $25\mu\text{M}$ of the indicated compounds T0901317, TR1040002211, TR1040002212. TR1040001892, TR1040011382, LN0000006662 and LN0000006674 (indicated on the x-axis).

Claims:

1. A compound of the formula (I), or pharmaceutically acceptable salts or solvates thereof,




wherein substituents and indices have the following meanings:

R₁, R₂, R₃, R₄, - independent from each other - is H, halogen, hydroxy, protected hydroxy, cyano, nitro, C₁ to C₆ alkyl, C₁ to C₆ substituted alkyl, C₁ to C₇ alkoxy, C₁ to C₇ substituted alkoxy, C₁ to C₇ acyl, C₁ to C₇ substituted acyl, C₁ to C₇ acyloxy, carboxy, protected carboxy, carboxymethyl, protected carboxymethyl, hydroxymethyl, protected hydroxymethyl, amino, protected amino, (monosubstituted)amino, protected (monosubstituted)amino, (disubstituted)amino, carboxamide, protected carboxamide, N-(C₁ to C₆ alkyl)carboxamide, protected N-(C₁ to C₆ alkyl)carboxamide, N, N-di(C₁ to C₆ alkyl)carboxamide, trifluoromethyl, N-((C₁ to C₆ alkyl)sulfonyl)amino, N-(phenylsulfonyl)amino or phenyl,

R₅ is H, C₁ to C₈ alkyl, C₂ to C₆ alkenyl, C₁ to C₈ substituted alkyl, C₇ to C₁₂ alkylphenyl or C₇ to C₁₂ substituted phenylalkyl.


2. A compound of the formula (I), or pharmaceutically acceptable salts or solvates thereof,




wherein the substituents and indices have the following meanings:

R_1 , R_3 and R_4 are H, R_2 is halogen, hydroxy, protected hydroxy, cyano, nitro, C_1 to C_6 alkyl, C_1 to C_6 substituted alkyl, C_1 to C_7 alkoxy, C_1 to C_7 substituted alkoxy, C_1 to C_7 acyl, C_1 to C_7 substituted acyl, C_1 to C_7 acyloxy, carboxy, protected carboxy, carboxymethyl, protected carboxymethyl, hydroxymethyl, protected hydroxymethyl, amino, protected amino, (monosubstituted)amino, protected (monosubstituted)amino, (disubstituted)amino, carboxamide, protected carboxamide, N-(C_1 to C_6 alkyl)carboxamide, protected N-(C_1 to C_6 alkyl)carboxamide, N, N-di(C_1 to C_6 alkyl)carboxamide, trifluoromethyl, N-((C_1 to C_6 alkyl)sulfonyl)amino, N- (phenylsulfonyl)amino or phenyl, and R_5 is H, C_1 to C_8 alkyl, C_2 to C_6 alkenyl, C_1 to C_8 substituted alkyl.


3. A compound according to claim 1 or 2 with: R_1 , R_3 and R_4 being H, R_2 being halogen and preferably iodine over bromine and chlorine and R_5 being H, C_1 to C_6 alkyl, C_3 to C_5 alkenyl, C_1 to C_6 substituted alkyl.
4. A compound according to any of claims 1 to 3 being




5. A compound according to any of claims 1 to 3 being



6. A compound according to claim 1 being




7. A compound according to claim 1 being




(V)

8. A compound according to any of claims 1 to 3 being



(VI)

9. A compound according to claim 1 or 2 being



(VII)

10. A compound according to any of claims 1 to 9 wherein said compound is capable of binding the NR1H3 receptor protein encoded by a nucleic acid comprising SEQ ID NO:2 or a portion thereof or a mammalian homologue thereof.
11. A compound according to any of claims 1 to 9 wherein said compound is capable of binding the NR1H2 receptor protein encoded by a nucleic acid comprising SEQ ID NO:1 or a portion thereof or a mammalian homologue thereof.
12. A compound according to any of claims 1 to 9 for use as a medicament.
13. A method for prevention or treatment of a NR1H3 and/or NR1H2 receptor protein mediated disease or NR1H3 and/or NR1H2 receptor protein homologue mediated disease or condition in a mammal comprising administration of a therapeutically effective amount of a compound according to claims 1 to 9 wherein the prevention or treatment is directly or indirectly accomplished through the binding of the compound according to claims 1 to 9 to the NR1H3 and/or NR1H2 receptor proteins or to the NR1H3 and/or NR1H2 receptor protein homologues.
14. A method for regulating the cholesterol synthesis or transport in a mammal which comprises activating the NR1H3 and/or NR1H2 receptors with a therapeutically effective amount of a compound according to claims 1 to 9.
15. A method of treating in a mammal a disease which is affected by cholesterol, triglyceride, bile acid, glucose or glucocorticoid levels comprising administering to a mammal in need of such treatment a therapeutically effective amount of a compound according to claims 1 to 9.
16. A method of treating in a mammal Atherosclerosis, Alzheimers disease, Type II diabetes, lipid disorders, obesity, an inflammatory or a cardiovascular

disorder comprising administering to a mammal in need of such treatment a therapeutically effective amount of a compound according to claims 1 to 9.

17. A method according to any of claims 13 to 16 wherein the expression of one or more of the genes out of the group comprising ABCA1, ABCG1, ABCG5, ABCG8, apolipoprotein-CI, -CII, -CIV, -E, LPL (lipoprotein lipase), CETP (cholesteryl ester transfer protein) or other genes that positively regulate cholesterol homeostasis is increased upon compound administration.
18. A method according to any of claims 13 to 16 wherein the expression of one or more of the genes out of the group comprising 11- β -HSD (11- β hydroxysteroid dehydrogenase), PEPCK (phosphoenolpyruvat carboxykinase), G-6-P (glucose-6-phosphatase) is reduced upon compound administration.
19. A method according to any of claims 13 to 16 wherein the expression of one or more of the genes out of the group comprising FAS (Fatty Acid Synthase), SREBP-1c (Sterol-response element binding protein), SCD-1 (Stearoyl-CoA Desaturase), Angiopoietin like protein 3 (Angptl3) or other genes which are relevant for controlling serum triglyceride or glucose levels are not or more weakly increased in liver and or other organs compared to administration of a full agonist like TO901317.
20. A method of blocking in a mammal the cholesterol or fatty acid absorption in the intestine of a mammal in need of such blocking comprising administering to a mammal in need of such treatment a therapeutically effective amount of a compound according to claims 1 to 9.
21. A method for treating obesity in a mammal comprising administering a therapeutically effective amount of a compound according to any of claims 1 to 9.
22. A method of modulating a gene whose expression is regulated by the NR1H3 and/or NR1H2 receptor in a mammal comprising administering a therapeutically effective amount of a compound according to claims 1 to 9.

23. A method according to any of claims 13 to 19 wherein the expression of ABCA1 and/or ABCG1 and/or ABCG5 and/or ABCG8 are increased.
24. Use of a compound according to any of claims 1 to 9 in a method according to claims 13 to 23 wherein the mammal is a human
25. Use of a compound according to any of claims 1 to 9 for the manufacture of a medicament for the prevention or treatment of a NR1H3 and/or NR1H2 receptor protein or NR1H3 and/or NR1H2 receptor protein homologue mediated disease or condition in a mammal wherein the prevention or treatment is directly or indirectly accomplished through the binding of the compound to the NR1H3 and/or NR1H2 receptor protein or NR1H3 and/or NR1H2 receptor protein homologue.
26. Use of a compound according to any of claims 1 to 9 for the manufacture of a medicament for prevention or treatment of a NR1H3 and/or NR1H2 receptor protein mediated disease or condition wherein the mammal is a human.
27. Use of a compound according to any of claims 1 to 9 for the manufacture of a medicament for regulating the cholesterol transport system in a mammal by activating the NR1H3 and/or NR1H2 receptor.
28. Use of a compound according to any of claims 1 to 9 for the manufacture of a medicament for regulating levels of cholesterol, triglyceride, and/or bile acid.
29. Use of a compound according to any of claims 1 to 9 for the manufacture of a medicament for treating in a mammal atherosclerosis, alzheimer disease, gallstone disease, lipid disorders, inflammatory disorder, type II diabetes, obesity or a cardiovascular disorder.
30. Use of a compound according to any of claims 1 to 9 for the manufacture of a medicament capable for blocking in a mammal the cholesterol and/or fatty acid absorption in the intestine.

31. Use of a compound according to any of claims 1 to 9 for the manufacture of a medicament for treating obesity in a mammal.
32. Use of a compound according to any of claims 1 to 9 for the manufacture of a medicament for modulating a gene whose expression is regulated by the NR1H3 and/or NR1H2 receptor.
33. Use of a compound according to any of claims 1 to 9 in a mammal for the selective up-regulation of one or more genes selected from the group comprising ABCA1, ABCG1, ABCG5, ABCG8, apolipoprotein-CI, -CII, -CIV, -E, LPL (lipoprotein lipase), CETP (cholesteryl ester transfer protein) or other genes that positively regulate cholesterol homeostasis are increased and a weaker regulation of one or more of the genes selected from the group comprising FAS and SREBP-1c or other genes that positively regulate lipogenesis, said compound showing a larger difference in regulation of the two groups of genes when compared with the regulatory behaviour of a full agonist like T0901317 on both groups of genes.
34. Use of a compound according any of claims 1 to 9 in a use according to claims 25 to 33 wherein the mammal is human.

Fig.1





Fig. 2





Number of repeats	1
plate: GREINER FIA-Plate black 384 well med. binding	
Measurement height	3.50 mm
Label technology	TR-F Lance
Emission filter name	D615
Emission filter slot	A1
Emission aperture	Normal
Excitation filter	D340
Delay	50 μ s
Window time	400 μ s
Cycle	1000 μ s
Light integrator capacitors	1
Light integrator ref. level	95
Flash energy area	High
Flash energy level	223
Flash absorbance measurement	No
Beam	Normal
Label technology	TR-F Lance
Emission filter name	D665
Emission filter slot	A8
Emission aperture	Normal
Excitation filter	D340
Delay	50 μ s
Window time	400 μ s
Cycle	1000 μ s
Light integrator capacitors	1
Light integrator ref. level	95
Flash energy area	High
Flash energy level	223
Flash absorbance measurement	No
Beam	Normal

Fig. 3

Gene definition	NCBI Accession number of gene	Corresponding SEQ ID Number
Liver X receptor beta NR1H2	NM_007121	1
Liver X receptor alpha NR1H3	NM_005693	2
Steroid receptor coactivator 1	U90661	3

Fig. 4 A

MOLNAME	MOLECULE STRUCTURE	EC50 AVG [μM]	EFF AV
TO901317	 <p data-bbox="743 663 841 688">TO901317</p>	0,1	10

MOLNAME	MOLECULE STRUCTURE	EC50 AVG (μ M)	%EF AV
TR1040002211		1,5	50
TR1040002212		4	75
TR1040011382		12	80
TR1040001892		4	50






LN0000006662		4	60
LN0000006674		5	20
LN0000007460		5	50


Fig. 5




TO901317




TO314407




Hypocholamide



24(S),25-Epoxycholesterol



7a-Hydroxycholesterol



GW3965

Fig. 6

Protein / Gene Name	NCBI Acccession number of gene	Corresponding SEQ ID number
Liver X receptor beta, LXR β	NM_007121	1
Liver X receptor alpha, LXR α	NM_005693	2
Cholesterol 7 α hydroxylase, Cyp7A1	NM_000780	3
Fatty Acid Synthase FAS	NM_004104	4
Stearyl CoA desaturase, SCD	XM_030447	5
Sterol Response Element Binding Protein 1C, SREBP-1C	NM_004176	6
ATP binding cassette transporter A1; ABCA1	NM_005502	7
ATP binding cassette transporter G1; ABCG1	XM_032950	8
ATP binding cassette transporter G5; ABCG5	NM_022436	9
ATP binding cassette transporter G8; ABCG8	AF324494	10
Apolipoprotein E, apoE	NM_000041	11
Apolipoprotein C-I, apoC-I	NM_001645	12
Apolipoprotein C-II apoC-II	NM_000483	13
Apolipoprotein C-IV, apoC-IV	U32576	14
Lipoprotein Lipase, LPL	M15856	15
Cholesteryl Ester Transfer Protein, CETP	NM_000078	16
Phosphoenolpyruvate carboxykinase 1 (PEPCK)	NM_002591	17
Glucose-6-phosphatase (G6P)	NM_000151	18
Insulin-responsive glucose transporter (GLUT4)	M20747	19
Angiopoietin-like 3, ANGPTL3	NM_01445	20
11-beta Hydroxysteroid dehydrogenase HSD11B1 variant 2	NM_181755	21
11-beta Hydroxysteroid dehydrogenase HSD11B1 variant 1	NM_005525	22

Fig. 7A




Fig. 7B




Fig. 8A




Fig. 8B




Fig. 8C




Fig. 8D




Fig. 9 A





Fig. 9 B



SEQUENCE LISTING

<110> Phenex Pharmaceuticals AG

<120> Novel selective LXR Nuclear Receptor Binding Compounds with partial agonistic properties

<130> PX62420PC

<160> 23

<170> PatentIn version 3.1

<210> 1

<211> 2010

<212> DNA

<213> Homo sapiens

<400> 1
caagaagtgg cgaagttacc tttagaggta tttagagtagc ggcggtgtgt caggggctaa 60
agaggaggac gaagaaaagc agagcaaggg aaccaggggc aacaggagta gttcactccg 120
cgagaggccg tccacgagac ccccgcgcg caggcatgagc cccgcccccc acgcatgagc 180
cccgcccccc gctgttgctt ggagaggggc gggacctgga gagaggctgc tccgtgaccc 240
caccatgtcc tctctacca cgagttccct ggataccccc ctgcctggaa atggcccccc 300
tcagcctggc gccccttctt cttcacccac tgtaaaggag gaggggtccg agccgtggcc 360
cgggggtccg gaccctgatg tcccaggcac tgatgaggcc agctcagcct gcagcacaga 420
ctgggtcatc ccagatcccg aagaggaacc agagcgcaag cgaaagaagg gccagcccc 480
gaagatgctg ggccacgagc tttagccgtg ctgtggggac aaggcctccg gcttccacta 540
caacgtgctc agctgcgaag gctgcaagg cttcttccg cgagtggtgg tccgtggtgg 600
ggccaggcgc tatgcctgcc ggggtggcgg aacctgccag atggacgctt tcatgcggcg 660
caagtgccag cagtgcggc tgcgaagtg caaggaggca gggatgaggg agcagtgcgt 720
cctttctgaa gaacagatcc ggaagaagaa gattcggaag cagcagcagc aggagtcaca 780
gtcacagtcg cagtcacctg tggggccgca gggcagcagc agctcagcct ctgggcctgg 840
ggcttcccct ggtggatctg aggcaggcag ccagggtcc ggggaaggcg aggggtgtcca 900
gctaacagcg gctcaagaac taatgatcca gcagttggtg gcggcccaac tgcaagtcaa 960


```

caaacgctcc ttctccgacc agcccaaagt cacgccctgg cccctgggcg cagaccccca 1020
gtcccagat gcccgccagc aacgctttgc ccacttcacg gagctggcca tcatctcagt 1080
ccaggagatc gtggacttcg ctaagcaagt gcctggtttc ctgcagctgg gccgggagga 1140
ccagatcgcc ctctgaagg catccactat cgagatcatg ctgctagaga cagccaggcg 1200
ctacaaccac gagacagagt gtatcacctt cttgaaggac ttcacctaca gcaaggacga 1260
cttcaccgt gcaggcctgc aggtggagtt catcaacccc atcttcgagt tctcggggc 1320
catgcgccg ctgggcctgg acgacgctga gtacgccctg ctcatcgcca tcaacatctt 1380
ctcggccgac cggcccaacg tgcaggagcc gggccgctg gaggcgttgc agcagcccta 1440
cgtggaggcg ctgctgtcct acacgcgcat caagaggccg caggaccagc tgcgcttccc 1500
gcgcatgctc atgaagctgg tgagcctgcg cacgctgagc tctgtgact cggagcaggt 1560
cttcgccttg cggctccagg acaagaagct gccgcctctg ctgtcggaga tctgggacgt 1620
ccacgagtga ggggctggcc acccagcccc acagccttgc ctgaccaccc tccagcagat 1680
agacgccggc accccttctt cttcctaggg tggaaggggc cctgggagcag cctgtagacc 1740
tatcggtct catcccttgg gataagcccc agtccaggtc caggaggctc cctccctgcc 1800
cagcgagtct tccagaaggg gtgaaagggg tgcagggtccc gaccactgac cttcccgcc 1860
tgccctcct cccagctta cacctcaagc ccagcacgca gcgtacctg aacagagggg 1920
ggggaggacc catggctctc cccccctagc ccgggagacc aggggccttc ctcttctct 1980
gcttttattt aataaaaata aaaacagaaa 2010

```

<210> 2

<211> 1528

<212> DNA

<213> Homo sapiens

<400> 2

```

cagtgccttg gtaatgacca gggtccaga aagagatgtc cttgtggctg ggggcccctg 60
tgctgacat tcctctgac tctgcggtgg agctgtggaa gccaggcgca caggatgcaa 120
gcagccaggc ccaggaggc agcagctgca tcctcagaga ggaagccagg atgccccact 180
ctgtggggg tactgcagg gtggggctgg aggctgcaga gccacagcc ctgctacca 240
gggcagagcc cccttcagaa cccacagaga tccgtccaca aaagcggaaa aaggggccag 300
ccccaaaat gctggggaac gagctatgca gcgtgtgtgg ggacaaggcc tcgggcttcc 360
actacaatgt tctgagctgc gagggtgca agggattctt ccgccgagc gtcacaaagg 420
gagcgacta catctgccac agtggcgcc actgccccat ggacacctac atgcgtcgca 480
agtccagga gtgtcggctt cgcaaatgcc gtcaggctgg catgcgggag gagtgtgtcc 540
tgtcagaaga acagatccgc ctgaagaaac tgaagcgga agaggaggaa caggctcatg 600

```

```

ccacatcctt gccccccagg cgttcctcac ccccccaaat cctgccccag ctcagcccgg 660
aacaactggg catgatcgag aagctcgtcg ctgccagca acagtgtaac cggcgctcct 720
tttctgaccg gcttcgagtc acgccttggc ccatggcacc agatcccat agccgggagg 780
cccgtcagca gcgctttgcc cacttcactg agctggccat cgtctctgtg caggagatag 840
ttgactttgc taaacagcta cccggcttcc tgcagctcag ccgggaggac cagattgccc 900
tgctgaagac ctctgcgac gaggtgatgc ttctggagac atctcggagg tacaaccctg 960
ggagtgaag tatcaccttc ctcaaggatt tcagttataa ccgggaagac tttgccaag 1020
cagggctgca agtgggaattc atcaaccca tcttcgagtt ctccagggcc atgaatgagc 1080
tgcaactcaa tgatgccgag ttgcttgc tcattgctat cagcatcttc tctgcagacc 1140
ggccaacgt gcaggaccag ctccagggtg agaggctgca gcacacatat gtggaagccc 1200
tgcattgccta cgtctccatc caccatcccc atgaccgact gatgttcca cggatgctaa 1260
tgaaactggg gagcctccgg accctgagca gcgtccactc agagcaagtg ttgcaactgc 1320
gtctgcagga caaaaagctc ccaccgctgc tctctgagat ctgggatgtg cacgaatgac 1380
tgttctgtcc ccatattttc tgttttcttg gccggatggc tgaggcctgg tggctgcctc 1440
ctagaagtgg aacagactga gaagggcaaa cattcctggg agctgggcaa ggagatcctc 1500
ccgtggcatt aaaagagagt caaagggt 1528

```

<210> 3

<211> 2877

<212> DNA

<213> Homo sapiens

```

<400> 3
gtggcatcct tccctttcta atcagagatt ttcttcctca gagattttgg cctagatttg 60
caaatgatg accacatctt tgatttgggg gattgctata gcagcatgct gttgtctatg 120
gcttattctt ggaattagga gaaggcaaac ggggtgaacca cctctagaga atggattaat 180
tccatacctg ggctgtgctc tgcaatttgg tgccaatcct cttgagttcc tcagagcaaa 240
tcaaaggaaa catggtcatg tttttacctg caaactaatg ggaaaatatg tccatttcat 300
cacaaatccc ttgtcatacc ataagggtgtt gtgccacgga aaatattttg attggaaaaa 360
atttcacttt gctacttctg cgaaggcatt tgggcacaga agcattgacc cgatggatgg 420
aaataccact gaaaacataa acgacacttt catcaaaacc ctgcagggcc atgccttgaa 480
ttccctcacg gaaagcatga tggaaaacct ccaacgtatc atgagacctc cagtctcctc 540
taactcaaag accgctgcct ggggtgacaga agggatgtat tctttctgct accgagtgat 600
gtttgaagct ggggtatttaa ctatctttgg cagagatctt acaaggcggg acacacagaa 660
agcacatatt ctaaacaatc ttgacaactt caagcaattc gacaaagtct ttccagccct 720

```

ggtagcaggc ctccccattc acatgttcag gactgcgcac aatgcccggg agaaactggc 780
 agagagcttg aggcacgaga acctccaaaa gagggaaaagc atctcagaac tgatcagcct 840
 gcgcatgttt ctcaatgaca ctttgtccac ctttgatgat ctggagaagg ccaagacaca 900
 cctcgtggtc ctctgggcat cgcaagcaaa caccattcca gcgactttct ggagtttatt 960
 tcaaatgatt aggaaccag aagcaatgaa agcagctact gaagaagtga aaagaacatt 1020
 agagaatgct ggtcaaaaag tcagcttggg aggcaatcct atttgtttga gtcaagcaga 1080
 actgaatgac ctgccagtat taaatagtat aatcaaggaa tcgctgaggc tttccagtgc 1140
 ctccctcaac atccggacag ctaaggagga tttcactttg caccttgagg acggttccta 1200
 caacatccga aaagatagca tcatagctct ttaccacag ttaatgcact tagatccaga 1260
 aatctaccca gaccctttga cttttaaata tgataggtat cttgatgaaa acgggaagac 1320
 aaagactacc ttctattgta atggactcaa gttaaagtat tactacatgc ctttggatc 1380
 gggagctaca atatgtcctg gaagattggt cgctatccac gaaatcaagc aatttttgat 1440
 tctgatgctt tcttattttg aattggagct tatagagggc caagctaaat gtccaccttt 1500
 ggaccagtcc cgggcaggct tgggcatttt gccgccattg aatgatattg aatttaata 1560
 taaattcaag catttgtgaa tacatggctg gaataagagg aactagatg atattacagg 1620
 actgcagaac accctcacca cacagtcctt ttggacaaat gcatttagtg gtggtagaaa 1680
 tgattcacca ggtccaatgt tgttcaccag tgcttgcttg tgaatcttaa ctttttggtg 1740
 acagtttcca gatgctatca cagactctgc tagtgaaaag aactagtttc taggagcaca 1800
 ataatttggt ttcatattgta taagtccatg aatgttcata tagccaggga ttgaagttta 1860
 ttattttcaa aggaaaacac ctttatttta ttttttttca aaatgaagat acacattaca 1920
 gccagggtg gtagcaggca cctgtagtct tagctactcg agaggccaaa gaaggaggat 1980
 ggcttgagcc caggagtcca agaccagcct ggacagctta gtgagatccc gtctccgaag 2040
 aaaagatatg tattctaatt ggcagattgt tttttcctaa ggaaactgct ttatttttat 2100
 aaaactgcct gacaattatg aaaaaatggt caaattcacg ttctagtga actgcattat 2160
 ttgttgacta gatgggtggg ttcttcgggt gtgatcatat atcataaagg atatttcaaa 2220
 tgattatgat tagttatgtc ttttaataaa aaggaaatat ttttcaactt cttctatatc 2280
 caaaattcag ggcttttaac atgattatct tgatttccca aaaacactaa aggtgggtttt 2340
 attttccctt catgttttaa cttattgttg ctgaaaactc tatgtccggc ttttaactatc 2400
 ttctctatat ttttatttca ttcacattaa tgagaagagt tttctcagag attaaaaaag 2460
 gtagtttttc tgtcattggt aaatacacat tatcactgaa aaaatgtagc ttttatgatg 2520
 tatgttttaa agttaaaact ggatggaaat agccatttgg aagctttggt tatgaaacat 2580
 gtggagtgt ttaagtgcag cttgacatta tgttttattt aaatgctttt tatcgctaaa 2640
 tgacttgag atgaaaaaaaa ctaagggtgac tcgagtgttt aaatgcctgt gtacaacaat 2700
 gctttgataa aatattttta ggtatgagtt atcagctcta tgtcaattga ttttctgtg 2760

tagtatttat atttaaatta tatttacctt tttgcttatt ttacaaatat taagaaaata 2820
 ttctaacatt tgataatttt gaaatgattc atctttcaga aataaaagta tgaatct 2877

<210> 4

<211> 8461

<212> DNA

<213> Homo sapiens

<400> 4

gagggagcca gagagacggc agcggccccg gcctccctct ccgccgcgct tcagcctccc 60
 gctccgccgc gctccagcct cgctctccgc cgcccgacc gccgcccgcg ccctcaccag 120
 agcagccatg gaggaggtgg tgattgccgg catgtccggg aagctgccag agtcggagaa 180
 cttgcaggag ttctgggaca acctcatcgg cgggtgtggac atggtcacgg acgatgaccg 240
 tcgctggaag gcggggctct acggcctgcc ccggcggctc ggcaagctga aggacctgtc 300
 taggtttgat gcctccttct tcggagtcca cccaagcag gcacacacga tggaccctca 360
 gctgcggctg ctgctggaag tcacctatga agccatcgtg gacggaggca tcaaccaga 420
 ttcactccga ggaacacaca ctggcgtctg ggtgggcgtg agcggctctg agacctcgga 480
 ggccctgagc cgagaccccg agacactcgt gggctacagc atggtgggct gccagcgagc 540
 gatgatggcc aaccggctct ccttcttctt cgacttcaga gggcccagca tcgactgga 600
 cacagcctgc tcctccagcc tgatggcct gcagaacgcc taccaggcca tccacagcgg 660
 gcagtgcctt gccgccatcg tggggggcat caatgtcctg ctgaagccca acacctccgt 720
 gcagtctctt aggtgggga tgctcagccc cgagggcacc tgcaaggcct tcgacacagc 780
 ggggaatggg tactgccgct cggaggggtgt ggtggccgtc ctgctgacca agaagtcctt 840
 ggcccggcgg gtgtacgcca ccactctgaa cgccggcacc aatacagatg gcttcaagga 900
 gcaaggcgtg accttcccct caggggatat ccaggagcag ctcatccgct cgttgtacca 960
 gtcggccgga gtggcccctg agtcatttga atacatcga gccacggca caggcaccaa 1020
 ggtgggagac cccagggagc tgaatggcat caccgagcc ctgtgcgcca cccgccagga 1080
 gccgctgctc atcggctcca ccaagtccaa catggggcac ccggagccag cctcggggct 1140
 ggcagccctg gccaagggtg tgctgtccct ggagcacggg ctctggggcc ccaacctgca 1200
 cttccatagc cccaaccctg agatcccagc gctgttggat gggcggctgc aggtggtgga 1260
 ccagcccctg ccgtccgtg gcggcaacgt gggcatcaac tcctttggct tcgggggctc 1320
 caacgtgcac atcatcctga ggccaacac gcagccgccc ccgcacccg ccccatgc 1380
 caccctgccc cgtctgctgc gggccagcgg acgcaccctt gaggccgtgc agaagctgct 1440
 ggagcagggc ctccggcaca gccaggacct ggctttcctg agcatgctga acgacatcgc 1500
 ggctgtcccc gccaccgcca tgcccttcg tggctacgct gtgctgggtg gtgagcgcgg 1560

tgccccagag	gtgcagcagg	tgcccgtg	cgagcgccc	ctctggttca	tctgctctgg	1620
gatgggcaca	cagtggcg	ggatggggct	gagcctcatg	cgcttgacc	gcttccgaga	1680
ttccatccta	cgctccgatg	aggctgtgaa	gccattcggc	ctgaagggtg	cacagctgct	1740
gctgagcaca	gacgagagca	cctttgatga	catcgtccat	tcgtttgtga	gcctgactgc	1800
catccagata	ggcctcatag	acctgctgag	ctgcatggg	ctgaggccag	atggcatcgt	1860
cggccactcc	ctgggggagg	tggcctgtg	ctacgccgac	ggctgcctgt	cccaggagga	1920
ggccgtcctc	gctgcctact	ggaggggaca	gtgcatcaaa	gaagcccatc	tcccgcggg	1980
cgccatggca	gccgtgggct	tgtcctggga	ggagtgtaaa	cagcgctgcc	ccccggcgg	2040
ggtgcccgcc	tgccacaact	ccaaggacac	agtcaccatc	tcgggacctc	aggccccgg	2100
gtttgagttc	gtggagcagc	tgaggaagga	gggtgtgttt	gccaaggagg	tgcggaccgg	2160
cggtatggcc	ttccactcct	acttcatgga	ggccatcgca	ccccactgc	tgcaggagct	2220
caagaagggtg	atccgggagc	cgaagccacg	ttcagcccgc	tggctcagca	cctctatccc	2280
cgaggcccag	tggcacagca	gcctggcacg	cacgtcctcc	gccgagtaca	atgtcaacaa	2340
cctggtgagc	cctgtgctgt	tccaggaggc	cctgtggcac	gtgcctgagc	acgcggtggt	2400
gctggagatc	gcgccccacg	ccctgctgca	ggctgtcctg	aagcggtggc	tgaagccgag	2460
ctgcaccatc	atccccctga	tgaagaagga	tcacagggac	aacctggagt	tcttctctggc	2520
cggcatccgg	aggctgcacc	tctcaggcat	cgacgccaac	cccaatgcct	tgttcccacc	2580
tgtggagttc	ccagctcccc	gaggaactcc	cctcatctcc	ccactcatca	agtgggacca	2640
cagcctggcc	tgggacgtgc	cggccgccga	ggacttcccc	aacggttcag	gttccccctc	2700
agccgccatc	tacaacatcg	acaccagctc	cgagtctcct	gaccactacc	tgggtggacca	2760
caccctcgac	ggtcgcgtcc	tcttccccgc	cactggctac	ctgagcatag	tgtggaagac	2820
gctggcccga	cccctggg	tgggcgtcga	gcagctgcct	gtggtgtttg	aggatgtggt	2880
gctgcaccag	gccaccatcc	tgcccaagac	tgggacagt	tccctggagg	tacggctcct	2940
ggaggcctcc	cgtgccttcg	agggtgtcaga	gaacggcaac	ctggtagtga	gtgggaagg	3000
gtaccagtgg	gatgaccctg	accccaggct	cttcgaccac	ccggaaagcc	ccacccccaa	3060
ccccacggag	cccctcttcc	tggcccaggc	tgaagtttac	aaggagctgc	gtctgcgtgg	3120
ctacgactac	ggccctcatt	tccagggcat	cctggaggcc	agcctggaag	gtgactcggg	3180
gaggctgctg	tggaaggata	actgggtgag	cttcattggac	accatgctgc	agatgtccat	3240
cctgggctcg	gccaagcacg	gcctgtacct	gcccacccgt	gtcaccgcca	tccacatcga	3300
ccctgccacc	cacaggcaga	agctgtacac	actgcaggac	aaggcccaag	tggctgacgt	3360
ggtggtgagc	agggtggctga	gggtcacagt	ggccggaggc	gtccacatct	ccgggctcca	3420
cactgagtcg	gccccgcggc	ggcagcagga	gcagcagggtg	cccatcctgg	agaagttttg	3480
cttactccc	cacacggagg	aggggtgcct	gtctgagcgc	gctgccctgc	aggaggagct	3540
gcaactgtgc	aaggggctgg	tgcaggcact	gcagaccaag	gtgaccagc	aggggctgaa	3600

gatggtggtg cccggactgg atggggccca gatcccccg gacccctcac agcaggaact 3660
gccccggctg ttgtcggctg cctgcaggct tcagctcaac gggaaacctgc agctggagct 3720
ggcgcagggtg ctggcccagg agaggcccaa gctgccagag gaccctctgc tcagcggcct 3780
cctggactcc ccggcactca aggcctgcct ggacactgcc gtggagaaca tgcccagcct 3840
gaagatgaag gtggtggagg tgctggccgg ccacggtcac ctgtattccc gcatcccagg 3900
cctgtctcagc ccccatcccc tgctgcagct gagctacacg gccaccgacc gccaccccca 3960
ggccctggag gctgcccagg ccgagctgca gcagcacgac gttgcccagg gccagtggga 4020
tcccgagac cctgccccca gcgccctggg cagcgccgac ctcttggtgt gcaactgtgc 4080
tgtggctgcc ctcggggacc cggcctcagc tctcagcaac atggtggctg ccctgagaga 4140
agggggcttt ctgctcctgc acacactgct ccgggggcac ccctcgggac atgtggcctt 4200
cctcacctcc actgagccgc agtatggcca gggcatcctg agccaggacg cgtgggagag 4260
cctcttctcc aggtgtccg tgccctgggt gggcctgaag aagtccttct acggctccac 4320
gctcttctg tgccgccggc ccacccgca ggacagcccc atcttcctgc cggtggaaga 4380
taccagcttc cgctgggtgg agtctctgaa gggcatcctg gctgacgaag actcttcccg 4440
gcctgtgtgg ctgaaggcca tcaactgtgc cacctcgggc gtggtgggct tgggtgaactg 4500
tctccgccga gagccggcg gaacgctccg gtgtgtgctg ctctccaacc tcagcagcac 4560
ctcccagtc ccggaggtgg acccgggctc cgcagaactg cagaagggtg tgcaaggaga 4620
cctggtgatg aacgtctacc gcgacggggc ctggggggct ttccgccact tcctgctgga 4680
ggaggacaag cctgaggagc cgacggcaca tgcctttgtg agcacctca cccgggggga 4740
cctgtcctcc atccgctggg tctgtcctc gctgcgccat gccagacca cctgccctgg 4800
cgcccagtc tgcacggtct actacgctc cctcaactc cgcgacatca tgctggccac 4860
tggcaagctg tcccctgatg ccatcccagg gaagtggacc tcccaggaca gcctgctagg 4920
tatggagttc tcgggccgag acgccagcgg caagcgtgtg atgggactgg tgcctgccaa 4980
gggcctggcc acctctgtcc tgctgtcacc ggacttcctc tgggatgtgc cttccaactg 5040
gacgctggag gaggcggcct cgggtgcctgt cgtctacagc acggcctact acgcgctggt 5100
ggtgctggg cgggtgcgcc ccggggagac gctgctcatc cactcgggct cgggcggcgt 5160
gggccaggcc gccatcgcca tcgccctcag tctgggctgc cgcgtcttca ccaccgtggg 5220
gtcggctgag aagcgggct acctccaggc caggttcccc cagctcgaca gcaccagctt 5280
cgccaactcc cgggacacat ccttcgagca gcatgtgctg tggcacacgg gcgggaaggg 5340
cgttgacctg gtcttgaact ccttggcggg agagaagctg caggccagcg tgaggtgctt 5400
ggctacgcac ggtcgttcc tggaaattgg caaattcgac ctttctcaga accacccgct 5460
cggcatggct atcttctga agaacgtgac attccacggg gtcctactgg atgcgttctt 5520
caacgagagc agtgctgact ggcgggaggt gtgggcgctt gtgcaggccg gcatccggga 5580
tggggtggtg cggccctca agtgacgggt gttccatggg gccaggtgg aggacgcctt 5640

ccgctacatg gcccaagga agcacattgg caaagtcgtc gtgcaggtgc ttgcggagga 5700
gccggaggca gtgctgaagg gggccaaacc caagctgatg tcggccatct ccaagacctt 5760
ctgcccggcc cacaagagct acatcatcgc tgggtggtctg ggtggcttcg gcctggagtt 5820
ggcgaggtgg ctgatacagc gtgggggtgca gaagctcgtg ttgacttctc gctccgggat 5880
ccggacaggc taccaggcca agcagggtccg ccgggtggagg cgccagggcg tacaggtgca 5940
ggtgtccacc agcaacatca gctcactgga gggggcccgg ggcctcattg ccgaggcggc 6000
gcagcttggg cccgtggcg gcgtcttcaa cctggccgtg gtcttgagag atggcttgct 6060
ggagaaccag accccagagt tcttccagga cgtctgcaag cccaagtaca gcggcacctt 6120
gaacctggac agggtgacct gagaggcgtg ccctgagctg gactactttg tggcttctc 6180
ctctgtgagc tgcgggcgtg gcaatgcggg acagagcaac tacggctttg ccaattccgc 6240
catggagcgt atctgtgaga aacgccggca cgaaggcctc ccaggcctgg ccgtgcagtg 6300
ggcgccatc ggcgacgtgg gcattttggt ggagacgatg agcaccaacg acacgatcgt 6360
cagtggcacg ctgccccagc gcattggcgtc ctgcctggag gtgctggacc tcttctgaa 6420
ccagccccac atggtcctga gcagctttgt gctggctgag aaggctgcgg cctataggga 6480
cagggacagc cagcgggacc tgggtggaggc cgtggcacac atcctgggca tccgcgactt 6540
ggctgctgtc aacctggaca gctcactggc ggacctgggc ctggactcgc tcatgagcgt 6600
ggaggtgctc cagacgctgg agcgtgagct caacctggtg ctgtccgtgc gcgaggtgcg 6660
gcaactcacg ctccggaaac tgcaggagct gtcctcaaag gcggatgagg ccagcgagct 6720
ggcatgcccc acgcccagg aggatggtct gggccagcag cagactcagc tgaacctgcg 6780
ctccctgctg gtgaaccgg agggccccac cctgatgcgg ctcaactccg tgcagagctc 6840
ggagcggccc ctgttcttg tgcacccaat cgagggctcc accaccgtgt tccacagcct 6900
ggcctcccgg ctgagcatcc ccacctatgg cctgcagtg acccgagctg cggcccttga 6960
cagcatccac agcctggctg cctactacat cgactgcac aggcaggtgc agcccgagg 7020
cccctaccgc gtggccggct actcctacgg ggcctgcgtg gcctttgaaa tgtgctcca 7080
gctgcaggcc cagcagagcc cagccccac ccacaacagc ctcttctgt tcgacggctc 7140
gcccactac gtactggcct acaccagag ctaccgggca aagctgacct caggctgtga 7200
ggctgaggct gagacggagg ccatatgctt cttcgtgcag cagttcacgg acatggagca 7260
caacaggggtg ctggaggcgc tgctgccgt gaaggcccta gaggagcgtg tggcagccgc 7320
cgtggacctg atcatcaaga gccaccaggg cctggaccgc caggagctga gctttgcggc 7380
ccggtccttc tactacaagc tgcgtgccgc tgagcagtac acaccaagg ccaagtacca 7440
tggcaacgtg atgctactgc gcgccaagac ggggtggcgc tacggcgagg acctggcg 7500
ggactacaac ctctcccagg tatgcgacgg gaaagtatcc gtccacgtca tcgaggggtga 7560
ccaccgcagc ctgctggagg gcagcggcct ggagtccatc atcagcatca tccacagctc 7620
cctggctgag ccacgcgtga gcgtgcggga gggctaggcc cgtgccccg cctgccaccg 7680

gaggtcactc caccatcccc accccacccc accccacccc cgccatgcaa cgggattgaa 7740
 gggtcctgcc ggtgggaccc tgtccggccc agtgccactg ccccccagg ctgctagacg 7800
 taggtgttag gcatgtccca cccaccgcc gcctccacg gcacctcggg gacaccagag 7860
 ctgccgactt ggagactcct ggtctgtgaa gagccggtgg tgcccgtgcc cgcaggaact 7920
 gggctgggcc tcgtgcgccc gtggggtctg cgcttggtct ttctgtgctt ggatttgcat 7980
 atttattgca ttgctggtag agacccccag gcctgtccac cctgccaaga ctctcaggc 8040
 agcgtgtggg tcccgcactc tgccccatt tcccgatgt cccctgcggg cgcgggcagc 8100
 cacccaagcc tgctggctgc ggccccctct cgccaggca ttggctcagc ccgctgagt 8160
 gggggtcgtg ggccagtccc cgaggagctg ggcccctgca caggcacaca gggcccggcc 8220
 acaccagcg gcccccgca cagccaccg tggggtgctg cccttatgcc cggcgccggg 8280
 caccaactcc atgtttggtg ttgtctgtg ttgtttttc aagaaatgat tcaaattgct 8340
 gcttggtatt tgaaatttac tgtaactgtc agtgtacag tctggacccc gtttcatttt 8400
 tacaccaatt tggtaaaaat gctgctctca gcctcccaca attaaaccgc atgtgatctc 8460
 c 8461

<210> 5

<211> 1444

<212> DNA

<213> Homo sapiens

<400> 5

acggtcacc gttgccagct ctacccttta aattcccggc tcggggacct ccacgcaccg 60
 cggctagcgc cgacaaccag ctacgtgca aggcgcgcg gctcagcgcg taccggcggg 120
 cttcgaaacc gcagtcctcc ggcgaccccg aactccgctc cggagcctca gccccctgga 180
 aagtgatccc ggcacccgag agccaagatg ccggcccact tgctgcagga cgatatctct 240
 agtcctata ccaccaccac caccattaca gcgcctcct ccagggtcct gcagaatgga 300
 ggagataagt tggagacgat gcccctctac ttggaagacg acattcgccc tgatataaaa 360
 gatgatatat atgacccac ctacaaggat aaggaaggcc caagcccaa ggttgaatat 420
 gtctggagaa acatcatcct tatgtctctg ctacacttgg gagccctgta tgggatcact 480
 ttgattccta cctgcaagtt ctacacctg ctttggggg tattctacta ttttgtcagt 540
 gccctgggca taacagcagg agctcatcgt ctgtggagcc accgctctta caaagctcgg 600
 ctgcccctac ggctctttct gatcattgcc aacacaatg cattccagaa tgatgtctat 660
 gaatgggctc gtgaccaccg tgcccaccac aagttttcag aaacacatgc tgatcctcat 720
 aattcccga gtggcttttt cttctctcac gtgggttggc tgcttggtgcg caaacacca 780
 gctgtcaaag agaaggggag tacgctagac ttgtctgacc tagaagctga gaaactggtg 840


```

atgttccaga ggaggtacta caaacctggc ttgctgatga tgtgcttcat cctgcccacg   900
cttgtgccct ggtatttctg gggtgaaact tttcaaaaca gtgtgttcgt tgccactttc   960
ttgcgatatg ctgtggtgct taatgccacc tggctggtga acagtgtctg ccacctcttc 1020
ggatatcgtc cttatgacaa gaacattagc ccccgggaga atatcctggg ttcacttgga 1080
gctgtgggtg agggcttcca caactaccac cactcctttc cctatgacta ctctgccagt 1140
gagtaccgct ggcacatcaa cttcaccaca ttcttcattg attgcatggc cgccctcggt 1200
ctggcctatg accggaagaa agtctccaag gccgccatct tggccaggat taaaagaacc 1260
ggagatggaa actacaagag tggctgagtt tggggctcct caggttcctt tttcaaaaac 1320
cagccaggca gaggttttaa tgtctgttta ttaactactg aataatgcta ccaggatgct 1380
aaagatgatg atgttaaccc attccagtac agtattcttt taaaattcaa aagtattgaa 1440
agcc
1444

```

<210> 6

<211> 4154

<212> DNA

<213> Homo sapiens

```

<400> 6
taacgaggaa cttttcgccg gcgcggggcc gcctctgagg ccagggcagg acacgaacgc   60
gcggagcggc ggcggcgact gagagccggg gccgcggcgg cgctccctag gaagggccgt 120
acgagggcggc gggccccggc ggcctcccgg aggaggcggc tgcgccatgg acgagccacc 180
cttcagcgag gcggcttttg agcaggcgct gggcgagccg tgcgatctgg acgcggcgct 240
gctgaccgac atcgaagaca tgcttcagct tatcaacaac caagacagtg acttccctgg 300
cctatttgac ccaccctatg ctgggagtgg ggcagggggc acagaccctg ccagccccga 360
taccagctcc ccaggcagct tgtctccacc tcctgccaca ttgagctcct ctcttgaagc 420
cttcctgagc gggccgcagg cagcgccctc acccctgtcc cctccccagc ctgcaccac 480
tccattgaag atgtacccgt ccatgccgcg tttctcccct gggcctggta tcaaggaaga 540
gtcagtgcca ctgagcatcc tgcagacccc caccacacag cccctgccag gggccctcct 600
gccacagagc ttcccagccc cagccccacc gcagttcagc tccaccctg tgtaggcta 660
ccccagccct ccgggaggct tctctacagg aagccctccc gggaacaccc agcagccgct 720
gcctggcctg cactggctt ccccgccagg ggtcccggc gtctccttgc acaccagggt 780
ccagagtgtg gtccccagc agctactgac agtcacagct gccccacgg cagcccctgt 840
aacgaccact gtgacctgc agatccagca ggtcccggc ctgctgcagc cccacttcat 900
caaggcagac tcgctgcttc tgacagccat gaagacagac ggagccactg tgaaggcggc 960
aggtctcagt cccctggtct ctggcaccac tgtgcagaca gggcctttgc cgaccctggt 1020

```

gagtggcggg accatcttgg caacagtccc actggtcgtg gatgcggaga agctgcctat 1080
caaccggctc gcagctggca gcaaggcccc ggcctctgcc cagagccgtg gagagaagcg 1140
cacagccac aacgccattg agaagcgcta ccgctcctcc atcaatgaca aaatcattga 1200
gtcaaggat ctggtggtgg gcaactgagg aaagctgaat aaatctgtg tcttgcgcaa 1260
ggccatcgac tacattcgct ttctgcaaca cagcaaccag aaactcaagc aggagaacct 1320
aagtctgcgc actgctgtcc acaaaagcaa atctctgaag gatctggtgt cggcctgtgg 1380
cagtggaggg aacacagacg tgctcatgga gggcgtgaag actgaggtgg aggacacact 1440
gacccacccc ccctcggatg ctggctcacc tttccagagc agccccttgt cccttggcag 1500
caggggcagt ggcagcgggtg gcagtggcag tgactcggag cctgacagcc cagtctttga 1560
ggacagcaag gcaaagccag agcagcggcc gtctctgcac agccggggca tgctggaccg 1620
ctccgcctg gccctgtgca cgctcgtctt cctctgcctg tcttgaacc ccttggcctc 1680
cttgcctggg gcccgggggc ttcccagccc ctcatatacc accagcgtct accatagccc 1740
tgggcgcaac gtgctgggca ccgagagcag agatggccct ggctggggcc agtggctgct 1800
gccccagtg gtctggctgc tcaatgggct gttggtgtc gtctccttgg tgcttctctt 1860
tgtctacggt gagccagtca cacggcccca ctgagccccc gccgtgtact tctggaggca 1920
tcgcaagcag gctgacctgg acctggcccc gggagacttt gccaggtg cccagcagct 1980
gtggctggcc ctgcgggcac tgggcccggc cctgcccacc tcccacctgg acctggcttg 2040
tagcctctc tggaaacctca tccgtcacct gctgcagcgt ctctgggtgg gccgctggct 2100
ggcaggccgg gcagggggcc tgcagcagga ctgtgtctg cgagtggatg ctgagccag 2160
cgcccagac gcagccctgg tctaccataa gctgcaccag ctgcacacca tggggaagca 2220
cacaggcggg cacctcactg ccaccaacct ggcgctgagt gccctgaacc tggcagagt 2280
tgaggggat gccgtgtctg tggcgacgct ggccgagatc tatgtggcgg ctgcattgag 2340
agtgaagacc agtctccac gggccttgca tttcttgaca cgcttcttcc tgagcagtgc 2400
ccgccaggcc tgcttggcag agagtggctc agtgcctcct gccatgcagt ggctctgcca 2460
ccccgtggc caccgtttct tcgtggatgg ggactggtcc gtgctcagta ccccatggga 2520
gagcctgtac agcttggccg ggaacccagt ggacccctg gccaggtga ctgagctatt 2580
ccgggaacat ctcttagagc gagcactgaa ctgtgtgacc cagcccaacc ccagccctgg 2640
gtcagctgat ggggacaagg aattctcgga tgccctcggg tacctgcagc tgctgaacag 2700
ctgttctgat gctgcggggg ctctgccta cagcttctcc atcagttcca gcatggccac 2760
caccaccggc gtagaccggg tggccaagtg gtgggcctct ctgacagctg tggatgacca 2820
ctggctgcgg cgggatgagg aggcggctga gcggctgtgc ccgctggtgg agcacctgcc 2880
ccgggtgctg caggagtctg agagaccct gccagggca gctctgcact cttcaaggc 2940
tgcccgggcc ctgctgggct gtgccaaggc agagtctggt ccagccagcc tgaccatctg 3000
tgagaaggcc agtgggtacc tgcaggacag cctggctacc acaccagcca gcagctccat 3060

tgacaaggcc gtgcagctgt tcctgtgtga cctgcttctt gtggtgcgca ccagcctgtg 3120
 gcggcagcag cagcccccg ccccgcccc agcagcccag ggcaccagca gcaggcccca 3180
 ggcttccgcc cttgagctgc gtggcttcca acgggacctg agcagcctga ggcggctggc 3240
 acagagcttc cggcccgcc tgcggagggt gttcctacat gaggccacgg cccggctgat 3300
 ggcggggggc agccccacac ggacacacca gtcctcgac cgcagtctga ggcggcgggc 3360
 agggcccggg ggcaaaggag gcgcgggtggc ggagctggag ccgcggccca cgcggcggga 3420
 gcacgcggag gccttgctgc tggcctcctg ctacctgcc cccggcttcc tgcggcgcc 3480
 cgggcagcgc gtgggcatgc tggctgaggc ggcgcgaca ctcgagaagc ttggcgatcg 3540
 ccggctgctg cagcactgtc agcagatgct catgcgcctg ggcgggtggga cactgtcac 3600
 ttccagctag accccgtgtc cccggcctca gcacctctgt ctctagccac tttggtcccg 3660
 tgcagcttct gtctgcgtc gaagctttga aggccgaagg cagtgaaga gactctggcc 3720
 tccacagttc gacctgcggc tgctgtgtgc cttcgcgggtg gaaggcccga ggggcgcgat 3780
 cttgacccta agaccggcgg ccatgatggt gctgacctct ggtggccgat cggggcactg 3840
 caggggccga gccattttgg ggggcccccc tccttgctct gcaggcacct tagtggtttt 3900
 tttcctcctg tgtacaggga agagaggggt acatttcctt gtgctgacgg aagccaactt 3960
 ggctttcccg gactgcaagc agggctctgc cccagaggcc tctctctccg tcgtgggaga 4020
 gagcgtgta catagtgtag gtcagcgtgc ttagcctcct gacctgaggc tcctgtgcta 4080
 cttgccttt tgcaaacctt attttcatag attgagaagt tttgtacaga gaattaaaaa 4140
 tgaaattatt tata 4154

<210> 7

<211> 10412

<212> DNA

<213> Homo sapiens

<400> 7

gtaattgcga ggcagagtga gtggggccgg gaccgcaga gccgagccga cccttctctc 60
 ccgggctgcg gcagggcagg gcggggagct ccgcgcacca acagagccgg ttctcagggc 120
 gctttgctcc ttgttttttc cccggttctg ttttctcccc ttctccggaa ggcttgtaaa 180
 ggggtaggag aaagagacgc aaacacaaaa gtggaaaaca gttaatgacc agccacggcg 240
 tccctgctgt gagctctggc cgctgccttc cagggtccc gagccacacg ctgggggtgc 300
 tggctgaggg aacatggctt gttggcctca gctgaggttg ctgctgtgga agaacctcac 360
 tttcagaaga agacaaacat gtcagctgct gctggaagtg gcctggcctc tatttatctt 420
 cctgatcctg atctctgttc ggctgagcta cccacctat gaacaacatg aatgccattt 480
 tccaaataaa gccatgccct ctgcaggaac acttccttgg gttcagggga ttatctgtaa 540

tgccaacaac ccctgtttcc gttacccgac tcctggggag gctcccggag ttgttgga	600
ctttaacaaa tccattgtgg ctgcctgtt ctcatagtct cggaggcttc tttatacag	660
ccagaaagac accagcatga aggacatgag caaagtctg agaacattac agcagatcaa	720
gaaatccagc tcaaacttga agcttcaaga tttcctggg gacaatgaaa ctttctctgg	780
gttcctgtat cacaacctct ctctccaaa gtctactgtg gacaagatgc tgagggctga	840
gttcattctc cacaaggtat ttttgcaagg ctaccagtta catttgacaa gtctgtgcaa	900
tggatcaaaa tcagaagaga tgattcaact tggtagacaa gaagtttctg agctttgtgg	960
cctaccaagg gagaaactgg ctgcagcaga gcgagtactt cgttccaaca tggacatcct	1020
gaagccaatc ctgagaacac taaactctac atctcccttc ccgagcaagg agctggctga	1080
agccacaaaa acattgctgc atagtcttgg gactctggcc caggagctgt tcagcatgag	1140
aagctggagt gacatgagc aggaggtgat gtttctgacc aatgtgaaca gctccagctc	1200
ctccacccaa atctaccagg ctgtgtctcg tattgtctgc gggcatccc agggaggggg	1260
gctgaagatc aagtctctca actggtatga ggacaacaac tacaagccc tctttggagg	1320
caatggcact gaggaagatg ctgaaacctt ctatgacaac tctacaactc cttactgcaa	1380
tgatttgatg aagaatttgg agtctagtcc tctttccgc attatctgga aagctctgaa	1440
gccgtgctc gttgggaaga tcctgtatac acctgacact ccagccacaa ggcaggtcat	1500
ggctgaggtg aacaagacct tccaggaact ggctgtgttc catgatctgg aaggcatgtg	1560
ggaggaactc agcccaaga tctggacctt catggagaac agccaagaaa tggaccttgt	1620
ccgatgctg ttggacagca gggacaatga ccacttttgg gaacagcagt tggatggctt	1680
agattggaca gcccaagaca tcgtggcggt tttggccaag caccagagg atgtccagtc	1740
cagtaatggt tctgtgtaca cctggagaga agctttcaac gagactaacc aggcaatccg	1800
gaccatatct cgcttcatgg agtgtgtcaa cctgaacaag ctagaacca tagcaacaga	1860
agtctggctc atcaacaagt ccatggagct gctggatgag aggaagttct gggctggtat	1920
tgtgttctact ggaattactc caggcagcat tgagctgcc catcatgtca agtacaagat	1980
ccgaatggac attgacaatg tggagaggac aaataaaatc aaggatgggt actgggacct	2040
tggctctcga gctgacctt ttgaggacat gcggtacgtc tgggggggct tcgcctactt	2100
gcaggatgtg gtggagcagg caatcatcag ggtgctgacg ggcaccgaga agaaaactgg	2160
tgtctatatg caacagatgc cctatccctg ttacgttgat gacatcttct tgcgggtgat	2220
gagccggtca atgccccctt tcatgacgct ggcctggatt tactcagtg ctgtgatcat	2280
caagggcatc gtgtatgaga aggaggcacg gctgaaagag accatgcgga tcatgggcct	2340
ggacaacagc atcctctggt ttagctgggt cattagtagc ctatttctc ttctgtgag	2400
cgctggcctg ctagtgtca tcctgaagtt aggaacctg ctgccctaca gtgatccag	2460
cgtggtgtt gtcttctgt ccgtgtttgc tgtgtgaca atcctgcagt gcttctgtat	2520
tagcacactc ttctccagag ccaacctggc agcagcctgt gggggcatca tctacttcac	2580

gctgtacctg ccctacgtcc tgttgtgtggc atggcaggac tacgtgggct tcacactcaa	2640
gatcttcgct agcctgctgt ctctgtggc ttttgggttt ggctgtgagt actttgccct	2700
ttttgaggag cagggcattg gagtgcagt ggacaacctg tttgagagtc ctgtggagga	2760
agatggcttc aatctcacca ctctggcttc catgatgctg tttgacacct tcctctatgg	2820
ggtgatgacc tggtagattg aggctgtctt tccaggccag tacggaattc ccaggccctg	2880
gtattttcct tgcaccaagt cctactggtt tggcgaggaa agtgatgaga agagccaccc	2940
tggttccaac cagaagagaa tatcagaaat ctgcatggag gaggaacca cccacttgaa	3000
gctgggcgtg tccattcaga acctggtaaa agtctaccga gatgggatga aggtggctgt	3060
cgatggcctg gactgaatt tttatgagg ccagatcacc tccttcctgg gccacaatgg	3120
agcggggaag acgaccacca tgtcaatcct gaccgggttg ttcccccca cctcgggcac	3180
cgctacatc ctgggaaaag acattcgtc tgagatgagc accatccggc agaacctggg	3240
ggtctgtccc cagcataacg tgctgttga catgctgact gtcgaagaac acatctggtt	3300
ctatgcccgc ttgaaaggc tctctgagaa gcacgtgaag gcggagatgg agcagatggc	3360
cctggatgtt ggtttgccat caagcaagt gaaaagcaaa acaagccagc tgtcaggtgg	3420
aatgcagaga aagctatctg tggccttggc ctttgtcggg ggatctaagg ttgtcattct	3480
ggatgaaccc acagctggtg tggaccctta ctcccgagg ggaatatggg agctgctgct	3540
gaaataccga caaggccgca ccattattct ctctacacac cacatggatg aagcggacgt	3600
cctgggggac aggattgcca tcatctcca tgggaagctg tgctgtgtgg gctcctcct	3660
gtttctgaag aaccagctgg gaacaggcta ctacctgacc ttggtcaaga aagatgtgga	3720
atcctccctc agttcctgca gaaacagtag tagcactgtg tcatacctga aaaaggagga	3780
cagtgtttct cagagcagtt ctgatgctgg cctgggcagc gaccatgaga gtgacacgct	3840
gaccatcgat gtctctgcta tctccaacct catcaggaag catgtgtctg aagcccggt	3900
ggtggaagac atagggcatg agctgacctg tgtgctgcca tatgaagctg ctaaggaggg	3960
agcctttgtg gaactctttc atgagattga tgaccggctc tcagacctgg gcatttctag	4020
ttatggcatc tcagagacga ccctggaaga aatattcctc aaggtggccg aagagagtgg	4080
ggtggatgct gagacctcag atggtacctt gccagcaaga cgaaacaggc gggccttcgg	4140
ggacaagcag agctgtcttc gcccgttcac tgaagatgat gctgctgac caaatgattc	4200
tgacatagac ccagaatcca gagagacaga cttgctcagt gggatggatg gcaaagggtc	4260
ctaccaggtg aaaggctgga aacttacaca gcaacagttt gtggcccttt tgtggaagag	4320
actgctaatt gccagacgga gtcggaaagg attttttgct cagattgtct tgccagctgt	4380
gtttgtctgc attgcccttg tgttcagcct gatcgtgcca ccttttgga agtaccacag	4440
cctggaactt cagccctgga tgtacaacga acagtacaca tttgtcagca atgatgtcc	4500
tgaggacacg ggaaccctgg aactcttaaa cgccctcacc aaagaccctg gcttcgggac	4560
ccgtgtatg gaaggaaacc caatcccaga cagccctgc caggcagggg aggaagagt	4620

gaccactgcc ccagttcccc agaccatcat ggacctcttc cagaatggga actggacaat 4680
gcagaaccct tcacctgcat gccagtgtag cagcgacaaa atcaagaaga tgctgcctgt 4740
gtgtccccc ggggcagggg ggctgcctcc tccacaaaga aaacaaaaca ctgcagatat 4800
ccttcaggac ctgacaggaa gaaacatttc ggattatctg gtgaagacgt atgtgcagat 4860
catagccaaa agcttaaaga acaagatctg ggtgaatgag tttaggtatg gcggcttttc 4920
cctgggtgtc agtaatactc aagcatttcc tccgagtcaa gaagttaatg atgccatcaa 4980
acaaatgaag aaacacctaa agctggccaa ggacagttct gcagatcgat ttctcaacag 5040
cttgggaaga tttatgacag gactggacac caaaaataat gtcaagggtg ggttcaataa 5100
caagggtg catgcaatca gctctttcct gaatgtcatc aacaatgcca ttctccgggc 5160
caacctgcaa aaggagaga accctagcca ttatggaatt actgctttca atcatccct 5220
gaatctcacc aagcagcagc tctcagaggt ggctctgatg accacatcag tggatgtcct 5280
tgtgtccatc tgtgtcatct ttgcaatgtc cttcgtcca gccagctttg tcgtattcct 5340
gatccaggag cgggtcagca aagcaaaa cctgcagttc atcagtggag tgaagcctgt 5400
catctactgg ctctctaatt ttgtctggga tatgtgcaat tacgttgtcc ctgccacact 5460
ggtcattatc atcttcatct gcttcagca gaagtcctat gtgtcctcca ccaatctgcc 5520
tgtgctagcc cttctacttt tgctgtatgg gtggtaac acacctctca tgtaccagc 5580
ctcctttgtg ttcaagatcc ccagcacagc ctatgtggtg ctcaccagcg tgaacctctt 5640
cattggcatt aatggcagcg tggccacctt tgtgctggag ctgttcaccg acaataagct 5700
gaataatc aatgatatcc tgaagtccgt gttcttgatc ttccacatt ttgctggg 5760
acgagggctc atcgacatgg tgaaaaacca ggcaatggct gatgccctgg aaagggttg 5820
ggagaatcgc tttgtgtcac cattatcttg ggacttggtg ggacgaaacc tcttcgcat 5880
ggcgtggaa ggggtggtgt tcttctcat tactgttctg atccagtaca gattcttcat 5940
caggcccaga cctgtaaatg caaagctatc tcctctgaat gatgaagatg aagatgtgag 6000
gcgggaaaga cagagaattc ttgatggtg aggcagaat gacatcttag aaatcaagga 6060
gttgacgaag atatatagaa ggaagcgga gcctgctgtt gacaggattt gcgtgggcat 6120
tcctcctggt gagtgccttg ggctcctgg agttaatgg gctggaaaat catcaacttt 6180
caagatgtta acaggagata cactgttac cagaggagat gctttcctta acaaaaatag 6240
tatcttatca aacatccatg aagtacatca gaacatgggc tactgccctc agtttgatgc 6300
catcacagag ctgttgactg ggagagaaca cgtggagttc ttgcccctt tgagaggagt 6360
cccagagaaa gaagttggca aggttggtga gtgggcgatt cggaaactgg gcctcgtgaa 6420
gtatggagaa aaatatgctg gtaactatag tggaggcaac aaacgcaagc tctctacagc 6480
catggctttg atcggcgggc ctctgtggt gtttctggat gaaccacca caggcatgga 6540
tcccaaagcc cggcggttct tgtggaattg tgccctaagt gttgtcaagg aggggagatc 6600
agtagtgctt acatctcata gtatggaaga atgtgaagct ctttgacta ggatggcaat 6660

catggtcaat ggaaggttca ggtgccttgg cagtgtccag catctaaaa ataggtttgg 6720
agatggttat acaatagttg tacgaatagc agggccaac ccggacctga agcctgtcca 6780
ggattttttt ggacttgcatt ttcctggaag tgttctaaaa gagaaacacc ggaacatgct 6840
acaataccag ctccatctt cattatcttc tctggccagg atattcagca tcctctccca 6900
gagcaaaaag cgactccaca tagaagacta ctctgtttct cagacaacac ttgaccaagt 6960
atttgtgaac ttgccaagg accaaagtga tgatgaccac ttaaaagacc tctcattaca 7020
caaaaaccag acagtagtgg acgttgcagt tctcacatct tttctacagg atgagaaagt 7080
gaaagaaagc tatgtatgaa gaatcctgtt catacggggg ggctgaaagt aaagaggaa 7140
tagactttcc ttgccaagt gtgaagtgtt gtggagaaaa gagccagaag ttgatgtggg 7200
aagaagtaaa ctggatactg tactgatact attcaatgca atgcaattca atgcaatgaa 7260
aacaaaattc cattacaggg gcagtgcctt tgtagcctat gtcttgtatg gctctcaagt 7320
gaaagacttg aatttagttt ttacctata cctatgtgaa actctattat ggaaccaat 7380
ggacatatgg gtttgaactc acactttttt tttttttttt gttcctgtgt attctcattg 7440
gggttgcaac aataattcat caagtaatca tggccagcga ttattgatca aaatcaaaag 7500
gtaatgcaca tcctcattca ctaagccatg ccatgccag gagactggtt tcccgtgac 7560
acatccattg ctggcaatga gtgtgccaga gttattagt ccaagtttt cagaaagttt 7620
gaagcaccat ggtgtgtcat gtcactttt gtgaaagctg ctctgtcag agtctatcaa 7680
cattgaatat cagttgacag aatggtgcca tgcgtggcta acatcctgct ttgattccct 7740
ctgataagct gttctggtg cagtaaatg caacaaaaat gtgggtgtct ccaggcacgg 7800
gaaacttggg tccattgtta tattgtccta tgcttcgagc catgggtcta cagggtcatc 7860
cttatgagac tcttaaatat acttagatcc tggtaagagg caaagaatca acagccaaac 7920
tgctggggct gcaagctgct gaagccagg catgggatta aagagattgt gcgttcaaac 7980
ctagggaaag ctgtgccat ttgtcctgac tgtctgctaa catggtacac tgcattcaa 8040
gatgtttatc tgacacaagt gtattatttc tggctttttg aattaatcta gaaaatgaaa 8100
agatggagtt gtattttgac aaaaatgttt gtacttttta atgtattttg gaattttaag 8160
ttctatcagt gacttctgaa tccttagaat ggcctctttg tagaaccctg tggatatagag 8220
gagtatggcc actgccccac tatttttatt ttcttatgta agtttgata tcagtcata 8280
ctagtgccta gaaagcaatg tgatggtcag gatctcatga cattatattt gagtttcttt 8340
cagatcattt aggatactct taatctcact tcatcaatca aatattttt gagtgtatgc 8400
tgtagctgaa agagtatgta cgtacgtata agactagaga gatattaagt ctgagtacac 8460
ttcctgtgcc atgttattca gtcactggt ttacaaatat aggttgtctt gtggtgtag 8520
gagccactg taacaatact gggcagcctt tttttttttt tttttaattg caacaatgca 8580
aaagccaaga aagtataagg gtcacaagtc taaacaatga attcttcaac agggaaaaca 8640
gctagcttga aaacttgctg aaaaacacaa ctgtgttta tggcatttag taccttcaa 8700

taattggctt tgcagatatt ggatacccca ttaaatctga cagtctcaaa tttttcatct 8760
 cttcaatcac tagtcaagaa aaatataaaa acaacaata cttccatatg gagcattttt 8820
 cagagttttc taaccagtc ttatttttct agtcagtaaa catttgtaaa aatactgttt 8880
 cactaatact tactgttaac tgtcttgaga gaaaagaaaa atatgagaga actattgttt 8940
 ggggaagttc aagtgatctt tcaatatcat tactaacttc ttccactttt tccagaattt 9000
 gaatattaac gctaaagggtg taagacttca gatttcaaata taatctttct atatttttta 9060
 aatttacaga atattatata acccactgct gaaaaagaaa aaaatgattg ttttagaagt 9120
 taaagtcaat attgatttta aatataagta atgaaggcat atttccaata actagtata 9180
 tggcatcggt gcattttaca gtatcttcaa aaatacagaa tttatagaat aatttctcct 9240
 catttaatat ttttcaaaat caaagttatg gtttcctcat tttactaaaa tcgtattcta 9300
 attcttcatt atagtaaatac tatgagcaac tccttacttc ggttcctctg atttcaaggc 9360
 catattttta aaaaataaaa ggcactgtga actattttga agaaaacaca acattttaat 9420
 acagattgaa aggacctctt ctgaagctag aaacaatcta tagttataca tcttcattaa 9480
 tactgtgtta ctttttaaaa tagtaatttt ttacattttc ctgtgtaaac ctaattgtgg 9540
 tagaaatttt taccaactct atactcaatc aagcaaaatt tctgtatatt ccctgtggaa 9600
 tgtacctatg tgagtttcag aaattctcaa aatacgtgtt caaaaatttc tgcttttgca 9660
 tctttgggac acctcagaaa acttattaac aactgtgaat atgagaaata cagaagaaaa 9720
 taataagccc tctatacata aatgccagc acaattcatt gttaaaaaac aaccaaact 9780
 cacactactg tatttcatta tctgtactga aagcaaagc tttgtgacta ttaaagtgtg 9840
 cacatcattc attcactgta tagtaatcat tgactaaagc catttgctg tgttttcttc 9900
 ttgtggttgt atatatcagg taaaatattt tcaaagagc catgtgtcat gtaatactga 9960
 accactttga tattgagaca ttaatttgta ccctgtttat tatctactag taataatgta 10020
 atactgtaga aatattgctc taattctttt caaaattgtt gcacccccct tagaatgttt 10080
 ctatttccat aaggatttag gtatgctatt atcccttctt ataccctaag atgaagctgt 10140
 ttttggtgctc tttgttcac attggccctc attccaagca ctttacgctg tctgtaatgg 10200
 gatctatttt tgcactggaa tatctgagaa ttgcaaaact agacaaaagt ttcacaacag 10260
 atttctaagt taaatcattt tcattaaaag gaaaaagaa aaaaaatttt gtatgtcaat 10320
 aactttatat gaagtattaa aatgcatatt tctatgttgt aatataatga gtcacaaaat 10380
 aaagctgtga cagttctgtt ggtctacaga aa 10412

<210> 8

<211> 3473

<212> DNA

<213> Homo sapiens

<400> 8
 ttctttccaa gggctctctgg gtgaggcccg tgaccttccc aagcctctcc ctgtcttgtg 60
 aaacctgggc gtgatatacc tcccttttag ggctgctgcg atcatttagg cagattaaac 120
 ctcataagtg gtttcccata caagaaagat gctagcagtg caacagacag aacacttaac 180
 tgcctgccct cccgccagga ggtggtcttc caacttttgc ccggagtcta cagaggggtg 240
 gccctctctg ctggggctcc gggacatggt caggagaggt tggctctgtct gtaccgccat 300
 tctcttggcc agactgtggt gtctggtccc tactcacacc ttcctgtcag agtatccaga 360
 ggccgcagag tatccacacc ctggctgggt gtactggcta cagatggctg tggctccagg 420
 tcacctgcgt gcctgggtga tgagaaataa tgtcacaaca aatatcccat ctgcattctc 480
 tgggacactg acccatgaag agaaagcagt tctcacagtt ttacaggca cagccacagc 540
 cgtgcatgta caggtggcag ctttagcttc tgctaaactg gagagctcag tgtttgtgac 600
 agactgcgtg tcctgcaaaa tcgaaaatgt ctgtgattca gctcttcagg gaaaaagggt 660
 gccgatgtct ggcctacagg gctcaagcat tgtcatcatg ccccatcca accgtccact 720
 cgccagtgcg gcatcctgca cgtggtcagt ccaagtccag ggagggcccc atcacctggg 780
 ggtggtcgct atcagtggca aagtcttgtc agcagctcat ggggcaggaa gggcctatgg 840
 ttggggggtt cctggcgatc ccatggagga aggatacaag accctcctga aaggaatttc 900
 cgggaagttc aatagtgtg agttggtggc cattatgggt ccttccgggg ccggaagtc 960
 cacgctgatg aacatcctgg ctggatacag ggagacgggc atgaaggggg ccgtcctcat 1020
 caacggcctg ccccgggacc tgcgctgctt ccggaagggt tcctgctaca tcatgcagga 1080
 tgacatgctg ctgccgcatc tactgtgca ggaggccatg atggtgtcgg cacatctgaa 1140
 gcttcaggag aaggatgaag gcagaaggga aatgggtcaag gagatactga cagcgctggg 1200
 cttgctgtct tgcgccaaca cgcggaccgg gagcctgtca ggtggtcagc gcaagcgcct 1260
 ggccatcgcg ctggagctgg tgaacaacc tccagtcatg ttcttcgatg agcccaccag 1320
 cggcctggac agcgcctcct gcttccaggt ggtctcgctg atgaaagggc tcgctcaagg 1380
 gggtcgctcc atcatttgca ccatccacca gccagcgcc aaactcttcg agctgttcga 1440
 ccagctttac gtcctgagtc aaggacaatg tgtgtaccgg ggaaaagtct gcaatcttgt 1500
 gccatatttg agggatttg gtctgaactg cccaacctac cacaaccag cagattttgt 1560
 catggagggt gcatccggcg agtacgggtga tcagaacagt cggctgggtga gagcggttcg 1620
 ggagggcatg tgtgactcag accacaagag agacctcggg ggtgatgccg aggtgaaccc 1680
 ttttctttg caccggccct ctgaagaggt aaagcagaca aaacgattaa aggggttgag 1740
 aaaggactcc tcgtccatgg aaggctgcca cagcttctct gccagctgcc tcacgcagtt 1800
 ctgcatcctc ttcaagagga ccttcctcag catcatgagg gactcgggtc tgacacacct 1860
 gcgcatcacc tcgcacattg ggatcggcct cctcattggc ctgctgtact tggggatcgg 1920
 gaacgaagcc aagaaggctt tgagcaactc cggttctc ttcttctcca tgctgttcct 1980

catgttcgcg gccctcatgc ctactgttct gacatttccc ctggagatgg gagtctttct 2040
tcgggaacac ctgaactact ggtacagcct gaaggcctac tacctggcca agaccatggc 2100
agacgtgccc ttccagatca tgttcccagt ggccctactgc agcatcgtgt actggatgac 2160
gtcgcagccg tccgacgccg tgcgctttgt gctgtttgcc gcgctgggca ccatgacctc 2220
cctggtggca cagtccctgg gcctgctgat cggagccgcc tccacgtccc tgcaggtggc 2280
cactttcgtg ggccagtgga cagccatccc ggtgtcctg ttctcggggg tcttcgtcag 2340
cttcgacacc atccccacgt acctacagtg gatgtcctac atctcctatg tcaggtatgg 2400
gttcgaaggg gtcatcctct ccatctatgg cttagaccgg gaagatctgc actgtgacat 2460
cgacgagacg tgccacttcc agaagtcgga ggccatcctg cgggagctgg acgtggaaaa 2520
tgccaagctg tacctggact tcatcgtact cgggattttc ttcatctccc tccgcctcat 2580
tgcctatfff gtctcaggt acaaaatccg ggcagagagg taaaacacct gaatgccagg 2640
aaacaggaag attagacact gtggccgagg gcacgtctag aatcgaggag gcaagcctgt 2700
gcccgaaccga cgacacagag actcttctga tccaaccctc agaaccgcgt tgggtttgtg 2760
ggtgtctcgt gctcagccac tctgccagc tgggttgat cttctctcca ttcccccttc 2820
tagctttaac taggaagatg taggcagatt ggtggttttt ttttttttaa catacagaat 2880
tttaataacc acaactgggg cagaatttaa agctgcaaca cagctggtga tgagaggctt 2940
cctcagtcca gtcgtcctt agcaccaggc accgtgggtc ctggatgggg aactgcaagc 3000
agcctctcag ctgatggctg cacagtcaga tgtctgggtg cagagagtcc gagcatggag 3060
cgattccatt ttatgactgt tgtttttcac attttcatct ttctaagggtg tgtctctttt 3120
ccaatgagaa gtcatttttg caagccaaaa gtcgatcaat cgcattcatt ttaagaaatt 3180
ataccttttt agtacttgct gaagaatgat tcagggtaaa tcacatactt tgtttagaga 3240
ggcgaggggt ttaaccgagt caccagctg gtctcataca tagacagcac ttgtgaagga 3300
ttgaatgcag gttccaggtg gagggaagac gtggacacca tctccactga gccatgcaga 3360
catttttaaa agctatacaa aaaattgtga gaagacattg gccaaactct tcaaagtctt 3420
tctttttcca cgtgcttctt attttaagcg aaatatattg tttgtttctt cct 3473

<210> 9

<211> 2740

<212> DNA

<213> Homo sapiens

<400> 9

aagtcccagt cctgctgtcc caagggactc cggggtcagg tggagcaggc agggcagtct 60
gccacgggct ccccaactga agccactctg gggaggggtc ggccaccaga aaatttgccc 120
agctttgctg cctgttggcc atgggtgacc tctcatcttt gacccccgga ggggtccatgg 180

gtctccaagt aaacagaggc tcccagagct ccctggaggg ggctcctgcc accgccccgg	240
agcctcacag cctgggcatc ctccatgcct cctacagcgt cagccaccgc gtgaggccct	300
ggggggacat cacatcttgc cggcagcagt ggaccaggca gatcctcaaa gatgtctcct	360
tgtacgtgga gagcgggagc atcatgtgca tcctaggaag ctcaggctcc gggaaaacca	420
cgctgctgga cgccatgtcc gggaggctgg ggcgcgcggg gaccttcctg ggggagggtg	480
atgtgaacgg ccgggcgctg cgccgggagc agttccagga ctgcttctcc tacgtcctgc	540
agagcgacac cctgctgagc agcctcaccg tgcgcgagac gctgcactac accgcgctgc	600
tggccatccg ccgcggcaat cccggctcct tccagaagaa ggtggaggcc gtcattggcag	660
agctgagtct gagccatgtg gcagaccgac tgattggcaa ctacagcttg gggggcattt	720
ccacgggtga gcggcgccgg gtctccatcg cagcccagct gctccaggat cctaaggta	780
tgctgtttga tgagccaacc acaggcctgg actgcatgac tgctaatacag attgtcgtcc	840
tcctggtgga actggctcgc aggaaccgaa ttgtggttct caccattcac cagccccgtt	900
ctgagctttt tcagctcttt gacaaaattg ccatcctgag cttcgagag ctgattttct	960
gtggcacgcc agcggaaatg cttgatttct tcaatgactg cggttaccct tgcctgaac	1020
attcaaacc ttttgacttc tatatggacc tgacgtcagt ggatacccaa agcaaggaa	1080
gggaaataga aacctccaag agagtccaga tgatagaatc tgcctacaag aaatcagcaa	1140
tttgtcataa aactttgaag aatattgaaa gaatgaaaca cctgaaaacg ttaccaatgg	1200
ttcttttcaa aaccaagat tctcctggag ttttctctaa actgggtgtt ctcctgagga	1260
gagtgacaag aaacttggtg agaaataagc tggcagtgat tacgcgtctc cttcagaatc	1320
tgatcatggg tttgttcctc cttttcttcg ttctgcgggt ccgaagcaat gtgctaaagg	1380
gtgctatcca ggaccgcgta ggtctcctt accagtttgt gggcgccacc ccgtacacag	1440
gcatgctgaa cgctgtgaat ctgtttcccg tgctgcgagc tgcagcgac caggagagtc	1500
aggacggcct ctaccagaag tggcagatga tgctggccta tgactgcac gtcctcccct	1560
tcagcgttgt tgccaccatg attttcagca gtgtgtgcta ctggacgctg ggcttacatc	1620
ctgaggttgc ccgatttga ttttttctg ctgctctctt ggccccccac ttaattggtg	1680
aatttctaac tcttgtgcta cttggtatcg tccaaaatcc aaatatagtc aacagtgtag	1740
tggctctgct gtccattgcg ggggtgcttg ttggatctgg attcctcaga aacatacaag	1800
aaatgccccat tcctttttaa atcatcagtt attttacatt ccaaaaatat tgcagtgaga	1860
ttctttagt caatgagttc tacggactga atttcacttg tggcagctca aatgtttctg	1920
tgacaactaa tccaatgtgt gccttcactc aaggaattca attcattgag aaaacctgcc	1980
caggtgcaac atctagattc acaatgaact ttctgatttt gtattcattt attccagctc	2040
ttgtcatcct aggaatagtt gttttcaaaa taagggatca tctcattagc aggtagttaa	2100
agccatggct gggaaaatgg aagtgaagct gccgactgtg catgactgct ctgaacgtct	2160
gaaatgagag tgccatgtat ttctttcttg acaggacatc tcaagtcttt taaccattaa	2220

gactccattt gtgcctcttg gatccaagca ggccttgaat gcaatggaag tggtttatag	2280
tcccttgctc ttacaacttg cagggacatg tggttatttg gaaattgtga ctgagcggac	2340
ccaagaatgt aaataatatt cataaaccta tgggagactc gtgtgactat ttttttcct	2400
tgttctaggg acagaaaaaa atagggtcagc ttaaaaatat gtttacattg gataaaggat	2460
taggcaaaaa taaatgttt caaggattcc tgaccataag tgacagagaa agagagttgt	2520
gggttttagat gaagcaagggt tatcatgcag aattgggtaa gaatgcttct gttcctggaa	2580
gaccagagt taaatgcaga tgtccacacg aggggtcgga gttacctgat cacatcgaga	2640
gagtgtggg agatggatg gtgagacca ctgtacaga gcaccagtg attttactga	2700
ggattaaaat aaaaaaccgt aggaatgggc tcaacagtga	2740

<210> 10

<211> 2679

<212> DNA

<213> Homo sapiens

<400> 10

ctccaggaaa cagagtgaag aactggccc tggcaggcag cagctgggtc taagagagct	60
gcagcccagg gtcacagacc tgtgggcccc atggccggga aggcggcaga ggagagaggg	120
ctgccgaaag gggccactcc ccaggatacc tcgggcctcc aggatagatt gttctcctct	180
gaaagtgaca acagcctgta cttcacctac agtggccagc ccaacaccct ggaggtcaga	240
gacctcaact gccagggtgga cctggcctct cagggtccctt ggtttgagca gctgggtcag	300
ttcaagatgc cctggacatc tcccagctgc cagaattctt gtgagctggg catccagaac	360
ctaagcttca aagtgagaag tgggcagatg ctggccatca tagggagctc aggttggtggg	420
agagcctcct tgctagatgt gatcactggc cgagggtcacg gcggcaagat caagtcaggc	480
cagatctgga tcaatgggca gccagctcg cctcagctgg tgaggaagtg tgtggcccac	540
gtgcgccagc acaaccagct gctccccaac ttgactgtgc gagagacctt ggccttcatt	600
gccagatgc ggctgccag aaccttctcc caggcccagc gtgacaaaag ggtggaggac	660
gtgatcgcg agctgaggct taggcagtgc gctgacacc gcgtgggcaa catgtacgtg	720
cgggggttgt cgggggtga gcgcaggaga gtcagcattg ggggtgcagct cctgtggaac	780
ccaggaatcc ttattctcga cgaaccacc tctgggctcg acagcttcac agcccacaac	840
ctggtgaaga ccttgtccag gctggccaaa ggcaaccggc tgggtgctcat ctccctccac	900
cagcctcgct ctgacatctt caggctgttt gatctggtcc tcctgatgac gtctggcacc	960
cccactact taggggcggc ccagcacatg gtccagtatt tcacagccat cggctacccc	1020
tgtcctcgct acagcaatcc tgctgacttc tatgtggacc tgaccagcat tgacaggcgc	1080
agcagagagc aggaattggc caccagggag aaggctcagt cactcgagc cctgtttcta	1140

gaaaaagtgc gtgacttaga tgactttcta tggaaagcag agacgaagga tcttgacgag 1200
 gacacctgtg tggaaagcag cgtgacccca ctagacacca actgcctccc gagtcctacg 1260
 aagatgcctg gggcgggtgca gcagttttacg acgctgatcc gtcgtcagat ttccaacgac 1320
 ttccgagacc tgcccaccct cctcatccat ggggcggagg cctgtctgat gtcaatgacc 1380
 atcggcttcc tctatTTTTgG ccatgggagc atccagctct ctttcatgga tacagccgcc 1440
 ctcttgttca tgatcgggtgc tctcatccct ttcaacgtca ttctggatgt catctccaaa 1500
 tgttactcag agaggggaat gctttactat gaactggaag acgggctgta caccactggt 1560
 ccatatttct ttgccaagat cctcggggag cttccggagc actgtgccta catcatcatc 1620
 tacgggatgc ccacctactg gctggccaac ctgaggccag gcctccagcc cttcctgctg 1680
 cacttcctgc tgggtgtggct ggtggtcttc tgttgaggga ttatggccct ggccgcccgcg 1740
 gccctgctcc ccaccttcca catggcctcc ttcttcagca atgccctcta caactccttc 1800
 tacctcgccg ggggcttcat gataaacttg agcagcctgt ggacagtgcc cgcgtggatt 1860
 tccaaagtgt ctttctgCG gtggtgtttt gaagggtga tgaagattca gttcagcaga 1920
 agaacttata aaatgcctct cgggaacctc accatcgCG tctcaggaga taaaatcctc 1980
 agtgccatgg agctggactc gtaccctctc tacgccatct acctcatcgt cattggcctc 2040
 agcgggtggct tcatggctct gtactacgtg tccttaaggT tcatcaaaca gaaaccaagt 2100
 caagactggt gattcacgcc agacgtctgc ccgctggtg gggacctgag cagacccttc 2160
 aactgcactc cctctcagg agcccttcc tggggacagt gaggacaatg accctacaga 2220
 tgctcagcta catccggccc aggggtgctg ggtggcacag accagccaca ggatggcagt 2280
 agaataaaga cagtcgaaag ggatttctgc tactggcag gagactgcga tgactgggag 2340
 aaaacctgca ctcggtggca cctacaacgt tgctaattta tttccttttg atatgcattt 2400
 atataggcaa ctgatatag gatgggagca aactaggaat gaattgggta gctagactgt 2460
 gcaggaattg ttggaacctg gagggaacaa taacagtacc tagcagattt ggcttcatct 2520
 tccaggggcc ccacactccg tggtagacca ccatcaatac agaaagtgac ctaagatgta 2580
 ccagcaagat gccatccctt cttttgtgt ggggtcatgg gctccaaaag ccaacgtgaa 2640
 caattaaaaa tgtattgagc atctaaaaaa aaaaaaaaaa 2679

<210> 11

<211> 1156

<212> DNA

<213> Homo sapiens

<400> 11

cgcagcggag gtgaaggacg tccttcccca ggagccgact ggccaatcac aggcaggaag 60
 atgaagggtc tgtgggctgc gttgctggtc acattcctgg caggatgcca ggccaagggt 120

gagcaagcgg tggagacaga gccggagccc gagctgcgcc agcagaccga gtggcagagc 180
 ggccagcgct gggaactggc actgggtcgc ttttgggatt acctgcgctg ggtgcagaca 240
 ctgtctgagc aggtgcagga ggagctgctc agctcccagg tcacccagga actgagggcg 300
 ctgatggacg agaccatgaa ggagttgaag gcctacaaat cgggaactgga ggaacaactg 360
 accccgggtg cggaggagac gcgggcacgg ctgtccaagg agctgcaggc ggcgaggcc 420
 cggctgggcg cggacatgga ggacgtgtgc ggccgcctgg tgcagtaccg cggcgagggtg 480
 caggccatgc tcggccagag caccgaggag ctgcgggtgc gcctcgcctc ccacctgcgc 540
 aagctgcgta agcggctcct ccgcgatgcc gatgacctgc agaagcgctt ggcaagtgtac 600
 caggccgggg cccgcgaggg cgccgagcgc ggcctcagcg ccatccgcga gcgcctgggg 660
 cccctgggtg aacaggggcg cgtgcgggccc gccactgtgg gctccctggc cggccagccg 720
 ctacaggagc gggcccaggc ctggggcgag cggctgcgcg cgcggatgga ggagatgggc 780
 agccggaccc gcgaccgcct ggacgaggtg aaggagcagg tggcggaggt gcgcgccaag 840
 ctggaggagc agggccagca gatacgctg caggccgagg ccttccaggc ccgcctcaag 900
 agctggttcg agcccctggt ggaagacatg cagcgccagt gggccgggct ggtggagaag 960
 gtgcaggctg ccgtgggcac cagcgccgcc cctgtgcca gcgacaatca ctgaacgccg 1020
 aagcctgcag ccatgcgacc ccacgccacc ccgtgcctcc tgctccgcg cagcctgcag 1080
 cgggagaccc tgtccccgcc ccagccgtcc tcctggggtg gaccctagtt taataaagat 1140
 tcaccaagtt tcacgc 1156

<210> 12

<211> 417

<212> DNA

<213> Homo sapiens

<400> 12

acctcccaac caagccctcc agcaaggatt caggagtgcc cctcgggcct cgccatgagg 60
 ctcttctgt cgctcccggt cctgggtggtg gttctgtcga tcgtcttggga agggccagcc 120
 ccagcccagg ggaccccaga cgtctccagt gccttgata agctgaagga gtttggaac 180
 aactggagg acaaggctcg ggaactcatc agccgcata aacagagtga actttctgcc 240
 aagatgcggg agtggttttc agagacattt cagaaagtga aggagaaact caagattgac 300
 tcatgaggac ctgaagggtg acatccagga ggggcctctg aaatttcca caccagcg 360
 cctgtgctga ggactccgc catgtggccc caggtgccac caataaaaat cctaccg 417

<210> 13

<211> 753

<212> DNA

<213> Homo sapiens

<400> 13

```

gttgtggctg tggagcggaa gtgggtctca accactataa atcctctctg tgcccgtccg      60
gagctggga ggacagcctg ccagagtctg gtctctggac actatgggca cacgactcct      120
cccagctctg tttcttgctc tcctgggtatt gggatttgag gtccagggga cccaacagcc      180
ccagcaagat gagatgccta gcccgcctt cctcaccag gtgaaggaat ctctctccag      240
ttactgggag tcagcaaaga cagccgcca gaacctgtac gagaagacat acctgcccgc      300
tgtagatgag aaactcaggg acttgtagc caaaagcaca gcagccatga gcacttacac      360
aggcattttt actgaccaag ttctttctgt gctgaaggga gaggagtaac agccagaccc      420
cccatcagtg gacaagggga gagtccccta ctcccctgat ccccagggtt cagactgagc      480
tcccccttcc cagtagctct tgcatcctcc tcccaactct agcctgaatt cttttcaata      540
aaaaatacaa ttcaagttgc ttctcatgga tggcactgct tttctgagga ctcaagggcc      600
aagatggagg ggctgactca gtccagccaa catttaatga gcacctactt tatgtatgga      660
gctctaacc atgggtccat ggaataaag cagtgaatag taacaataaa taatcgtaac      720
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaa                                     753

```

<210> 14

<211> 5950

<212> DNA

<213> Homo sapiens

<400> 14

```

gaattccagg ggacatctgt tgcgcaccta ctgtgctcac gctggggcct ctgggatgga      60
caggattctg ccaaggcaga catctgggtc aagacagtcc tgcacagttg ttcagggttg      120
ggccaagggt gcgtttgcag atttgccatg taaaaataca ggatgctcag ttacatttga      180
atttcagatt aatagcaaaa aaactttttt ggtataattc tgaaatattt catgggacat      240
atttatacta aaacgtcatg cactgttgat ttgaaattca aatgtaattg ggcctcctct      300
atttcgtctg gcaagcgtag acaaaagaat ccagtccagg ccaggcgagc tggctcaagc      360
ctgtaatccc agcacttttg gaggccgagg cgggcggatc acgaggtcag gagatcgaga      420
ccatcctggc taacacggtg aaacccgctc tctactaaaa atacaaaaaa ttagctgggc      480
gtggtggcgg gtgcctgtag tcccagctac tcgggaggct gaggcaggag aatggcgtga      540
acctgggagg cggagcttgc agtgagccga gatcgcgcca cagcactcca gcctgggcga      600
cagagccaga ctctgtctca aaaaaaaaaa aaagaatcca gtccatagtc ccctgagcca      660
tgtgccctgg ggtgcagctg ggtccttcag gagaaaaatg ctctatttct ggcactggga      720

```

ccgagcctga tgtggggttt ttgttggttt ttgttggtgt tattgttttt gagacaaggt	780
ctcgtccac cacacccggc taatttttgt attttttagta gagacggggt ttcactacgt	840
tggccaggct ggtcttgaac tcctgacctc aagtgaagccg cctgcctcgg cctcccaaag	900
tgctgggatt acaggtggga gccaccgccc tggccctggg cctgatgttg atgacctcct	960
actatgtgca cctgcagctc tcctgcatag gcctcagccg tcctgcatga ggacactggg	1020
aggcagggtgc tccctatcaa ccccggtgta cagttgaaca aactgagccc cagaaaagaa	1080
aacgtatttg cccagggtcac acggtgaaga agtgagggat tcgaagccca ggtccatctg	1140
aagccagagt caccagagg agaaagagtt ggaattgaga actcaaggaa tgcttggaag	1200
tgatcgggct cgagcccacc taggaagaaa cagaggctgg agacatgaga ctgtgttgct	1260
atttcctctc atcaaccctt gggccctatt gagggcctac cacaagcctg gccctgcagc	1320
ccagtgacta ggagaaatta gacacaagat aataataaca gcaatgatct tttttttttt	1380
tctgagacgg agtcttgctc tttcgcccag gctggactgc agtggcgcgga tctcggctca	1440
atgcaagctc cacctcccag gttcacgcca ttctcctgcc tcagcctccc gagtagctag	1500
gactacaggc gcctgccacc acgcctggct aatttttcat attttttagta gagatgggggt	1560
ttcaccgtgt tagccaagat ggtctcaatc tcctgacctc gtgatccgcc tgcctcggcc	1620
tcccaaagtg ttgggggttac aggcattgagc caccgcgcct ggccaacagc aatgatcttt	1680
gagcacctat attgccagtc tccacggtaa gagctttctt ctttttttgt tttgttttgt	1740
ttcaagacag agtcttgctc tgtcaccag gctggagtgc agtgggtgtga tcgcggtca	1800
ctgcagcctt cacttcccgg gttcaagcca ttctcctgcc tcagcctccc aagtagctgg	1860
gattacaggc acgcatcact acttctggct aatttttgta ttttttagtag ggacagggtt	1920
tttcaccatg ttggccagggt tgggtctcaa ctcctggcct catatgatct gccacctcg	1980
gcctcccaaa gtgctgggat tacaggcgtg agccactgcg cttttctttg tatttgttca	2040
agtaataatac tgaaatatgt actgtgcctc ccactttatg gaggaggaaa ctgaggccag	2100
caaatgaggc tgtcatggga ggtggagaca ggatttgaac ctgcctcagt gcaggaggct	2160
caagagcctc tgtcttctct cagggcactg tgtgggaggg tgagaaggag ggaggccac	2220
agaggcatga cctctgattg cactgtcac ctgggccctg ctctctgaag tctctgccaa	2280
gcggggagggt ggccggggga gggccctgct ctgtgcagcc tcccctcccc cggcccgcag	2340
agttgagcac agaggacag aggcacggaa cccccagaaa tgtccctcct cagaaacagg	2400
ctccaggccc tgcctgccct gtgcctctgc gtgctggtcc tggcctgcat tgggggtgag	2460
aagaagtggg tggagggatg tggggccac acctggtggg tgtgagtgtg gctgtgtgtc	2520
ctgtggctct gtagccacgt gagacatgag tacggagtgt gtgcgtttca tggcgtgctg	2580
atgcatgtgc gtgtcgggga gtgtgtgtgt cgggtggctga gagtgaagtg tgaatgtcac	2640
attggtacaa actgggatca tctgtgtgtg tgcacgtgcg tgcgtggaag tgggagtatg	2700
cagtcgtggg aaaaaagtgc atgtctgtgt gcatatgtgt atttgtgtgc acctgtctct	2760

ctgtggggtgta tgtgtgtgca aaatatttga gtgtgtggac atgtgtgagg gggtgagtgt	2820
gtgctggtgt gtacgtctgt gttttgcata tgcatttttt tttttttttt ttagacggag	2880
tctcactctg tcaccaggc tggagtgcag tggtagcagt ggtgcgatct tggctcactg	2940
catcatccgc ctaccggtt caagggattc tcctgcctca gtcttcagag tatttgggac	3000
tacagacaca cgccaccatg cctggctaata tttttttttt tgagacggag tctcgtctctg	3060
ttaccaggc tggagtgcag tggcgtgatc ttggctcact gcaagctccg cctcccgggt	3120
tcacgccatt ctctgcctc agcctcccga gtagctggga ctacaggagc ccaccaccac	3180
gcctggctaa tttttgtat ttttactaga gacggggtt cgccgtgtta gccaggatgg	3240
tctccatata ctgacctcgt gatccgcctg cctcggcctt ccaaagtgt aggattatag	3300
gcgtgagcca ctgcgcctgg ccaatgcctg gctaattttt ttatatattttt ggtagagaca	3360
gggttttgcc atgttgccca ggctggctt gaaatcctga cctcagggtga tccgcccgcc	3420
ttggcctccc aaagtgtctg gattacaggc atgagccacc acgccgggc atgtacttta	3480
tgttaaaatg ggatcatatt ctagatcagc attatccagt agaaatttaa atttttaata	3540
cagggccagg cacggtggct catgcctgta atcccagcac tttcggaggc cgaggcgggt	3600
ggatcgcaag gtcaggagat ttgagatcat cctggctaac agatgggtta aaacccatct	3660
ctactaaaaa taaaaaaat tagccatgca tgggtggcatg cgctgtagt cccagctact	3720
cgggaggctg aggccggaga atcacttgaa cccgggaggc agaggttgca gtgagccgag	3780
atcgcgccac tgcattccaa cctgggtgac agagcgagac tccgtctgaa aaaaaaaaaa	3840
aatttaacac gtatgtagac aatgtgcaag gcaccattcc atgtgcatcg tatgtagtaa	3900
ctcttaattc tcacgataac cctgaggtag atattattac cccgttctac aaaaggagaa	3960
acagtcctgg ggagacagga taagtcaccg gccaaggcac acagctagct acatgtggcc	4020
cccgcgtgac ggctggtctc ttagggcgag gctttgtcca gatgcgtggg tagaaggctc	4080
ggcccggaaa gaggaactga cagcaaggct aagccaatgt ctgcccctgg gggcagaaa	4140
tcacctctg ctctccctcc actgtccaca gaggtagctc agacagggtg ggggtcacag	4200
gagaacgaag ggagaagggg gtagttcctg ggcagcaaaa tcagggtgtg aaggaggca	4260
tcagaggatg gcaattagag aggccattag aggggaacca caggcagaca gggtgacagg	4320
agggactact gacacaaggt gaagagatgg cccagccgga cggggtggct cacatctgta	4380
atcccagcat ttgaggagcc cgagggtgggt ggatcacttg aggtcaggag ttcgaggccc	4440
caacatggca aaacccatc tcttctaaaa atacaaaaat tagccgggca tgatggcaga	4500
tgctgtaat ccctgtact cgggaggctg aggcaggaaa attgcctgaa tccaggaggt	4560
ggaggttgca atgagacgag atcatgacac tgactccac cctgggcaac agagcaagag	4620
actgactctg tctcataaaa aaaaagaaaa aagaaaaaaa aaaagagatg gctgatggtt	4680
aaagaggggt tagcggtcag gggacacata agggtaaagg caggaggcaa gaggactggc	4740
agggggctgc ccctgggcca cgggagcga cacaggatga gcatggaggg aaaggagaa	4800

ggggattcta ggggtcccagc ctacccaagt tgccctctgg ttccacctag catgccagcc 4860
 agaggcccag gaaggaaccc tgagcccccc accaaagcta aagatgagtc gctggagcct 4920
 ggtgaggggc aggatgaagg agctgctgga gacagtgggtg aacaggacca gagacgggtg 4980
 gcaatggttc tgggtgaggggt gtgctggcct ggggtgggtgg aggggactcc tgggtctgag 5040
 ggaggagggg ctggggcctg gacccctgag tctcaggag gaggaagggtg tgggagtggg 5100
 gctgtgaccc ctaggctctg gaggagtggg ggggttagagc tgagagcagg aactcctagg 5160
 tcacagagag gagcggataa atggggcaga gaacacctgg ggagagctgg ggccctccact 5220
 gtgatgtcct ctctcctgta ggagcccag caccctccgg ggcttcatgc agacctacta 5280
 tgacgaccac ctgagggacc tgggtccgct caccaaggcc tggttcctcg aatccaaaga 5340
 cagcctcttg aagaagaccc acagcctgtg cccagggctt gtctgtgggg acaaggacca 5400
 ggggttaaaat gttcataaaa gccagggtgtg gttgtggcgg gtgcctgtag tcccagctac 5460
 tcaggagggt gaggtaggat gatggcttga gcccaggagt tcgagaccag cctgggcaac 5520
 acagcgagat ctcttggggg taaaacaaaa agaaaaaaaa aagttcatac ttctccaata 5580
 aataaagtct cacctgtgtc cctgtctgga tccttcccca gtgtggccag aaaaaaacc 5640
 accccactgc ctcccaggaa tcaatgagta gaagaggtga cacctgatgg ggaaggaaga 5700
 gtagggaggt cggaagggt atcaaggaat aacaccctat tgtgggcttg cggaagaatg 5760
 gggacttcaa ggcgtgtcag tttcaggagg gtgagggcag gagcgtgggt ggagtcagca 5820
 ggtccccatg atggccctca ctgagagctt cgccctgtc tcctacaagc tctgactcca 5880
 ttcccagtgg gcaccagca cctccaaccc ctccacagcc cccaaccag cctctgtcgg 5940
 aggcgaattc 5950

<210> 15

<211> 3549

<212> DNA

<213> Homo sapiens

<400> 15
 cccctcttcc tcctcctcaa gggaaagctg cccacttcta gctgccctgc catccccctt 60
 aaagggcgac ttgctcagcg ccaaaccgag gctccagccc tctccagcct ccggctcagc 120
 cggtcatca gtcgggtccg gccttgagc tcctccagag ggacgcgccc cgagatggag 180
 agcaaagccc tgctcgtgct. gactctggcc gtgtggctcc agagtctgac cgcctccgc 240
 ggaggggtgg ccgccgccga ccaaagaaga gattttatcg acatcgaaag taaatttgcc 300
 ctaaggaccc ctgaagacac agctgaggac acttgccacc tcattcccg agtagcagag 360
 tccgtggcta cctgtcattt caatcacagc agcaaacct tcatggtgat ccatggctgg 420
 acggtaacag gaatgtatga gagttgggtg ccaaacttg tggccgcct gtacaagaga 480

gaaccagact ccaatgtcat tgtggtggac tggctgtcac gggctcagga gcattaccca 540
gtgtccgcgg gctacaccaa actggtggga caggatgtgg cccggtttat caactggatg 600
gaggaggagt ttaactaccc tctggacaat gtccatctct tgggatacag ccttggagcc 660
catgctgctg gcattgcagg aagtctgacc aataagaaag tcaacagaat tactggcctc 720
gatccagctg gacctaactt tgagtatgca gaagccccga gtcgtctttc tcctgatgat 780
gcagattttg tagacgtctt acacacattc accagagggt cccctggctg aagcattgga 840
atccagaaac cagttgggca tgttgacatt taccggaatg gaggtacttt tcagccagga 900
tgtaacattg gagaagctat ccgctgatt gcagagagag gacttggaga tgtggaccag 960
ctagtgaagt gctccacga gcgctccatt catctcttca tcgactctct gttgaatgaa 1020
gaaaatccaa gtaaggccta cagggtgcagt tccaaggaag cctttgagaa agggctctgc 1080
ttgagttgta gaaagaaccg ctgcaacaat ctgggctatg agatcaataa agtcagagcc 1140
aaaagaagca gcaaaatgta cctgaagact cgttctcaga tgccctacaa agtcttccat 1200
taccaagtaa agattcatth ttctgggact gagagtgaag cccataccaa tcaggccttt 1260
gagatttctc tgtatggcac cgtggccgag agtgagaaca tccattcac tctgcctgaa 1320
gtttccacaa ataagaccta ctcttctcta atttacacag aggtagatat tggagaacta 1380
ctcatgttga agctcaaatg gaagagtgat tcatacttta gctggtcaga ctggtggagc 1440
agtcccggtc tcgccattca gaagatcaga gtaaaagcag gagagactca gaaaaggtg 1500
atcttctgtt ctagggagaa agtgtctcat ttgcagaaag gaaaggcacc tgcggtatth 1560
gtgaaatgcc atgacaagtc tctgaataag aagtcaggct gaaactgggc gaatctacag 1620
aacaagaac ggcattgtaa ttctgtgaag aatgaagtgg aggaagtaac ttttacaaa 1680
cataccagat gtttggggtg tttcaaaagt ggattttcct gaatattaat cccagcccta 1740
cccttgtagg ttattttagg agacagtctc aagcactaaa aagtggctaa ttcaatttat 1800
ggggtatagt ggccaaatag cacatcctcc aacgttaaaa gacagtggat catgaaagt 1860
gctgttttgt ctttgagaa agaaataatt gtttgagcgc agagtaaaat aaggctcctt 1920
catgtggcgt attgggcat agcctataat tggttagaac ctctattttt aattggaatt 1980
ctggatcttt cggactgagg ctttctcaaa-ctttactcta agtctccaag aatacagaaa 2040
atgcttttcc gcggcacgaa tcagactcat ctacacagca gtatgaatga tgttttagaa 2100
tgattccctc ttgctattgg aatgtggtcc agacgtcaac caggaacatg taacttggag 2160
agggacgaag aaagggtctg ataaacacag aggttttaaa cagtccttac cattggcctg 2220
catcatgaca aagttacaaa ttcaaggaga tataaaatct agatcaatta attcttaata 2280
ggctttatcg tttattgctt aatccctctc tcccccttct tttttgtctc aagattatat 2340
tataataatg ttctctgggt aggtgttgaa aatgagcctg taatcctcag ctgacacata 2400
atttgaatgg tgcagaaaaa aaaaagatac cgtaatttta ttattagatt ctccaaatga 2460
ttttcatcaa tttaaaatca ttcaatatct gacagttact cttcagtttt aggcttacct 2520

tggatcatgct tcagttgtac ttccagtgcg tctcttttgt tcctggcttt gacatgaaaa 2580
 gatagggtttg agttcaaatt ttgcattgtg tgagcttcta cagatttttag acaaggaccg 2640
 tttttactaa gtaaaagggt ggagagggtc ctgggggtgga ttcctaagca gtgcttgtaa 2700
 accatcgcgt gcaatgagcc agatggagta ccatgagggt tgttatttgt tgtttttaac 2760
 aactaatcaa gagtgagtga acaactatct ataaactaga tctcctatct ttcagaatgc 2820
 tcttctacgt ataaatatga aatgataaag atgtcaaata tctcagaggc tatagctggg 2880
 aacccgactg tgaaagtatg tgatatctga acacatacta gaaagctctg catgtgtgtt 2940
 gtcttctcagc ataattcgga agggaaaaca gtcgatcaag ggatgtattg gaacatgtcg 3000
 gagtagaat tgttctgat gtgccagaac ttcgacctt tctctgagag agatgatcgt 3060
 gcctataaat agtaggacca atgttgtgat taacatcatc aggttggaa tgaattctct 3120
 ctaaaaataa aatgatgtat gatttgttgt tggcatcccc tttattaatt cattaaattt 3180
 ctggatttgg gttgtgacct aggtgacatt aacttaaaag attcactaaa gcagcacata 3240
 gcactgggaa ctctggctcc gaaaaacttt gttatatata tcaaggatgt tctggcttta 3300
 cattttattt attagctgta aatacatgtg tggatgtgta aatggagctt gtacatattg 3360
 gaaaggcat tgtggctatc tgcatttata aatgtgtggt gctaactgta tgtgtcttta 3420
 tcagtgatgg tctcacagag ccaactcact cttatgaaat gggctttaac aaaacaagaa 3480
 agaaacgtac ttaactgtgt gaagaaatgg aatcagcttt taataaaatt gacaacattt 3540
 tattaccac 3549

<210> 16

<211> 1790

<212> DNA

<213> Homo sapiens

<400> 16

gtgaatctct ggggccagga agaccctgct gcccgaaga gcctcatgtt ccgtgggggc 60
 tgggaggaca tacatatagc ggctccaggc tgaacggctc gggccactta cacaccactg 120
 cctgataacc atgctggctg ccacagtcct gaccctggcc ctgctgggca atgcccattg 180
 ctgctccaaa ggcacctcgc acgaggcagg catcgtgtgc cgcattacca agcctgccct 240
 cctggtgttg aaccacgaga ctgccaaggc gatccagacc gccttccagc gagccagcta 300
 cccagatatc acgggcgaga aggccatgat gctccttggc caagtcaagt atgggttgca 360
 caacatccag atcagccact tgtccatcgc cagcagccag gtggagctgg tggaagccaa 420
 gtccattgat gtctccattc agaacgtgtc tgtggtcttc aaggggaccc tgaagtattg 480
 ctacaccact gcctggtggc tgggtattga tcagtccatt gacttcgaga tcgactctgc 540
 cattgacctc cagatcaaca cacagctgac ctgtgactct ggtagagtgc ggaccgatgc 600

ccctgactgc tacctgtctt tccataagct gctcctgcat ctccaagggg agcgagagcc	660
tgggtggatc aagcagctgt tcacaaattt catctccttc accctgaagc tggctcctgaa	720
gggacagatc tgcaaagaga tcaacgtcat ctctaacatc atggccgatt ttgtccagac	780
aagggctgcc agcatccttt cagatggaga cattgggggtg gacatttccc tgacaggtga	840
tcccgtcatc acagcctcct acctggagtc ccatcacaag ggtcatttca tctacaagaa	900
tgtctcagag gacctcccc tccccacctt ctgcgccaca ctgctggggg actccccgat	960
gctgtacttc tggttctctg agcgagtctt cactcgtctg gccaaaggtag ctttccagga	1020
tggccgcctc atgctcagcc tgatgggaga cgagttcaag gcagtgtctg agacctgggg	1080
cttcaacacc aaccaggaaa tcttccaaga ggttgtcggc ggcttcccc gccaggccca	1140
agtcaccgtc cactgcctca agatgcccaa gatctcctgc caaaacaagg gagtctgggt	1200
caattcttca gtgatggta aattcctctt tccacgccca gaccagcaac attctgtagc	1260
ttacacattt gaagaggata tcgtgactac cgtccaggcc tcctattcta agaaaaagct	1320
cttcttaagc ctcttggatt tccagattac accaaagact gtttccaact tgactgagag	1380
cagctccgag tccatccaga gcttcctgca gtcaatgatc accgctgtgg gcatccctga	1440
ggatcatgtc cggctcgagg tagtgtttac agccctcatg aacagcaaag gcgtgagcct	1500
cttcgacatc atcaaccctg agattatcac tcgagatggc ttctgtctgc tgcagatgga	1560
ctttggcttc cctgagcacc tgctggtgga tttcctccag agcttgagct agaagtctcc	1620
aaggaggctg ggatggggct tgtagcagaa ggcaagcacc aggtcacag ctggaaccct	1680
ggtgtctcct ccagcgtggg ggaagttggg ttaggagtag ggagatggag attggctccc	1740
aactcctccc tatcctaaag gccactggc attaaagtgc tgtatccaag	1790

<210> 17

<211> 2688

<212> DNA

<213> Homo sapiens

<400> 17

tttaaagctg ggaggttctg ccaccaagca cggccttccc actgggaaca caaacttgct	60
ggcgggaaga gcccggaaag aaacctgtgg atctcccttc gagatcatcc aaagagaaga	120
aaggtgacct cacattcgtg ccccttagca gcactctgca gaaatgcctc ctcagctgca	180
aaacggcctg aacctctcgg ccaaagttgt ccagggaagc ctggacagcc tgccccaggc	240
agtgaggag tttctcgaga ataacgctga gctgtgtcag cctgatcaca tccacatctg	300
tgacggctct gaggaggaga atgggcggct tctgggccag atggaggaag agggcatcct	360
caggcggctg aagaagtatg acaactgctg gttggctctc actgaccca gggatgtggc	420
caggatcgaa agcaagacgg ttatcgtcac ccaagagcaa agagacacag tgcccatccc	480

caaaacaggc ctcagccagc tcggtcgctg gatgtcagag gaggattttg agaaagcgtt	540
caatgccagg ttcccagggt gcatgaaagg tcgcaccatg tacgtcatcc cattcagcat	600
ggggccgctg ggctcgccctc tgtcaaagat cggcatcgag ctgacggatt caccctacgt	660
ggtggccagc atgcggatca tgacgcggat gggcacgccc gtcctggaag cactgggcga	720
tggggagttt gtcaaagtcc tccattctgt ggggtgccct ctgcctttac aaaagccttt	780
ggtcaacaac tggccctgca acccggagct gacgctcatc gcccacctgc ctgaccgcag	840
agagatcatc tcctttggca gtgggtacgg cgggaactcg ctgctcggga agaagtgtt	900
tgctctcagg atggccagcc ggctggccaa ggaggaaggg tggctggcag agcacatgct	960
ggttctgggt ataaccaacc ctgaggggtga gaagaagtac ctggcggccg catttcccag	1020
cgctgcggg aagaccaacc tggccatgat gaacccagc ctccccgggt ggaagggttga	1080
gtgcgtcggg gatgacattg cctggatgaa gtttgacgca caaggtcatt taagggccat	1140
caaccagaa aatggctttt tcggtgtcgc tcctgggact tcagtgaaga ccaccccaa	1200
tgcatcaag accatccaga agaacacaat cttaccaat gtggccgaga ccagcgacgg	1260
ggcgctttac tgggaaggca ttgatgagcc gctagcttca ggtgtcacca tcacgtcctg	1320
gaagaataag gagtggagct cagaggatgg ggaaccttgt gcccaccca actcgaggtt	1380
ctgcaccct gccagccagt gcccacatcat tgatgtgcc tgggagtctc cggaagggtg	1440
tcccattgaa ggcattatct ttggaggccg tagacctgct ggtgtccctc tagtctatga	1500
agctctcagc tggcaacatg gagtctttgt gggggcggcc atgagatcag aggccacagc	1560
ggctgcagaa cataaaggca aaatcatcat gcatgacccc tttgccatgc ggcccttctt	1620
tggctacaac ttcggcaaat acctggccca ctggcttagc atggcccagc acccagcagc	1680
caaactgccc aagatcttcc atgtcaactg gttccggaag gacaaggaag gcaaattcct	1740
ctggccaggc tttggagaga actccagggt gctggagtgg atgttcaacc ggatcgatgg	1800
aaaagccagc accaagctca cgcccatagg ctacatcccc aaggaggatg ccctgaacct	1860
gaaaggcctg gggcacatca acatgatgga gcttttcagc atctccaagg aattctggga	1920
gaaggagggtg gaagacatcg agaagtatct ggaggatcaa gtcaatgccg acctcccctg	1980
tgaaatcgag agagagatcc ttgccttgaa gcaaagaata agccagatgt aatcagggcc	2040
tgagtgtttt acctttaaaa tcattccctt tcccatccat aagggtgcagt aggagcaaga	2100
gagggcaagt gttcccaaat tgacgccacc ataataatca tcaccacacc gtgagcagat	2160
ctgaaaggca cactttgatt tttttaagga taagaaccac agaactgg gtagtagcta	2220
atgaaattga gaagggaat cttagcatgc ctccaaaat tcacatccaa tgcatagttt	2280
gttcaaattt aaggttactc aggcattgat cttttcagtg ttttttcaact ttagctatgt	2340
ggattagcta gaatgcacac caaaaaata cttgagctgt atatatatat gtgtgtgtgt	2400
gtgtgtgtgt gtgtgtgtgt gtgtgcatgt atgtgcacat gtgtctgtgt ggtatatttg	2460
tgatgtgtga tttgtatgta ctgttattga aaatatattt aatacctttg gaaaaatctt	2520

gggcaagatg acctactagt tttccttgaa aaaaagttgc ttgtttatta atattgtgct 2580
 taaattatatt ttatacacca ttgttcctta cttttacata attgcaatat ttccccctta 2640
 ctacttcttg gaaaaaaatt acaaaatgaa gttttataga aaagatgg 2688

<210> 18

<211> 3095

<212> DNA

<213> Homo sapiens

<400> 18

tagcagagca atcaccacca agcctggaat aactgcaagg gctctgctga catcttcctg 60
 aggtgccaag gaaatgagga tggaggaagg aatgaatgtt ctccatgact ttgggatcca 120
 gtcaacacat tacctccagg tgaattacca agactcccag gactgggttca tcttggtgtc 180
 cgtgatcgca gacctcagga atgccttcta cgtcctcttc cccatctggt tccatcttca 240
 ggaagctgtg ggcattaaac tcctttgggt agctgtgatt ggagactggc tcaacctcgt 300
 ctttaagtgg attctctttg gacagcgtcc atactggtgg gttttggata ctgactacta 360
 cagcaacact tccgtgcccc tgataaagca gttccctgta acctgtgaga ctggaccagg 420
 gagccccctt ggccatgcca tgggcacagc aggtgtatac tacgtgatgg tcacatctac 480
 tctttccatc tttcagggaa agataaagcc gacctacaga tttcgggtgct tgaatgtcat 540
 tttgtggttg ggattctggg ctgtgcagct gaatgtctgt ctgtcacgaa tctaccttgc 600
 tgctcatttt cctcatcaag ttgttgctgg agtcctgtca ggcatgtctg ttacagaaac 660
 tttcagccac atccacagca tctataatgc cagcctcaag aaatattttc tcattacctt 720
 cttcctgttc agcttcgcca tcggatttta tctgtctgtc aagggaactgg gtgtagacct 780
 cctgtggact ctggagaaaag cccagaggtg gtgcgagcag ccagaatggg tccacattga 840
 caccacaccc tttgccagcc tcctcaagaa cctgggcacg ctctttggcc tggggctggc 900
 tctcaactcc agcatgtaca gggagagctg caaggggaaa ctacgaagt ggctccatt 960
 ccgcctcagc tctattgtag cctccctcgt cctcctgcac gtctttgact ccttgaaacc 1020
 cccatcccaa gtcgagctgg tcttctacgt cttgtccttc tgcaagagtg cggtagtgcc 1080
 cctggcatcc gtcagtgtca tcccctactg cctcgcacag gtcctgggcc agccgcacaa 1140
 gaagtcgttg taagagatgt ggagtcttcg gtgtttaaag tcaacaacca tgccagggat 1200
 tgaggaggac tactatttga agcaatgggc actggtattt ggagcaagtg acatgccatc 1260
 cattctgccg tcgtggaatt aaatcacgga tggcagattg gagggtcgcc tggcttattc 1320
 ccatgtgtga ctccagcctg ccctcagcac agactctttc agatggaggt gccatatcac 1380
 gtacaccata tgcaagtttc ccgccaggag gtcctcctct ctctacttga atactctcac 1440
 aagtagggag ctactccca ctggaacagc ccattttatc tttgaatggg cttctgccag 1500

cccatTTTga ggccagaggt gctgtcagct caggtggtcc tctTTTtaca tcctaatacat 1560
 attgggtaat gTTTTtgaag agctaataga gctattgaga aagacctgtt gctagaagtt 1620
 ggggtgttct ggattTTTccc ctgaagactt acttattctt ccgtcacata tacaaaagca 1680
 agacttccag gtagggccag ctcaaacg ccaggtggag atcctaactg agaattttct 1740
 acctgtgttc attcttaccg agaaaaggag aaaggagctc tgaatctgat aggaaaagaa 1800
 ggctgcctaa ggaggagttt ttagtatgtg gcgtatcatg caagtgtat gccaaagccat 1860
 gtctaaatgg cTTtaattat atagtaatgc actctcagta atgggggacc agcttaagta 1920
 taattaatag atggttagtg gggtaattct gcttctagta tTTTTttac tgtgcataca 1980
 tgttcatcgt atttcttgg atttctgaat ggctgcagt acccagatat tgcactaggt 2040
 caaaacattc aggtatagct gacatctcct ctatcacatt acatcatcct ccttataagc 2100
 ccagctctgc tTTTtccaga ttcttccact ggctccacat ccacccact ggatcttcag 2160
 aaggctagag ggcgactctg gtggtgcttt tgtatgtttc aattaggctc tgaaatcttg 2220
 ggcaaatga caaggggagg gccaggattc ctctctcagg tcaactccagt gttactTTta 2280
 attcctagag ggtaaatatg actcctttct ctatccaag ccaaccaaga gcacattctt 2340
 aaaggaaaag tcaacatctt ctctcttttt tTTTTtttt gagacagggt ctactatgt 2400
 tgcccaggct gctcttgaat tcctgggctc aagcagtcct cccaccctac cacagcgctc 2460
 cgcgtagctg gcatacaggt gcaagccact atgtccagct agccaactcc tccttgctg 2520
 cTTTTtttt tTTTtcttt ttgagacgg cgcacctatc acccaggctg gagtggagtg 2580
 gcacgatctt ggctcactgc aacctcttcc tcctggttca agcgattctc atgtctcagc 2640
 ctctcagta gctaggacta ccggcgtgca ccaccatgcc aggctaattt ttatatttt 2700
 agaatttttag aagagatggg atttcatcat gttggccagg ctggtctcga actcctgacc 2760
 tcaagtgatc cacctgcctt ggccctccaa ggtgctagga ttacaggcat gagccaccgc 2820
 accgggccct ccttgccctgt ttttcaatct catctgatat gcagagtatt tctgccccac 2880
 ccacctacc cccaaaaaaa gctgaagcct atttatttga aagtccttgt ttttgctact 2940
 aattatatag tataccatac attatcattc aaaacaacca tcctgctcat aacatctttg 3000
 aaaagaaaaa tatatatgtg cagtatttta ttaaagcaac attttattta agaataaagt 3060
 cttgttaatt actatatttt agatgcaatg tgatc 3095

<210> 19

<211> 2128

<212> DNA

<213> Homo sapiens

<400> 19

gggggtccca tcgggcccgc cctcgcacgt cactccggga ccccgcggc ctccgcaggt 60

tctgcgctcc aggccggagt cagagactcc aggatcgggt ctttcatctt cgccgcccct	120
gcgcgtccag ctcttctaag acgagatgcc gtcgggcttc caacagatag gctccgaaga	180
tggggaaccc cctcagcagc gagtgactgg gaccctggtc cttgctgtgt tctctgcggt	240
gcttggtccc ctgcagtttg ggtacaacat tggggtcac atgcccctc agaaggtgat	300
tgaacagagc tacaatgaga cgtggctggg gaggcagggg cctgaggggac ccagctccat	360
ccctccaggc accctcacca ccctctgggc cctctccgtg gccatctttt ccgtgggagg	420
catgatttcc tccttctca ttggtatcat ctctcagtgg cttggaagga aaagggccat	480
gctggctaac aatgtcctgg cgggtgctggg gggcagcctc atgggcctgg ccaacgctgc	540
tgctcctat gaaatgctca tccttgacg attcctcatt ggcgcctact cagggtgac	600
atcagggtcg gtgcccattg acgtggggga gattgtcccc actcacctgc ggggcgcctc	660
ggggacgctc aaccaactgg ccattgttat cggcattctg atcgcccagg tgctgggctt	720
ggagtccctc ctgggcactg ccagcctgtg gccactgtc ctgggcctca cagtgtacc	780
tgccctctg cagctggtcc tgctgccctt ctgtcccgag agccccgct acctctacat	840
catccagaat ctcgaggggc ctgccagaaa gagtctgaag cgcctgacag gctgggcca	900
tgtttctgga gtgctggctg agctgaagga tgagaagcgg aagctggagc gtgagcgcc	960
actgtccctg ctccagctcc tgggcagccg taccaccgg cagcccctga tcattgcggt	1020
cgtgctgcag ctgagccagc agctctctgg catcaatgct gttttctatt attcgaccag	1080
catcttcgag acagcagggg taggccagcc tgcctatgcc accataggag ctggtgtggt	1140
caacacagtc ttcaccttg tctcgggtgt gttggtggag cgggcggggc gccggacgct	1200
ccatctctg ggcctggcgg gcatgtgtgg ctgtgccatc ctgatgactg tggtctgtct	1260
cctgctggag cgagttccag ccatgagcta cgtctccatt gtggccatct ttggcttcgt	1320
ggcatttttt gagattggcc ctggcccat tccttggttc atcgtggccg agctcttcag	1380
ccagggaccc cgcccgag ccatggctgt ggctggtttc tccaactgga cgagcaactt	1440
catcattggc atgggtttcc agtatgttg ggaggctatg gggccctacg tcttcttct	1500
atttgcggtc ctctgctgg gcttcttcat cttcaccttc ttaagagtac ctgaaactcg	1560
aggccggacg tttagaccaga tctcagctgc cttccaccgg acaccctctc ttttagagca	1620
ggaggtgaaa ccagcacag aacttgagta tttagggcca gatgagaacg actgaggggc	1680
caggcagggg tgggagagcc agctctctct acccgccca gagaccctt ctttctctt	1740
gcagcacttt aacctctct tccctattat ttccgggtgg aaaagaatcc ctgcagcctg	1800
gtagaattgg gaagctgggg gaagggtggt ctgagcacc cctcattccc ctggtgtgac	1860
tctcttgat tatttatgtg ttgtggtttg gccgtggcca tcagggtggg ccactctccc	1920
ctccctcttc cttcccccac ccccttctc cccaccttc cccagactca gctccagaat	1980
accttcttcg ctgctagaga agggggattg gagggagac aggtctagac tttctcagt	2040
ggacaaacca gagcagagag caggacagga gacaagaaat ccagtttccc accaccttg	2100

actcctccca caatctggga ctttcact

2128

<210> 20

<211> 1496

<212> DNA

<213> Homo sapiens

<400> 20

```

ggcacgagga aaatcaagat aaaaatgttc acaattaagc tccttctttt tattgttcct    60
ctagtatttt cctccagaat tgatcaagac aattcatcat ttgattctct atctccagag    120
ccaaaatcaa gatttgctat gttagacgat gtaaaaattt tagccaatgg cctccttcag    180
ttgggacatg gtcttaaaga ctttgtccat aagacgaagg gccaaattaa tgacatatatt    240
caaaaactca acatatattga tcagtctttt tatgatctat cgctgcaaac cagtgaatc    300
aaagaagaag aaaaggaact gagaagaact acatataaac tacaagtcaa aaatgaagag    360
gtaagaata tgtcacttga actcaactca aaacttgaaa gcctcctaga agaaaaaatt    420
ctacttcaac aaaaagtga atatttagaa gagcaactaa ctaacttaat tcaaatcaa    480
cctgaaactc cagaacaccc agaagtaact tcacttaaaa cttttgtaga aaaacaagat    540
aatagcatca aagaccttct ccagaccgtg gaagaccaat ataaacaatt aaaccaacag    600
catagtcaaa taaaagaaat agaaaatcag ctcaagaagg ctagtattca agaaccaca    660
gaaatttctc tatcttccaa gccaagagca ccaagaacta ctccctttct tcagttgaat    720
gaaataagaa atgtaaaaca tgatggcatt cctgctgaat gtaccaccat ttataacaga    780
ggtgaacata caagtggcat gtatgccatc agaccagca actctcaagt ttttcatgtc    840
tactgtgatg ttatatcagg tagtccatgg acattaattc aacatcgaat agatggatca    900
caaaacttca atgaaacgtg ggagaactac aaatatggtt ttgggaggct tgatggagaa    960
ttttggttgg gcctagagaa gatatactcc atagtgaagc aatctaatta tgttttacga   1020
attgagttgg aagactggaa agacaacaaa cattatattg aatattcttt ttacttgga   1080
aatcacgaaa ccaactatac gctacatcta gttgcgatta ctggcaatgt cccaatgca   1140
atcccggaaa acaaagattt ggtgttttct acttgggac acaaagcaa aggacacttc   1200
aactgtccag agggttattc aggaggctgg tgggtggcatg atgagtgtgg agaaaacaac   1260
ctaaatggtg aatataacaa accaagagca aaatctaagc cagagaggag aagaggatta   1320
tcttggaagt ctcaaatgg aaggttatac tctataaaat caaccaaatt gttgatccat   1380
ccaacagatt cagaaagctt tgaatgaact gaggcaaatt taaaaggcaa taatttaaac   1440
attaacctca ttccaagtta atgtggtcta ataactctgt attaatcct taagag       1496

```

<210> 21

<211> 1415

<212> DNA

<213> Homo sapiens

<400> 21

```

ggaggaggga gagagagaga agagaagaaa aagaaaaaag aacatcaata aaaagaagtc      60
agatttggtc gaaatcttga ggagtccttca ggccagctcc ctgtcggatg gcttttatga      120
aaaaatatct cctccccatt ctggggctct tcatggccta ctactactat tctgcaaacg      180
aggaattcag accagagatg ctccaaggaa agaaagtgat tgtcacaggg gccagcaaag      240
ggatcggaa agagatggct tatcatctgg cgaagatggg agcccatgtg gtggtgacag      300
cgagggtcaa agaaactcta cagaagggtg tatccactg cctggagctt ggagcagcct      360
cagcacacta cattgtctgg accatggaag acatgacctt cgagagcaa tttgttgccc      420
aagcaggaaa gtcctatgga ggactagaca tgctcattct caaccacatc accaactctt      480
ctttgaatct ttttcatgat gatattcacc atgtgcgcaa aagcatggaa gtcaacttcc      540
tcagttacgt ggtcctgact gtagctgcct tgcccatgct gaagcagagc aatggaagca      600
ttgttgtcgt ctctctctg gctgggaaag tggcttatcc aatggttgct gcctattctg      660
caagcaagtt tgctttggat ggggtcttct cctccatcag aaaggaatat tcagtgtcca      720
gggtcaatgt atcaatcact ctctgtgttc ttggcctcat agacacagaa acagccatga      780
aggcagtttc tgggatagtc catatgcaag cagctccaaa ggaggaatgt gccctggaga      840
tcatcaaagg gggagctctg cgccaagaag aagtgtatta tgacagctca ctctggacca      900
ctcttctgat cagaaatcca tgcaggaaga tcctggaatt tctctactca acgagctata      960
atatggacag attcataaac aagtaggaac tccctgaggg ctgggcatgc tgagggattt     1020
tgggactgtt ctgtctcatg tttatctgag ctcttatcta tgaagacatc ttcccagagt     1080
gtccccagag acatgcaagt catgggtcac acctgacaaa tggaaggagt tcctctaaca     1140
tttgcaaaat ggaaatgtaa taataatgaa tgtcatgcac cgctgcagcc agcagttgta     1200
aaattgttag taaacatagg tataattacc agatagttat attaaattta tatcttatat     1260
ataataatat gtgatgatta atacaatatt aattataata aaggtcacat aaactttata     1320
aattcataac tggtagctat aacttgagct tattcaggat ggtttcttta aaaccataaa     1380
ctgtacaaat gaaatttttc aatatttggt tctta                                1415

```

<210> 22

<211> 1405

<212> DNA

<213> Homo sapiens

<400> 22

acaattcaga ggctgctgcc tgcttaggag gttgtagaaa gctctgtagg ttctctctgt 60
 gtgtcctaca ggagtcttca ggccagctcc ctgtcggatg gcttttatga aaaaatatct 120
 cctccccatt ctggggctct tcatggccta ctactactat tctgcaaacg aggaattcag 180
 accagagatg ctccaaggaa agaaagtgat tgtcacaggg gccagcaaag ggatcggaa 240
 agagatggct tatcatctgg cgaagatggg agcccatgtg gtggtgacag cgaggtcaaa 300
 agaaactcta cagaaggtgg tatcccactg cctggagctt ggagcagcct cagcacacta 360
 cattgctggc accatggaag acatgacctt cgcagagcaa tttgttgccc aagcaggaaa 420
 gctcatggga ggactagaca tgctcattct caaccacatc accaactt ctttgaatct 480
 ttttcatgat gatattcacc atgtgcgcaa aagcatggaa gtcaacttcc tcagttacgt 540
 ggtcctgact gtagctgcct tgcccatgct gaagcagagc aatggaagca ttgttgtcgt 600
 ctctctctg gctgggaaag tggttatcc aatggttgct gcctattctg caagcaagtt 660
 tgctttggat ggttcttct cctccatcag aaaggaatat tcagtgtcca ggtcaatgt 720
 atcaatcact ctctgtgttc ttggcctcat agacacagaa acagccatga aggcagtttc 780
 tgggatagtc catatgcaag cagctccaaa ggaggaatgt gccctggaga tcatcaaagg 840
 gggagctctg cgccaagaag aagtgtatta tgacagctca ctctggacca ctcttctgat 900
 cagaaatcca tgcaggaaga tcctggaatt tcttactca acgagctata atatggacag 960
 attcataaac aagtaggaac tccctgaggg ctgggcacgc tgagggattt tgggactgtt 1020
 ctgtctcatg tttatctgag ctcttatcta tgaagacatc ttcccagagt gtccccagag 1080
 acatgcaagt catgggtcac acctgacaaa tggaaggagt tcctctaaca ttgcaaaaat 1140
 ggaaatgtaa taataatgaa tgtcatgcac cgctgcagcc agcagttgta aaattgttag 1200
 taaacatagg tataattacc agatagtat attaaattta tatcttatat ataataatat 1260
 gtgatgatta atacaatatt aattataata aaggtcacat aaactttata aattcataac 1320
 tggtagctat aacttgagct tattcaggat ggtttcttta aaaccataaa ctgtacaaat 1380
 gaaatttttc aatatttggt tctta 1405

<210> 23

<211> 1944

<212> DNA

<213> Homo sapiens

<400> 23

ccctctcgcg ccccgagccg gtgtaccccc gactccgcg ccccggccta gaagctctct 60
 ctccccgctc cccggcccg ccccgcccc gcccgcccc agcccgctgg gccgcatgg 120
 agcgctggcc ttggccgctg ggccggcgcct ggctgctcgt ggctgcccgc gcgctgctgc 180
 agctgctgcg ctgagacctg cgtctgggcc gcccgctgct ggccggcgtg gcgctgctgg 240

ccgcgcctcga ctggctgtgc cagcgctgc tgccccgcc ggccgcactc gccgtgctgg	300
ccgccgccgg ctggatcgcg ttgtcccgcc tggcgcgccc gcagcgccctg ccggtggcca	360
ctcgcgcggg gctcatcacc ggctgtgact ctggttttgg caaggagacg gccaagaaac	420
tggactccat gggcttcacg gtgctggcca ccgtattgga gttgaacagc cccggtgcca	480
tcgagctgcg tacctgctgc tcccccgcc taaggctgct gcagatggac ctgaccaaac	540
caggagacat tagccgcgtg ctagagttca ccaaggccca caccaccagc accggcctgt	600
ggggcctcgt caacaacgca ggccacaatg aagtagttgc tgatgcggag ctgtctccag	660
tggccacttt ccgtagctgc atggaggtga atttctttgg cgcgctcgag ctgaccaagg	720
gcctcctgcc cctgctgcgc agctcaaggg gccgcctcgt gactgtgggg agcccagcgg	780
gggacatgcc atatccgtgc ttgggggacct atggaacctc caaagcgccc gtggcgctac	840
tcattggacac attcagctgt gaactccttc cctggggggg caaggtcagc atcatccagc	900
ctggctgctt caagacagag tcagtgaaga acgtgggtca gtgggaaaag cgcaagcaat	960
tgctgctggc caacctgcct caagagctgc tgcaggccta cggcaaggac tacatcgagc	1020
acttgcatgg gcagttcctg cactcgctac gcctggccat gtccgacctc accccagttg	1080
tagatgccat cacagatgcg ctgctggcag ctcgccccg ccgccgctat taccgccggc	1140
agggcctggg gctcatgtac ttcatccact actacctgcc tgaaggcctg cggcgccgct	1200
tcctgcaggc cttcttcac agtcaactgtc tgctcgagc actgcagcct ggccagcctg	1260
gcactacccc accacaggac gcagcccagg gcccaaacct gagccccggc ctttccccag	1320
cagtggctcg gtgagccatg tgcacctatg gcccagccac tgcagcacag gaggtccgt	1380
gagcccttgg ttctccccg aaaacccccca gcattacgat cccccaagtg tcctggacct	1440
tggcctaaag aatcccaccc ccacttcatg cccactgccg atgcccacac caggcccggt	1500
gaggccaagg tttcccagtg agcctctgcg cctctccact gtttcatgag cccaaacacc	1560
ctcctggcac aacgctctac cctgcagctt ggagaactcc gctggatggg gagtctcatg	1620
caagacttca ctgcagcctt tcacaggact ctgcagatag tgctcttgca aactaaggag	1680
tgactagggtg ggttggggac cccctcagga ttgtttctcg gcaccagtgc ctgagtgtg	1740
caattgaggg ctaaatccca agtgtctctt gactggctca agaattaggg cccaactac	1800
acacccccaa gccacaggga agcatgtact gtacttccca attgccacat tttaaataaa	1860
gacaaatttt tttttcttct aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa	1920
aaaaaaaaaa aaaaaaaaaa aaaa	1944

INTERNATIONAL SEARCH REPORT

International Application No
PCT/EP 03/10036

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 A61K31/517 C07D403/04 A61P3/06

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 C07D A61K A61P

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the International search (name of data base and, where practical, search terms used)

EPO-Internal, CHEM ABS Data, WPI Data

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	<p>DATABASE CHEMCATS CHEMICAL ABSTRACTS SERVICES, COLUMBUS, OHIO, US; XP0002225148 ORDER NUMBER: TRG10400#07364-D; TRG10400#01815-D; TRG10400#01814-D; TRG10400#01812-D; TRG10400#01811-D; TRG10400#01809-D; TRG10400#01736-D; TRG10400#01735-D; TRG10400#01732-D; TRG10400#01729-D & "Chem.Follo" 15 May 2001 (2001-05-15), LION BIOSCIENCE , HEIDELBERG, GERMANY</p> <p style="text-align: center;">----- -/--</p>	1-3



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
- *&* document member of the same patent family

Date of the actual completion of the international search

12 January 2004

Date of mailing of the international search report

30/01/2004

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax (+31-70) 340-3016

Authorized officer

Kollmannsberger, M

INTERNATIONAL SEARCH REPORT

International Publication No

PCT/EP 03/10036

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	<p>COLLINS J L ET AL: "Identification of a Nonsteroidal Liver X Receptor Agonist through Parallel Array Synthesis of Tertiary Amines" JOURNAL OF MEDICINAL CHEMISTRY, AMERICAN CHEMICAL SOCIETY. WASHINGTON, US, vol. 45, 2002, pages 1963-1966, XP002225147 ISSN: 0022-2623 the whole document</p>	1-34
A	<p>GUPTA C M ET AL: "Drugs acting on the central nervous system. Syntheses of substituted quinazolones and quinazolines and triazepino- and triazocinoquinazolones" JOURNAL OF MEDICINAL CHEMISTRY, AMERICAN CHEMICAL SOCIETY. WASHINGTON, US, vol. 11, no. 2, 26 February 1968 (1968-02-26), pages 392-395, XP002156695 ISSN: 0022-2623 example 15; table 1</p>	1-34
A	<p>WO 97/20823 A (CRISCIONE LEOLUCA ; YAMAGUCHI YASUCHIKA (CH); CIBA GEIGY AG (CH); MAH) 12 June 1997 (1997-06-12) page 74; example 28 claims 1,12</p>	1-34

INTERNATIONAL SEARCH REPORT

International application No.
PCT/EP 03/10036

Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☒ Claims Nos.:
because they relate to subject matter not required to be searched by this Authority, namely:
Although claims 13-24, 33,34 are directed to a method of treatment of the human/animal body, the search has been carried out and based on the alleged effects of the compounds/compositions.
2. ☐ Claims Nos.:
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
3. ☐ Claims Nos.:
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
- ☐ No protest accompanied the payment of additional search fees.

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/EP 03/10036

Patent document cited in search report		Publication date		Patent family member(s)	Publication date
WO 9720823	A	12-06-1997	AU	7692996 A	27-06-1997
			WO	9720823 A2	12-06-1997
			ZA	9610020 A	01-06-1997
